



**产品领域**  
**Products Field**

- 工业电力柜及外壳 -Industrial Electrical Cabinets & Enclosures
- 网络通讯机柜 -IT & Network Cabinets & Enclosures
- 交通轨道系统 -Transportation & Railway System
- 食品加工设备 -Food Industry Equipment
- 医疗器械 -Medical Instruments

**图例说明**  
**Explanation of Graphics**


 <b>RL</b> Door LH&RH Version 右手开门和左手开门	 <b>L</b> Door LH Version 左手开门	 <b>R</b> Door RH Version 右手开门
 <b>Padlockable</b> 可带挂锁	 <b>IP50</b> IP-rating:IP50 IP防护等级：IP50	 <b>IP64</b> IP-rating:IP64 IP防护等级：IP64
 <b>IP65</b> IP-rating:IP65 IP防护等级：IP65	 <b>Pur foam sealing</b> Pur 发泡密封胶条	 <b>External hinge</b> 外装铰链
 <b>Concealed hinge</b> 内装铰链	 <b>Lift-off hinge</b> 可拆卸铰链	 <b>Stainless steel</b> 不锈钢

- IEC 60 529 防护等级。IP rating acc. to IEC 60 529
- IP 防护等级由两位数字组成，例如 IP54。The IP rating consists of 2 numbers, e.g. IP 54.

第一位数字 First No.	防止固体外物侵入的防护等级 Rating for protection against contact and foreign material	第二位数字 Second No.	防水防护等级 Rating of water proofing
1	防止≥Φ50mm的固体侵入 Protected against solid foreign objects Φ 50 mm and greater	1	防止垂直水滴侵入 Protected against vertically falling water drops
2	防止≥Φ12.5mm的固体侵入 Protected against solid foreign objects Φ 12.5 mm and greater	2	倾斜15°时，防止垂直水滴侵入 Protected against vertically falling water drops when the enclosure is tilted up to 15°
3	防止≥Φ2.5mm的固体侵入 Protected against solid foreign objects Φ 2.5 mm and greater	3	防止喷水水侵入 Protected against splashing water
4	防止≥Φ1.0mm的固体侵入 Protected against solid foreign objects Φ1.0mm and greater	4	防止飞溅水侵入 Protected against splashing water
5	防尘 Dust-protected	5	防止喷射水侵入 Protected against water jets
6	防尘、密闭 Dust-tight	6	防止强力喷射水侵入 Protected against powerful ater jets
		7	置于水中时，可短时间防水 Protected against the effects of temporary immersion in water



## 左开门及右开门图列说明 Explanations Of LH&RH Door Open& Close Directions




## 表面处理代码说明及缩写含义 Explanations Of Surface Finish Code & General Abbreviations


代号Code	表面处理 Surface Finish
B <sub>1</sub>	喷塑亚光黑 Black Smooth Coated
B <sub>2</sub>	喷塑麻面黑 Black Textured Coated
B <sub>3</sub>	电泳黑 Black E-coated
C <sub>1</sub>	电镀亮铬 Bright Chrome Plated
C <sub>2</sub>	电镀砂铬 Gray Chrome Plated
C <sub>3</sub>	电镀锌 Zinc Plated
C <sub>4</sub>	电镀镍 Nickel Plated
S <sub>1</sub>	喷砂 Sandblasting
S <sub>2</sub>	喷砂镀铬 Sandblasting Chrome Plated
S <sub>3</sub>	喷砂镀镍 Sandblasting Nickel Plated
Nm	纳米喷漆 NM Painting
Gn	喷塑蓝绿色 Blue Green Coated
Az	阳极氧化 Anodizing
RAL 7035	喷塑RAL7035 RAL7035 Powder Coated

缩写含义 General Abbreviations
AL= Aluminum Alloy 铝合金
MS= Mild Steel 碳钢
SS= Stainless Steel 不锈钢
PA= Plastic 塑料
PZ= Plastic+ Zinc Alloy 塑料+锌合金
BR= Brass 黄铜
K= Key Locking 带锁芯
N= None Locking 不带锁芯
L= Left Hand 左开
R= Right Hand 右开
H= Height 止口高度
GH= Length Of Housing 锁壳高度
CL= Center Distance 中心距
Ts= Door Panel Thickness 门板厚度

## 止口高度与锁壳高度说明 Explanations Of Grip Range & Housing Height






- A : 门板内放置锁的空间尺寸,随Ts板厚尺寸的变动而改变。
- GH:锁壳高度;锁壳与密封垫接触面到锁舌与锁壳尾部接触面的距离。
- BH : 锁片折弯高度;正向打弯为“-”,反向打弯为“+”。
- H : 止口高度,锁壳与密封垫的接触面到锁片折弯的表面距离,H=GH+BH。
- Ts:直角转舌锁门板厚度范围: 1 mm~Ps mm; Ps=(GH-12);  
平面摇把锁及多点式拉杆锁门板厚度范围: 1.5 mm~2.5 mm。
- A: The space for the lock body which go inside the door, it changes with the thickness of door panel.
- GH: Housing height; the distance from the contact surface of sealing gasket and door panel to the underside of housing.
- H: Grip range; the distance from the contact surface of sealing gasket and door panel to the upper surface of cam.
- BH: The bending height of cam,Reversed cam "-" Offset cam "+"
- Ts: Quarter turn cam lock panel thickness range: 1 mm to Ps mm, Ps=(GH-12).  
Swing handle latch & Muti-point rod latch panel thickness range: 1.5mm to 2.5mm.



直角转舌锁  
Quarter Turn Cam Lock

产品系列：1000



- Insert 锁芯
- Oring O型圈
- Spring 弹簧
- Housing 锁体
- Gasket 密封垫
- Nut 螺母
- Cam 锁舌
- Screw 螺钉

- 翼型 (3mm) Double Bit 3mm
- 翼型 (5mm) Double Bit 5mm
- 三角型 (7mm) Triangular 7mm
- 三角型 (8mm) Triangular 8mm
- 四方 (7mm) Square 7mm
- 四方 (8mm) Square 8mm
- 2X4直槽型 2X4 Slot

锁芯类型 Insert type	镀铬 Bright Chrome	无光黑 Black Coated
翼型3mm Double Bit 3mm	1000-D03M-C <sub>1</sub>	1000-D03M-B <sub>1</sub>
翼型5mm Double Bit 5mm	1000-D05M-C <sub>1</sub>	1000-D05M-B <sub>1</sub>
2x4直槽型 2x4 Slot	1000-024M-C <sub>1</sub>	1000-024M-B <sub>1</sub>
三角 7mm Triangular 7mm	1000-T07M-C <sub>1</sub>	1000-T07M-B <sub>1</sub>
三角 8mm Triangular 8mm	1000-T08M-C <sub>1</sub>	1000-T08M-B <sub>1</sub>
四方 7mm Square 7mm	1000-S07M-C <sub>1</sub>	1000-S07M-B <sub>1</sub>
四方 8mm Square 8mm	1000-S08M-C <sub>1</sub>	1000-S08M-B <sub>1</sub>

RL IP65



备注：  
1. 锌合金锁壳，锁芯和接地螺母；碳钢弹簧，锁片和螺丝，表面镀锌；丁腈O型圈，橡皮垫。  
2. 其他配件参考页面如下：  
锁片：见页面 N001-N002  
附件：见页面 N015  
钥匙：见页面 N006  
Remark:  
1. Zinc alloy housing, insert and earthnut; m.s. spring, cam and screw, zinc plated; with NBR O-ring and rubber gasket.  
2. Further parts see page:  
Cam: PAGE N001-N002  
Accessories: PAGE N015  
Key: PAGE N006



# 直角转舌锁 Quarter Turn Cam Lock

产品系列：1000



# 直角转舌锁 Quarter Turn Cam Lock

产品系列：1000




锁芯类型 Insert type	镀铬 Bright Chrome	无光黑 Black Coated	全塑料PA	塑料壳+锌合金锁芯 PA Housing+Zinc Insert	不锈钢 Stainless Steel
双翅3mm Double Bit 3mm	1000-D03-C <sub>1</sub>	1000-D03-B <sub>1</sub>		1000-D03-PZ	1000-D03-SS
双翅4mm Double Bit 4mm	1000-D04-C <sub>1</sub>	1000-D04-B <sub>1</sub>		1000-D04-PZ	1000-D04-SS
双翅5mm Double Bit 5mm	1000-D05-C <sub>1</sub>	1000-D05-B <sub>1</sub>	1000-D05-PA	1000-D05-PZ	1000-D05-SS
2×4直槽型 2×4 Slot	1000-024-C <sub>1</sub>	1000-024-B <sub>1</sub>	1000-024-PA	1000-024-PZ	1000-024-SS
2×4直槽防硬币型 2×4 Slot coin proof	1000-124-C <sub>1</sub>	1000-124-B <sub>1</sub>		1000-124-PZ	1000-124-SS
三角7mm Triangular 7mm	1000-T07-C <sub>1</sub>	1000-T07-B <sub>1</sub>		1000-T07-PZ	1000-T07-SS
三角8mm Triangular 8mm	1000-T08-C <sub>1</sub>	1000-T08-B <sub>1</sub>		1000-T08-PZ	1000-T08-SS
四方6mm Square 6mm	1000-S06-C <sub>1</sub>	1000-S06-B <sub>1</sub>		1000-S06-PZ	1000-S06-SS
四方7mm Square 7mm	1000-S07-C <sub>1</sub>	1000-S07-B <sub>1</sub>		1000-S07-PZ	1000-S07-SS
四方8mm Square 8mm	1000-S08-C <sub>1</sub>	1000-S08-B <sub>1</sub>		1000-S08-PZ	1000-S08-SS
四方7mm 带槽 Square 7mm with slot	1000-S17-C <sub>1</sub>	1000-S17-B <sub>1</sub>		1000-S17-PZ	1000-S17-SS
四方8mm 带槽 Square 8mm with slot	1000-S18-C <sub>1</sub>	1000-S18-B <sub>1</sub>		1000-S18-PZ	1000-S18-SS
内四方8mm 型 Female square 8mm	1000-FS08-C <sub>1</sub>	1000-FS08-B <sub>1</sub>		1000-FS08-PZ	1000-FS08-SS
内六角8mm Female hex 8mm	1000-FH08-C <sub>1</sub>	1000-FH08-B <sub>1</sub>		1000-FH08-PZ	1000-FH08-SS
内六角9mm Female hex 9mm	1000-FH09-C <sub>1</sub>	1000-FH09-B <sub>1</sub>		1000-FH09-PZ	1000-FH09-SS
内六角10mm Female hex 10mm	1000-FH10-C <sub>1</sub>	1000-FH10-B <sub>1</sub>		1000-FH10-PZ	1000-FH10-SS
内六角8mm带销 Female hex 8mm with pin	1000-FH11-C <sub>1</sub>	1000-FH11-B <sub>1</sub>		1000-FH11-PZ	1000-FH11-SS
外六角10mm Male hex 10mm	1000-MH10-C <sub>1</sub>	1000-MH10-B <sub>1</sub>		1000-MH10-PZ	1000-MH10-SS
半圆型锁芯 13 Eastern Europe Ø13	1000-E13-C <sub>1</sub>	1000-E13-B <sub>1</sub>		1000-E13-PZ	1000-E13-SS
三角带螺丝孔型 Triangular 10mm with M5 screw hole	1000-T10-C <sub>1</sub>	1000-T10-B <sub>1</sub>		1000-T10-PZ	1000-T10-SS



备注：  
1.锁壳、锁芯和接地螺母的材料可根据客户要求提供  
碳钢或者不锈钢片和螺丝、丁腈O型圈、橡皮垫和波形弹垫。  
2.其他配件参考页面如下：  
锁片：见页面 N001-N002  
附件：见页面 N015  
钥匙：见页面 N006  
Remark:  
1. Housing, insert and earthnut maerial as request; m. s. cam and screw,  
zinc plated, with NBR Oring, rubber gasket and wave spring washer.  
2. Further parts see page:  
Cam: PAGE N001-N002  
Accessories: PAGE N015  
Key: PAGE N006

# 直角转舌锁 Quarter Turn Cam Lock

产品系列：1001



锁芯类型 Insert type	GH=18				GH=30			
	镀亮铬 Bright Chrome	无光黑 Black Coated	塑料壳+锌合金锁芯 PA Housing+Zinc Insert	不锈钢 Stainless Steel	镀亮铬 Bright Chrome	无光黑 Black Coated	塑料壳+锌合金锁芯 PA Housing+Zinc Insert	不锈钢 Stainless Steel
双翅3mm Double Bit 3mm	1001-18D03-C <sub>1</sub>	1001-18D03-B <sub>1</sub>	1001-18D03-PZ	1001-18D03-SS	1001-30D03-C <sub>1</sub>	1001-30D03-B <sub>1</sub>	1001-30D03-PZ	1001-30D03-SS
双翅4mm Double Bit 4mm	1001-18D04-C <sub>1</sub>	1001-18D04-B <sub>1</sub>	1001-18D04-PZ	1001-18D04-SS	1001-30D04-C <sub>1</sub>	1001-30D04-B <sub>1</sub>	1001-30D04-PZ	1001-30D04-SS
双翅5mm Double Bit 5mm	1001-18D05-C <sub>1</sub>	1001-18D05-B <sub>1</sub>	1001-18D05-PZ	1001-18D05-SS	1001-30D05-C <sub>1</sub>	1001-30D05-B <sub>1</sub>	1001-30D05-PZ	1001-30D05-SS
2x4直槽型2x4 Slot	1001-18024-C <sub>1</sub>	1001-18024-B <sub>1</sub>	1001-18024-PZ	1001-18024-SS	1001-30024-C <sub>1</sub>	1001-30024-B <sub>1</sub>	1001-30024-PZ	1001-30024-SS
2x4直槽防硬币型2x4 Slot coin proof	1001-18124-C <sub>1</sub>	1001-18124-B <sub>1</sub>	1001-18124-PZ	1001-18124-SS	1001-30124-C <sub>1</sub>	1001-30124-B <sub>1</sub>	1001-30124-PZ	1001-30124-SS
三角7mm Triangular 7mm	1001-18T07-C <sub>1</sub>	1001-18T07-B <sub>1</sub>	1001-18T07-PZ	1001-18T07-SS	1001-30T07-C <sub>1</sub>	1001-30T07-B <sub>1</sub>	1001-30T07-PZ	1001-30T07-SS
三角8mm Triangular 8mm	1001-18T08-C <sub>1</sub>	1001-18T08-B <sub>1</sub>	1001-18T08-PZ	1001-18T08-SS	1001-30T08-C <sub>1</sub>	1001-30T08-B <sub>1</sub>	1001-30T08-PZ	1001-30T08-SS
四方6mm Square 6mm	1001-18S06-C <sub>1</sub>	1001-18S06-B <sub>1</sub>	1001-18S06-PZ	1001-18S06-SS	1001-30S06-C <sub>1</sub>	1001-30S06-B <sub>1</sub>	1001-30S06-PZ	1001-30S06-SS
四方7mm Square 7mm	1001-18S07-C <sub>1</sub>	1001-18S07-B <sub>1</sub>	1001-18S07-PZ	1001-18S07-SS	1001-30S07-C <sub>1</sub>	1001-30S07-B <sub>1</sub>	1001-30S07-PZ	1001-30S07-SS
四方8mm Square 8mm	1001-18S08-C <sub>1</sub>	1001-18S08-B <sub>1</sub>	1001-18S08-PZ	1001-18S08-SS	1001-30S08-C <sub>1</sub>	1001-30S08-B <sub>1</sub>	1001-30S08-PZ	1001-30S08-SS
四方7mm 带槽 Square 7mm with slot	1001-18S17-C <sub>1</sub>	1001-18S17-B <sub>1</sub>	1001-18S17-PZ	1001-18S17-SS	1001-30S17-C <sub>1</sub>	1001-30S17-B <sub>1</sub>	1001-30S17-PZ	1001-30S17-SS
四方8mm 带槽 Square 8mm with slot	1001-18S18-C <sub>1</sub>	1001-18S18-B <sub>1</sub>	1001-18S18-PZ	1001-18S18-SS	1001-30S18-C <sub>1</sub>	1001-30S18-B <sub>1</sub>	1001-30S18-PZ	1001-30S18-SS
内四方8型 Female square 8mm	1001-18FS08-C <sub>1</sub>	1001-18FS08-B <sub>1</sub>	1001-18FS08-PZ	1001-18FS08-SS	1001-30FS08-C <sub>1</sub>	1001-30FS08-B <sub>1</sub>	1001-30FS08-PZ	1001-30FS08-SS
内六角8mm Female hex 8mm	1001-18FH08-C <sub>1</sub>	1001-18FH08-B <sub>1</sub>	1001-18FH08-PZ	1001-18FH08-SS	1001-30FH08-C <sub>1</sub>	1001-30FH08-B <sub>1</sub>	1001-30FH08-PZ	1001-30FH08-SS
内六角9mm Female hex 9mm	1001-18FH09-C <sub>1</sub>	1001-18FH09-B <sub>1</sub>	1001-18FH09-PZ	1001-18FH09-SS	1001-30FH09-C <sub>1</sub>	1001-30FH09-B <sub>1</sub>	1001-30FH09-PZ	1001-30FH09-SS
内六角10mm Female hex 10mm	1001-18FH10-C <sub>1</sub>	1001-18FH10-B <sub>1</sub>	1001-18FH10-PZ	1001-18FH10-SS	1001-30FH10-C <sub>1</sub>	1001-30FH10-B <sub>1</sub>	1001-30FH10-PZ	1001-30FH10-SS
内六角8mm带销 Female hex 8mm with pin	1001-18FH11-C <sub>1</sub>	1001-18FH11-B <sub>1</sub>	1001-18FH11-PZ	1001-18FH11-SS	1001-30FH11-C <sub>1</sub>	1001-30FH11-B <sub>1</sub>	1001-30FH11-PZ	1001-30FH11-SS
外六角10mm Male hex 10mm	1001-18MH10-C <sub>1</sub>	1001-18MH10-B <sub>1</sub>	1001-18MH10-PZ	1001-18MH10-SS	1001-30MH10-C <sub>1</sub>	1001-30MH10-B <sub>1</sub>	1001-30MH10-PZ	1001-30MH10-SS
半圆型锁芯 13 Eastern Europe Ø13	1001-18E13-C <sub>1</sub>	1001-18E13-B <sub>1</sub>	1001-18E13-PZ	1001-18E13-SS	1001-30E13-C <sub>1</sub>	1001-30E13-B <sub>1</sub>	1001-30E13-PZ	1001-30E13-SS
三角带螺孔型 Triangular 10mm with M5 screw hole	1001-18T10-C <sub>1</sub>	1001-18T10-B <sub>1</sub>	1001-18T10-PZ	1001-18T10-SS	1001-30T10-C <sub>1</sub>	1001-30T10-B <sub>1</sub>	1001-30T10-PZ	1001-30T10-SS

# 直角转舌锁 Quarter Turn Cam Lock

产品系列：1001






锁芯类型 Insert type	GH=36				GH=40			
	镀亮铬 Bright Chrome	无光黑 Black Coated	塑料壳+锌合金锁芯 PA Housing+Zinc Insert	不锈钢 Stainless Steel	镀亮铬 Bright Chrome	无光黑 Black Coated	塑料壳+锌合金锁芯 PA Housing+Zinc Insert	不锈钢 Stainless Steel
双翅3mm Double Bit 3mm	1001-36D03-C <sub>1</sub>	1001-36D03-B <sub>1</sub>	1001-36D03-PZ	1001-36D03-SS	1001-40D03-C <sub>1</sub>	1001-40D03-B <sub>1</sub>	1001-40D03-PZ	1001-40D03-SS
双翅4mm Double Bit 4mm	1001-36D04-C <sub>1</sub>	1001-36D04-B <sub>1</sub>	1001-36D04-PZ	1001-36D04-SS	1001-40D04-C <sub>1</sub>	1001-40D04-B <sub>1</sub>	1001-40D04-PZ	1001-40D04-SS
双翅5mm Double Bit 5mm	1001-36D05-C <sub>1</sub>	1001-36D05-B <sub>1</sub>	1001-36D05-PZ	1001-36D05-SS	1001-40D05-C <sub>1</sub>	1001-40D05-B <sub>1</sub>	1001-40D05-PZ	1001-40D05-SS
2x4直槽型2x4 Slot	1001-36024-C <sub>1</sub>	1001-36024-B <sub>1</sub>	1001-36024-PZ	1001-36024-SS	1001-40024-C <sub>1</sub>	1001-40024-B <sub>1</sub>	1001-40024-PZ	1001-40024-SS
2x4直槽防硬币型2x4 Slot coin proof	1001-36124-C <sub>1</sub>	1001-36124-B <sub>1</sub>	1001-36124-PZ	1001-36124-SS	1001-40124-C <sub>1</sub>	1001-40124-B <sub>1</sub>	1001-40124-PZ	1001-40124-SS
三角7mm Triangular 7mm	1001-36T07-C <sub>1</sub>	1001-36T07-B <sub>1</sub>	1001-36T07-PZ	1001-36T07-SS	1001-40T07-C <sub>1</sub>	1001-40T07-B <sub>1</sub>	1001-40T07-PZ	1001-40T07-SS
三角8mm Triangular 8mm	1001-36T08-C <sub>1</sub>	1001-36T08-B <sub>1</sub>	1001-36T08-PZ	1001-36T08-SS	1001-40T08-C <sub>1</sub>	1001-40T08-B <sub>1</sub>	1001-40T08-PZ	1001-40T08-SS
四方6mm Square 6mm	1001-36S06-C <sub>1</sub>	1001-36S06-B <sub>1</sub>	1001-36S06-PZ	1001-36S06-SS	1001-40S06-C <sub>1</sub>	1001-40S06-B <sub>1</sub>	1001-40S06-PZ	1001-40S06-SS
四方7mm Square 7mm	1001-36S07-C <sub>1</sub>	1001-36S07-B <sub>1</sub>	1001-36S07-PZ	1001-36S07-SS	1001-40S07-C <sub>1</sub>	1001-40S07-B <sub>1</sub>	1001-40S07-PZ	1001-40S07-SS
四方8mm Square 8mm	1001-36S08-C <sub>1</sub>	1001-36S08-B <sub>1</sub>	1001-36S08-PZ	1001-36S08-SS	1001-40S08-C <sub>1</sub>	1001-40S08-B <sub>1</sub>	1001-40S08-PZ	1001-40S08-SS
四方7mm 带槽 Square 7mm with slot	1001-36S17-C <sub>1</sub>	1001-36S17-B <sub>1</sub>	1001-36S17-PZ	1001-36S17-SS	1001-40S17-C <sub>1</sub>	1001-40S17-B <sub>1</sub>	1001-40S17-PZ	1001-40S17-SS
四方8mm 带槽 Square 8mm with slot	1001-36S18-C <sub>1</sub>	1001-36S18-B <sub>1</sub>	1001-36S18-PZ	1001-36S18-SS	1001-40S18-C <sub>1</sub>	1001-40S18-B <sub>1</sub>	1001-40S18-PZ	1001-40S18-SS
内四方8型 Female square 8mm	1001-36FS08-C <sub>1</sub>	1001-36FS08-B <sub>1</sub>	1001-36FS08-PZ	1001-36FS08-SS	1001-40FS08-C <sub>1</sub>	1001-40FS08-B <sub>1</sub>	1001-40FS08-PZ	1001-40FS08-SS
内六角8mm Female hex 8mm	1001-36FH08-C <sub>1</sub>	1001-36FH08-B <sub>1</sub>	1001-36FH08-PZ	1001-36FH08-SS	1001-40FH08-C <sub>1</sub>	1001-40FH08-B <sub>1</sub>	1001-40FH08-PZ	1001-40FH08-SS
内六角9mm Female hex 9mm	1001-36FH09-C <sub>1</sub>	1001-36FH09-B <sub>1</sub>	1001-36FH09-PZ	1001-36FH09-SS	1001-40FH09-C <sub>1</sub>	1001-40FH09-B <sub>1</sub>	1001-40FH09-PZ	1001-40FH09-SS
内六角10mm Female hex 10mm	1001-36FH10-C <sub>1</sub>	1001-36FH10-B <sub>1</sub>	1001-36FH10-PZ	1001-36FH10-SS	1001-40FH10-C <sub>1</sub>	1001-40FH10-B <sub>1</sub>	1001-40FH10-PZ	1001-40FH10-SS
内六角8mm带销 Female hex 8mm with pin	1001-36FH11-C <sub>1</sub>	1001-36FH11-B <sub>1</sub>	1001-36FH11-PZ	1001-36FH11-SS	1001-40FH11-C <sub>1</sub>	1001-40FH11-B <sub>1</sub>	1001-40FH11-PZ	1001-40FH11-SS
外六角10mm Male hex 10mm	1001-36MH10-C <sub>1</sub>	1001-36MH10-B <sub>1</sub>	1001-36MH10-PZ	1001-36MH10-SS	1001-40MH10-C <sub>1</sub>	1001-40MH10-B <sub>1</sub>	1001-40MH10-PZ	1001-40MH10-SS
半圆型锁芯 13 Eastern Europe Ø13	1001-36E13-C <sub>1</sub>	1001-36E13-B <sub>1</sub>	1001-36E13-PZ	1001-36E13-SS	1001-40E13-C <sub>1</sub>	1001-40E13-B <sub>1</sub>	1001-40E13-PZ	1001-40E13-SS
三角带螺孔型 Triangular 10mm with M5 screw hole	1001-36T10-C <sub>1</sub>	1001-36T10-B <sub>1</sub>	1001-36T10-PZ	1001-36T10-SS	1001-40T10-C <sub>1</sub>	1001-40T10-B <sub>1</sub>	1001-40T10-PZ	1001-40T10-SS

锁芯类型 Insert type	GH=50				GH=60			
	镀亮铬 Bright Chrome	无光黑 Black Coated	塑料壳+锌合金锁芯 PA Housing+Zinc Insert	不锈钢 Stainless Steel	镀亮铬 Bright Chrome	无光黑 Black Coated	塑料壳+锌合金锁芯 PA Housing+Zinc Insert	不锈钢 Stainless Steel
双翅3mm Double Bit 3mm	1001-50D03-C <sub>1</sub>	1001-50D03-B <sub>1</sub>	1001-50D03-PZ	1001-50D03-SS	1001-60D03-C <sub>1</sub>	1001-60D03-B <sub>1</sub>	1001-60D03-PZ	1001-60D03-SS
双翅4mm Double Bit 4mm	1001-50D04-C <sub>1</sub>	1001-50D04-B <sub>1</sub>	1001-50D04-PZ	1001-50D04-SS	1001-60D04-C <sub>1</sub>	1001-60D04-B <sub>1</sub>	1001-60D04-PZ	1001-60D04-SS
双翅5mm Double Bit 5mm	1001-50D05-C <sub>1</sub>	1001-50D05-B <sub>1</sub>	1001-50D05-PZ	1001-50D05-SS	1001-60D05-C <sub>1</sub>	1001-60D05-B <sub>1</sub>	1001-60D05-PZ	1001-60D05-SS
2x4直槽型2x4 Slot	1001-50024-C <sub>1</sub>	1001-50024-B <sub>1</sub>	1001-50024-PZ	1001-50024-SS	1001-60024-C <sub>1</sub>	1001-60024-B <sub>1</sub>	1001-60024-PZ	1001-60024-SS
2x4直槽防硬币型2x4 Slot coin proof	1001-50124-C <sub>1</sub>	1001-50124-B <sub>1</sub>	1001-50124-PZ	1001-50124-SS	1001-60124-C <sub>1</sub>	1001-60124-B <sub>1</sub>	1001-60124-PZ	1001-60124-SS
三角7mm Triangular 7mm	1001-50T07-C <sub>1</sub>	1001-50T07-B <sub>1</sub>	1001-50T07-PZ	1001-50T07-SS	1001-60T07-C <sub>1</sub>	1001-60T07-B <sub>1</sub>	1001-60T07-PZ	1001-60T07-SS
三角8mm Triangular 8mm	1001-50T08-C <sub>1</sub>	1001-50T08-B <sub>1</sub>	1001-50T08-PZ	1001-50T08-SS	1001-60T08-C <sub>1</sub>	1001-60T08-B <sub>1</sub>	1001-60T08-PZ	1001-60T08-SS
四方6mm Square 6mm	1001-50S06-C <sub>1</sub>	1001-50S06-B <sub>1</sub>	1001-50S06-PZ	1001-50S06-SS	1001-60S06-C <sub>1</sub>	1001-60S06-B <sub>1</sub>	1001-60S06-PZ	1001-60S06-SS
四方7mm Square 7mm	1001-50S07-C <sub>1</sub>	1001-50S07-B <sub>1</sub>	1001-50S07-PZ	1001-50S07-SS	1001-60S07-C <sub>1</sub>	1001-60S07-B <sub>1</sub>	1001-60S07-PZ	1001-60S07-SS
四方8mm Square 8mm	1001-50S08-C <sub>1</sub>	1001-50S08-B <sub>1</sub>	1001-50S08-PZ	1001-50S08-SS	1001-60S08-C <sub>1</sub>	1001-60S08-B <sub>1</sub>	1001-60S08-PZ	1001-60S08-SS
四方7mm 带槽 Square 7mm with slot	1001-50S17-C <sub>1</sub>	1001-50S17-B <sub>1</sub>	1001-50S17-PZ	1001-50S17-SS	1001-60S17-C <sub>1</sub>	1001-60S17-B <sub>1</sub>	1001-60S17-PZ	1001-60S17-SS
四方8mm 带槽 Square 8mm with slot	1001-50S18-C <sub>1</sub>	1001-50S18-B <sub>1</sub>	1001-50S18-PZ	1001-50S18-SS	1001-60S18-C <sub>1</sub>	1001-60S18-B <sub>1</sub>	1001-60S18-PZ	1001-60S18-SS
内四方8型 Female square 8mm	1001-50FS08-C <sub>1</sub>	1001-50FS08-B <sub>1</sub>	1001-50FS08-PZ	1001-50FS08-SS	1001-60FS08-C <sub>1</sub>	1001-60FS08-B <sub>1</sub>	1001-60FS08-PZ	1001-60FS08-SS
内六角8mm Female hex 8mm	1001-50FH08-C <sub>1</sub>	1001-50FH08-B <sub>1</sub>	1001-50FH08-PZ	1001-50FH08-SS	1001-60FH08-C <sub>1</sub>	1001-60FH08-B <sub>1</sub>	1001-60FH08-PZ	1001-60FH08-SS
内六角9mm Female hex 9mm	1001-50FH09-C <sub>1</sub>	1001-50FH09-B <sub>1</sub>	1001-50FH09-PZ	1001-50FH09-SS	1001-60FH09-C <sub>1</sub>	1001-60FH09-B <sub>1</sub>	1001-60FH09-PZ	1001-60FH09-SS
内六角10mm Female hex 10mm	1001-50FH10-C <sub>1</sub>	1001-50FH10-B <sub>1</sub>	1001-50FH10-PZ	1001-50FH10-SS	1001-60FH10-C <sub>1</sub>	1001-60FH10-B <sub>1</sub>	1001-60FH10-PZ	1001-60FH10-SS
内六角8mm带销 Female hex 8mm with pin	1001-50FH11-C <sub>1</sub>	1001-50FH11-B <sub>1</sub>	1001-50FH11-PZ	1001-50FH11-SS	1001-60FH11-C <sub>1</sub>	1001-60FH11-B <sub>1</sub>	1001-60FH11-PZ	1001-60FH11-SS
外六角10mm Male hex 10mm	1001-50MH10-C <sub>1</sub>	1001-50MH10-B <sub>1</sub>	1001-50MH10-PZ	1001-50MH10-SS	1001-60MH10-C <sub>1</sub>	1001-60MH10-B <sub>1</sub>	1001-60MH10-PZ	1001-60MH10-SS
半圆型锁芯 13 Eastern Europe Ø13	1001-50E13-C <sub>1</sub>	1001-50E13-B <sub>1</sub>	1001-50E13-PZ	1001-50E13-SS	1001-60E13-C <sub>1</sub>	1001-60E13-B <sub>1</sub>	1001-60E13-PZ	1001-60E13-SS
三角带螺孔型 Triangular 10mm with M5 screw hole	1001-50T10-C <sub>1</sub>	1001-50T10-B <sub>1</sub>	1001-50T10-PZ	1001-50T10-SS	1001-60T10-C <sub>1</sub>	1001-60T10-B <sub>1</sub>	1001-60T10-PZ	1001-60T10-SS

# 直角转舌锁 Quarter Turn Cam Lock

产品系列：1002

RL IP65 NEW





锁芯类型 Insert type	镀亮铬 Bright Chrome	无光黑 Black Coated
双翅4mm Double Bit 4mm	1002-D04-C,	1002-D04-B,
2x4直槽型 2x4 Slot	1002-024-C,	1002-024-B,
三角7mm Triangular 7mm	1002-T07-C,	1002-T07-B,
三角8mm Triangular 8mm	1002-T08-C,	1002-T08-B,
四方7mm Square 7mm	1002-S07-C,	1002-S07-B,
四方8mm Square 8mm	1002-S08-C,	1002-S08-B,

备注：  
1. 锌合金锁壳、锁芯和接地螺母；碳钢锁片和螺丝；丁腈O型圈、橡皮垫和波形弹簧。  
2. 其他配件参考页面如下：  
锁片：见页面 N001-N002  
附件：见页面 N015  
钥匙：见页面 N006  
Remark:  
1. Zinc alloy housing, insert and earthenut; m.s. cam and screw, zinc plated, with NBR Oring, rubber gasket and wave spring washer.  
2. Further parts see page:  
Cam: PAGE N001-N002  
Accessories: PAGE N015  
Key: PAGE N006

# 直角转舌锁 Quarter Turn Cam Lock

产品系列：1003


RL IP65 NEW



锁芯类型 Insert type	左开 LH Version		右开 RH Version	
	镀亮铬 Bright Chrome	无光黑 Black Coated	镀亮铬 Bright Chrome	无光黑 Black Coated
双翅3mm Double Bit 3mm	1003-D03L-C,	1003-D03L-B,	1003-D03R-C,	1003-D03R-B,
双翅4mm Double Bit 4mm	1003-D04L-C,	1003-D04L-B,	1003-D04R-C,	1003-D04R-B,
双翅5mm Double Bit 5mm	1003-D05L-C,	1003-D05L-B,	1003-D05R-C,	1003-D05R-B,
2x4直槽型 2x4 Slot	1003-024L-C,	1003-024L-B,	1003-024R-C,	1003-024R-B,
2x4直槽防硬币型 2x4 Slot coin proof	1003-124L-C,	1003-124L-B,	1003-124R-C,	1003-124R-B,
三角7mm Triangular 7mm	1003-T07L-C,	1003-T07L-B,	1003-T07R-C,	1003-T07R-B,
三角8mm Triangular 8mm	1003-T08L-C,	1003-T08L-B,	1003-T08R-C,	1003-T08R-B,
四方6mm Square 6mm	1003-S06L-C,	1003-S06L-B,	1003-S06R-C,	1003-S06R-B,
四方7mm Square 7mm	1003-S07L-C,	1003-S07L-B,	1003-S07R-C,	1003-S07R-B,
四方8mm Square 8mm	1003-S08L-C,	1003-S08L-B,	1003-S08R-C,	1003-S08R-B,
四方7mm带槽 Square 7mm with slot	1003-S17L-C,	1003-S17L-B,	1003-S17R-C,	1003-S17R-B,
四方8mm带槽 Square 8mm with slot	1003-S18L-C,	1003-S18L-B,	1003-S18R-C,	1003-S18R-B,
内四方8型 Female square 8mm	1003-FS08L-C,	1003-FS08L-B,	1003-FS08R-C,	1003-FS08R-B,
内六角8mm Female hex 8mm	1003-FH08L-C,	1003-FH08L-B,	1003-FH08R-C,	1003-FH08R-B,
内六角9mm Female hex 9mm	1003-FH09L-C,	1003-FH09L-B,	1003-FH09R-C,	1003-FH09R-B,
内六角10mm Female hex 10mm	1003-FH10L-C,	1003-FH10L-B,	1003-FH10R-C,	1003-FH10R-B,
内六角8mm带销 Female hex 8mm with pin	1003-FH11L-C,	1003-FH11L-B,	1003-FH11R-C,	1003-FH11R-B,
外六角10mm Male hex 10mm	1003-MH10L-C,	1003-MH10L-B,	1003-MH10R-C,	1003-MH10R-B,
半圆型锁芯 13 Eastern Europe Ø13	1003-E13L-C,	1003-E13L-B,	1003-E13R-C,	1003-E13R-B,
三角带螺丝孔型 Triangular 10mm with M5 screw hole	1003-T10L-C,	1003-T10L-B,	1003-T10R-C,	1003-T10R-B,



备注：  
1. 锌合金锁壳、锁芯、接地螺母和锁片；碳钢螺丝，表面镀锌；丁腈O型圈、橡皮垫和不锈钢弹簧。  
锁片：见页面 N001-N002  
钥匙：见页面 N006  
Remark:  
1. Zinc alloy housing, insert, earthenut and cam; m.s. screw, zinc plated, with NBR Oring, rubber gasket and ss spring.  
2. Further parts see page:  
Cam: PAGE N001-N002  
Key: PAGE N006




产品系列：1004

STAINLESS SERIES  
RL IP65





备注：  
1. 锌合金锁壳和锁芯，碳钢锁片和螺丝，表面镀锌，铜螺母，  
丁腈O型圈，橡皮垫和波形弹垫。  
Remark:  
1. Zinc alloy housing and insert ; m.s. cam and screw, zinc plated,  
brass nut, with NBR Oring rubber gasket, and wave spring washer.

螺母安装  
With Nut Mounting





弹簧固定片  
Spring Fixing Plate



锁芯类型 Insert Type	锁片类型 Cam Type	A 型 - 螺母固定 Type A - Nut Fixing			B 型 - 卡簧固定 Type B - Spring Fixing		
		锌合金 Zinc Alloy		不锈钢 Stainless Steel	锌合金 Zinc Alloy		不锈钢 Stainless Steel
		镀亮铬 Bright Chrome	无光黑 Black Coated		镀亮铬 Bright Chrome	无光黑 Black Coated	
四方 6 Square 6mm	H=7.5	1004-S01A-C <sub>1</sub>	1004-S01A-B <sub>1</sub>	1004-S01A-SS	1004-S01B-C <sub>1</sub>	1004-S01B-B <sub>1</sub>	1004-S01B-SS
	H=13.5	1004-S02A-C <sub>1</sub>	1004-S02A-B <sub>1</sub>	1004-S02A-SS	1004-S02B-C <sub>1</sub>	1004-S02B-B <sub>1</sub>	1004-S02B-SS
	H=19.5	1004-S03A-C <sub>1</sub>	1004-S03A-B <sub>1</sub>	1004-S03A-SS	1004-S03B-C <sub>1</sub>	1004-S03B-B <sub>1</sub>	1004-S03B-SS
三角 6.5 Triangular 6.5mm	H=7.5	1004-T01A-C <sub>1</sub>	1004-T01A-B <sub>1</sub>	1004-T01A-SS	1004-T01B-C <sub>1</sub>	1004-T01B-B <sub>1</sub>	1004-T01B-SS
	H=13.5	1004-T02A-C <sub>1</sub>	1004-T02A-B <sub>1</sub>	1004-T02A-SS	1004-T02B-C <sub>1</sub>	1004-T02B-B <sub>1</sub>	1004-T02B-SS
	H=19.5	1004-T03A-C <sub>1</sub>	1004-T03A-B <sub>1</sub>	1004-T03A-SS	1004-T03B-C <sub>1</sub>	1004-T03B-B <sub>1</sub>	1004-T03B-SS
直槽 1.5 Slot 1.5mm	H=7.5	1004-101A-C <sub>1</sub>	1004-101A-B <sub>1</sub>	1004-101A-SS	1004-101B-C <sub>1</sub>	1004-101B-B <sub>1</sub>	1004-101B-SS
	H=13.5	1004-102A-C <sub>1</sub>	1004-102A-B <sub>1</sub>	1004-102A-SS	1004-102B-C <sub>1</sub>	1004-102B-B <sub>1</sub>	1004-102B-SS
	H=19.5	1004-103A-C <sub>1</sub>	1004-103A-B <sub>1</sub>	1004-103A-SS	1004-103B-C <sub>1</sub>	1004-103B-B <sub>1</sub>	1004-103B-SS
手柄型 Wing Knob	H=7.5	1004-K01A-C <sub>1</sub>	1004-K01A-B <sub>1</sub>	1004-K01A-SS	1004-K01B-C <sub>1</sub>	1004-K01B-B <sub>1</sub>	1004-K01B-SS
	H=13.5	1004-K02A-C <sub>1</sub>	1004-K02A-B <sub>1</sub>	1004-K02A-SS	1004-K02B-C <sub>1</sub>	1004-K02B-B <sub>1</sub>	1004-K02B-SS
	H=19.5	1004-K03A-C <sub>1</sub>	1004-K03A-B <sub>1</sub>	1004-K03A-SS	1004-K03B-C <sub>1</sub>	1004-K03B-B <sub>1</sub>	1004-K03B-SS

产品系列：1005

RL IP65



备注：  
1. 锌合金锁壳，锁芯和接地螺母，碳钢锁片和螺丝，表面镀锌，  
丁腈O型圈，橡皮垫和不锈钢弹簧。  
2. 其他配件参考页面如下：  
锁片：见页面 N001-N002  
附件：见页面 N015  
钥匙：见页面 N006  
Remark：  
1. Zinc alloy housing, insert and earthnut ; m.s. cam and screw,  
zinc plated, with spring inside, NBR O-ring, rubber gasket,  
Pull-up 1.5mm  
2. Further parts see page:  
Cam: PAGE N001-N002  
Accessories: PAGE N015  
Key: PAGE N006

锁芯类型 Insert Type	Cam Type	镀亮铬 Bright Chrome	无光黑 Black Coated	喷灰色 RAL7016 Coated
双翅 5 Double Bit 5 mm	CL=45mm	1005-D05-C <sub>1</sub>	1005-D05-B <sub>1</sub>	1005-D05-RAL7016
	CL=36mm H=16	1005-D0516-C <sub>1</sub>	1005-D0516-B <sub>1</sub>	1005-D0516-RAL7016
	CL=36mm H=50	1005-D0550-C <sub>1</sub>	1005-D0550-B <sub>1</sub>	1005-D0550-RAL7016
四方 7 Square 7mm	CL=45mm	1005-T07-C <sub>1</sub>	1005-T07-B <sub>1</sub>	1005-T07-RAL7016
	CL=36mm H=16	1005-T0716-C <sub>1</sub>	1005-T0716-B <sub>1</sub>	1005-T0716-RAL7016
	CL=36mm H=50	1005-T0750-C <sub>1</sub>	1005-T0750-B <sub>1</sub>	1005-T0750-RAL7016


# 直角转舌锁 Quarter Turn Cam Lock

产品系列：1006

STAINLESS SERIES RL IP65



备注：  
1. 锌合金锁壳、锁芯和接地螺母、碳钢锁片和螺丝，表面镀锌；  
丁腈O型圈、橡皮垫和防尘盖。  
2. 默认K333 或者CH751 或者定制专用钥匙。  
3. 其他配件参考页面如下：  
锁片-见页面 N001-N002  
附件-见页面 N015  
Remark：  
1. Zinc alloy housing, insert and earthnut; m.s. cam and screw, zinc plated, with NBR O-ring, rubber gasket, sus dust cover.  
2. Key: Default key K333 or CH751. Keyed different as request.  
3. Further parts see page:  
Cam: PAGE N001-N002  
Accessories: PAGE N015



锁芯类型 Insert Type	锌合金 Zinc Alloy			
	镀亮铬 Bright Chrome	无光黑 Black Coated	塑料 PA	不锈钢 Stainless Steel
通开钥匙K333 Keyed Alike K333	1006-18-C <sub>1</sub>	1006-18-B <sub>1</sub>	1006-18-PA	1006-18-SS


# 直角转舌锁 Quarter Turn Cam Lock

产品系列：1007、1008

STAINLESS SERIES RL IP65



备注：  
1. 锌合金锁壳和接地螺母；旋钮材料可选塑料或锌合金；  
碳钢锁片和螺丝，表面镀锌；丁腈O型圈和橡皮垫。  
2. 其他配件参考页面如下：  
锁片-见页面 N001-N002  
Remark：  
1. Zinc alloy housing and earthnut; wing knob material can be PA or Zinc alloy, m.s. cam and screw, zinc plated, with NBR O-ring, rubber gasket.  
2. Further parts see page:  
Cam: PAGE N001-N002




锁芯类型 Insert Type	锌合金 Zinc Alloy		
	镀亮铬 Bright Chrome	无光黑 Black Coated	锌合金锁壳 + 塑料旋钮 Zinc Alloy Housing+PA Knob
翼型旋钮 Wing Knob	1007-18-C <sub>1</sub>	1007-18-B <sub>1</sub>	1007-18-PZ

STAINLESS SERIES RL IP65



备注：  
1. 锌合金锁壳、锁芯和接地螺母、碳钢锁片和螺丝，表面镀锌；  
丁腈O型圈、橡皮垫和防尘盖。  
2. 默认K333 或者CH751 或者定制专用钥匙。  
3. 其他配件参考页面如下：  
锁片-见页面 N001-N002  
附件-见页面 N015  
Remark：  
1. Zinc alloy housing, insert and earthnut; m.s. cam and screw, zinc plated, with NBR O-ring, rubber gasket, sus dust cover.  
2. Key: Default key K333 or CH751. Keyed different as request.  
3. Further parts see page:  
Cam: PAGE N001-N002  
Accessories: PAGE N015




锁芯类型 Insert Type	钥匙双点插拔 Key removable in both positions		钥匙单点插拔 Key removable in closed positions	
	镀亮铬 Bright Chrome	无光黑 Black Coated	镀亮铬 Bright Chrome	无光黑 Black Coated
通开钥匙K333 Keyed Alike K333	1006-20D-C <sub>1</sub>	1006-20D-B <sub>1</sub>	1006-20S-C <sub>1</sub>	1006-20S-B <sub>1</sub>

1401-30-316L

STAINLESS SERIES RL IP65



备注：  
1. 316L 不锈钢锁壳、旋钮、锁片、螺母和螺丝；拉丝表面处理；  
丁腈O型圈、橡皮垫。  
2. 其他配件参考页面如下：  
锁片-见页面 N001-N002  
Remark：  
1. 316L Stainless steel housing, knob, cam, nut and screw; m.s. satin finish, with NBR O-ring, rubber gasket.  
2. Further parts see page:  
Cam: PAGE N001-N002



不锈钢 Stainless Steel	1008-18-SS
---------------------	------------


# 直角转舌锁 Quarter Turn Cam Lock

产品系列：1009

STAINLESS SERIES RL IP65




备注：  
1.锁壳、锁芯和接地螺母的材料可根据客户要求提供，碳钢或不锈钢锁片和螺丝；丁腈O型圈、橡皮垫和波形弹垫。  
2.默认K333,或者CH751或者定制专用钥匙。  
3.其他配件参考页面如下：  
锁片：见页面 N001-N002  
附件：见页面 N015  
Remark:  
1.Housing, insert and earthnut material as request; ss or m.s. cam and screw, with NBR Oring, rubber gasket and wave spring washer.  
2.Key: Default Key K333, or CH751 or Keyed Different as request.  
3.Further parts see page:  
Cam: PAGE N001-N002  
Accessories: PAGE N015



锁芯类型 Insert Type	镀亮铬 Bright Chrome	无光黑 Black Coated	不锈钢 Stainless Steel
带锁芯 W/ Key	1009-18K-C,	1009-18K-B,	1009-18K-SS
无锁芯 W/O Key	1009-18N-C,	1009-18N-B,	1009-18N-SS

# 直角转舌锁 Quarter Turn Cam Lock

产品系列：1009、1010



锁芯类型 Insert Type	锁片类型 Cam Type	镀亮铬 Bright Chrome	无光黑 Black Coated
带锁芯 W/ Key	H=7.5mm	1010-11K-C,	1010-11K-B,
	H=13.5mm	1010-12K-C,	1010-12K-B,
	H=19.5mm	1010-13K-C,	1010-12K-B,
无锁芯 W/O Key	H=7.5mm	1010-11N-C,	1010-11N-B,
	H=13.5mm	1010-12N-C,	1010-12N-B,
	H=19.5mm	1010-13N-C,	1010-13N-B,

RL IP65




备注：  
1.锌合金锁壳和锁芯；碳钢锁片和螺丝，表面镀锌；铜螺母；丁腈O型圈和橡皮垫  
2.默认钥匙2233。  
Remark:  
1.Zinc alloy housing and insert; m.s. cam and screw, zinc plated; brass nut; with NBR Oring and rubber gasket.  
2.Key: Default key 2233.


RL IP65



备注：  
1.锌合金锁壳、锁芯和接地螺母；碳钢或不锈钢锁片和螺丝；丁腈O型圈、橡皮垫和波形弹垫。  
2.默认K333,或者CH751或者定制专用钥匙。  
3.其他配件参考页面如下：  
锁片：见页面 N001-N002  
附件：见页面 N015  
Remark:  
1.Zinc alloy housing, insert and earthnut; ss or m.s. cam and screw, with NBR Oring, rubber gasket and wave spring washer.  
2.Key: Default Key K333, or CH751 or Keyed Different as request.  
3.Further parts see page:  
Cam: PAGE N001-N002  
Accessories: PAGE N015



锁芯类型 Insert type	GH=30		GH=50	
	镀亮铬 Bright Chrome	无光黑 Black Coated	镀亮铬 Bright Chrome	无光黑 Black Coated
带锁芯 W/ Key	1009-30K-C,	1009-30K-B,	1009-50K-C,	1009-50K-B,
无锁芯 W/O Key	1009-30N-C,	1009-30N-B,	1009-50N-C,	1009-50N-B,



锁芯类型 Insert Type	锁片类型 Cam Type	镀亮铬 Bright Chrome	无光黑 Black Coated
带锁芯 W/ Key	H=7.5mm	1010-21K-C,	1010-21K-B,
	H=13.5mm	1010-22K-C,	1010-22K-B,
	H=19.5mm	1010-23K-C,	1010-23K-B,
无锁芯 W/O Key	H=7.5mm	1010-21N-C,	1010-21N-B,
	H=13.5mm	1010-22N-C,	1010-22N-B,
	H=19.5mm	1010-23N-C,	1010-23N-B,


RL IP65



备注：  
1.锌合金锁壳和锁芯；碳钢锁片和螺丝，表面镀锌；铜螺母；丁腈O型圈和橡皮垫  
2.默认钥匙2233。  
Remark:  
1.Zinc alloy housing and insert; m.s. cam and screw, zinc plated; brass nut; with NBR Oring and rubber gasket.  
2.Key: Default key 2233.

产品系列：1010、1011


RL IP65



锁芯类型 Insert Type	锁片类型 Cam Type	镀亮铬 Bright Chrome	无光黑 Black Coated
带锁芯 W/ Key	H=7.5mm	1010-31K-C,	1010-31K-B,
	H=13.5mm	1010-32K-C,	1010-32K-B,
	H=19.5mm	1010-33K-C,	1010-33K-B,
无锁芯 W/O Key	H=7.5mm	1010-31N-C,	1010-31N-B,
	H=13.5mm	1010-32N-C,	1010-32N-B,
	H=19.5mm	1010-33N-C,	1010-33N-B,

备注：  
1.锌合金锁壳和锁芯，碳钢锁片和螺丝，表面镀锌；铜螺母；丁腈O型圈和橡皮垫  
2.默认钥匙2233。  
Remark:  
1.Zinc alloy housing and insert ; m.s. cam and screw, zinc plated; brass nut; with NBR Oring and rubber gasket.  
2.Key: Default key 2233.

IP65 NEW




锁芯类型 Insert Type	镀亮铬 Bright Chrome	无光黑 Black Coated
钥匙K333 Keyed Alike K333	1011-183K-C,	1011-183K-B,
钥匙CH751 Keyed Alike CH751	1011-187K-C,	1011-187K-B,
无锁芯 W/O Key	1011-180N-C,	1011-180N-B,

备注：  
1.锌合金锁壳，锁芯和接地螺母；碳钢或不锈钢锁片和螺丝；丁腈O型圈，橡皮垫和波形弹垫。  
2.默认K333，或者CH751或者定制专用钥匙。  
3.其他配件参考页面如下：  
锁片-见页面 N001-N002  
附件-见页面 N015  
Remark:  
1.Zinc alloy housing, insert and earthnut ; ss or m.s. cam and screw, with NBR Oring, rubber gasket and wave spring washer.  
2.Key: Default Key K333, or CH751 or Keyed Different as request.  
3.Further parts see page:  
Cam:PAGE N001-N002  
Accessories:PAGE N015

产品系列：1012、1013


RL IP40



锁芯类型 Insert Type	镀亮铬 Bright Chrome	无光黑 Black Coated
钥匙K333 Keyed Alike K333	1012-183K-C,	1012-183K-B,
钥匙CH751 Keyed Alike Ch751	1012-187K-C,	1012-187K-B,

备注：  
1.锌合金锁壳，锁芯和接地螺母；碳钢或不锈钢锁片和螺丝；丁腈O型圈，橡皮垫和波形弹垫。  
2.默认K333，或者CH751或者定制专用钥匙。  
3.默认锁片：L=37.5mm BH=5mm。  
Remark:  
1.Zinc alloy housing, insert and earthnut ; ss or m.s. cam and screw, with NBR Oring, rubber gasket and wave spring washer.  
2.Key: Default Key K333, or CH751 or Keyed Different as request.  
3.Default Cam: L=37.5mm BH=5mm.

RL IP65



镀亮铬 Bright Chrome	无光黑 Black Coated
1013-21K-C,	1013-21K-B,


备注：  
1.锌合金锁壳，锁芯和接地螺母；碳钢锁片和螺丝；丁腈O型圈，橡皮垫和波形弹垫。  
2.默认图纸锁片。  
Remark:  
1.Zinc alloy housing, insert and earthnut ; ss or m.s. cam and screw, with NBR Oring, rubber gasket and wave spring washer.  
2.Default hook cam as drawing.

产品系列：1014、1015

RL IP65



备注：  
1. 锌合金锁壳、旋钮和接地螺母；碳钢锁片和螺丝；  
丁腈O型圈、橡皮垫、弹簧和波形弹垫。  
2. 其他配件参考页面如下：  
锁片-见页面 N001-N002  
Remark:  
1. Zinc alloy housing, wing knob and earthnut ; ss or m.s. cam and screw, with NBR Oring, rubber gasket, spring and wave spring washer.  
2. Further parts see page:  
Cam: PAGE N001-N002




镀亮铬 Bright Chrome	无光黑 Black Coated
1014-18-C <sub>1</sub>	1014-18-B <sub>1</sub>

RL IP40



备注：  
1. 锌合金锁壳和锁芯；碳钢锁片和螺丝，表面镀锌铜螺母；  
丁腈O型圈和橡皮垫  
2. 默认钥匙2233。  
Remark:  
1. Zinc alloy housing and insert ; m.s. cam and screw, zinc plated; brass nut; with NBR Oring and rubber gasket.  
2. Key: Default key 2233.




锁片类型 Cam Type	镀亮铬 Bright Chrome	无光黑 Black Coated
H=7.5mm	1015-131-C <sub>1</sub>	1015-131-B <sub>1</sub>
H=13.5mm	1015-132-C <sub>1</sub>	1015-132-B <sub>1</sub>
H=19.5mm	1015-133-C <sub>1</sub>	1015-133-B <sub>1</sub>

产品系列：1016、1017


RL IP40



备注：  
1. 316不锈钢锁壳、锁芯、锁片、螺母、弹簧和螺丝；拉丝表面处理；  
丁腈O型圈、橡皮垫。  
2. 默认图纸锁片。  
Remark:  
1. 316 Stainless steel housing, insert, cam, nut, spring and screw; satin finish, with NBR O-ring, rubber gasket.  
2. Default cam as drawing.



芯类型 Insert Type	左开 LH Version	右开 RH Version
内四方锁芯 8mm Square Female 8mm	1016-FS08-SSL	1016-FS08-SSR



镀亮铬 Bright Chrome	无光黑 Black Coated
1017-18-C <sub>1</sub>	1017-18-B <sub>1</sub>

RL IP65




备注：  
1. 锌合金锁壳、旋钮和接地螺母；碳钢或不锈钢锁片和螺丝；  
丁腈O型圈、橡皮垫和波形弹垫。  
2. 其他配件参考页面如下：  
锁片-见页面 N001-N002  
附件-见页面 N015  
Remark:  
1. Zinc alloy housing, knob and earthnut ; ss or m.s. cam and screw, with NBR Oring, rubber gasket and wave spring washer.  
2. Further parts see page:  
Cam: PAGE N001-N002  
Accessories: PAGE N015

## 直角转舌锁 Quarter Turn Cam Lock

产品系列：1018、1019

RL IP65




备注：  
1. 锌合金锁壳、锁芯和接地螺母；碳钢或不锈钢锁片和螺丝；  
丁腈O型圈、橡皮垫和波形弹垫。  
2. 其他配件参考页面如下：  
锁片-见页面 N001-N002  
附件-见页面 N015  
Remark:  
1. Zinc alloy housing, insert and earthnut; ss or m.s. cam and screw,  
with NBR Oring, rubber gasket and wave spring washer.  
2. Further parts see page:  
Cam: PAGE N001-N002  
Accessories: PAGE N015

锁芯类型 Insert Type	镀亮铬 Bright Chrome	无光黑 Black Coated
三角8mm Triangular 8mm	1018-T08-C <sub>1</sub>	1018-T08-B <sub>1</sub>

## 直角转舌锁 Quarter Turn Cam Lock

产品系列：1020、1021


RL IP65



锁闭方向 Locking Direction	镀亮铬 Bright Chrome	无光黑 Black Coated
顺时针锁闭 Clockwise to lock	1020-CW-C <sub>1</sub>	1020-CW-B <sub>1</sub>
逆时针锁闭 Counter-Clockwise to lock	1020-CCW-C <sub>1</sub>	1020-CCW-B <sub>1</sub>


备注：  
1. 锌合金锁壳、旋钮和接地螺母；碳钢或不锈钢锁片和螺丝；  
丁腈O型圈、橡皮垫和波形弹垫。  
Remark:  
1. Zinc alloy housing, knob and earthnut; ss or m.s. cam and screw,  
with NBR Oring, gasket and wave spring washer.

RL IP65



备注：  
1. 锌合金锁壳、锁芯和接地螺母；碳钢或不锈钢锁片和螺丝；  
丁腈O型圈、橡皮垫和波形弹垫。  
2. 其他配件参考页面如下：  
锁片-见页面 N001-N002  
附件-见页面 N015  
Remark:  
1. Zinc alloy housing, insert and earthnut; ss or m.s. cam and screw,  
with NBR Oring, rubber gasket and wave spring washer.  
2. Further parts see page:  
Cam: PAGE N001-N002  
Accessories: PAGE N015

锁芯类型 Insert Type	镀亮铬 Bright Chrome	亚光 Gray Chrome	无光黑 Black Coated
四方7mm Square 7mm	1019-S07-C <sub>1</sub>	1019-S07-C <sub>2</sub>	1019-S07-B <sub>1</sub>



卵石灰 RAL 7032 Pebble Grey	浅灰色 RAL 7035 Light Grey
1021-D03-RAL7032	1021-D03-RAL7035

备注：  
1. 锌合金锁芯、塑料锁壳、不锈钢安装板。  
2. 配套铰链  
Remark:  
1. Zinc alloy insert, PA housing; sus mounting bracket, with m.s. screws.  
2. Related hinge





直角转舌锁  
Quarter Turn Cam Lock

产品系列 1022



直角转舌锁  
Quarter Turn Cam Lock

产品系列 1023



开孔尺寸  
Panel Cutout


镀亮铬  
Bright Chrome  
1022-18-C<sub>1</sub>

麻面黑  
Black Textured Coated  
1022-18-B<sub>2</sub>


不锈钢  
Stainless steel  
1022-18-SS

备注：  
1.锁壳、手柄和接地螺母的材料可根据客户要求提供：  
碳钢或者不锈钢锁片和螺丝；丁腈O型圈、橡皮垫和波形弹垫。  
2.其他配件参考页面如下：  
锁片：见页面 N001-N002  
Remark:  
1.Housing, handle and earthnut material as request;  
m.s. cam and screw, zinc plated, with NBR O-ring,  
rubber gasket and wave spring washer.  
2.Further parts see page:  
Cam: PAGE N001-N002


挂锁孔  
Padlock hole




锁壳带2个挂锁孔  
Housing with 2 padlock holes



锁壳带4个挂锁孔  
Housing with 4 padlock holes



2X4直槽  
2X4 Slot



开孔尺寸  
Panel Cutout



备注：  
1.锁壳、锁芯和接地螺母的材料可根据客户要求提供：  
碳钢或者不锈钢锁片和螺丝；丁腈O型圈、橡皮垫和波形弹垫。  
2.其他配件参考页面如下：  
锁片：见页面 N001-N002  
Remark:  
1.Housing, insert and earthnut material as request; m.s. cam and screw,  
zinc plated, with NBR O-ring, rubber gasket and wave spring washer.  
2.Further parts see page:  
Cam: PAGE N001-N002

锁壳带2个挂锁孔  
Housing with 2 padlock holes



锁壳带4个挂锁孔  
Housing with 4 padlock holes

锁芯类型 Insert type	GH=18 锌合金, 麻面黑 GH=18 Zinc alloy, black textured coated	GH=22 锌合金, 麻面黑 GH=22 Zinc alloy, black textured coated	GH=22 全不锈钢 GH=22 Stainless steel	GH=18 锌合金, 麻面黑 GH=18 Zinc alloy, black textured coated	GH=22 锌合金, 麻面黑 GH=22 Zinc alloy, black textured coated	GH=22 全不锈钢 GH=22 Stainless steel
双翅3mm Double Bit 3mm	1023-18D32-B <sub>2</sub>	1023-22D32-B <sub>2</sub>	1023-22D32-SS	1023-18D34-B <sub>2</sub>	1023-22D34-B <sub>2</sub>	1023-22D34-SS
双翅4mm Double Bit 4mm	1023-18D42-B <sub>2</sub>	1023-22D42-B <sub>2</sub>	1023-22D42-SS	1023-18D44-B <sub>2</sub>	1023-22D44-B <sub>2</sub>	1023-22D44-SS
双翅5mm Double Bit 5mm	1023-18D52-B <sub>2</sub>	1023-22D52-B <sub>2</sub>	1023-22D52-SS	1023-18D54-B <sub>2</sub>	1023-22D54-B <sub>2</sub>	1023-22D54-SS
2×4直槽型 2×4 Slot	1023-18242-B <sub>2</sub>	1023-22242-B <sub>2</sub>	1023-22242-SS	1023-18244-B <sub>2</sub>	1023-22244-B <sub>2</sub>	1023-22244-SS
三角7mm Triangular 7mm	1023-18T72-B <sub>2</sub>	1023-22T72-B <sub>2</sub>	1023-22T72-SS	1023-18T74-B <sub>2</sub>	1023-22T74-B <sub>2</sub>	1023-22T74-SS
三角8mm Triangular 8mm	1023-18T82-B <sub>2</sub>	1023-22T82-B <sub>2</sub>	1023-22T82-SS	1023-18T84-B <sub>2</sub>	1023-22T84-B <sub>2</sub>	1023-22T84-SS
四方7mm Square 7mm	1023-18S72-B <sub>2</sub>	1023-22S72-B <sub>2</sub>	1023-22S72-SS	1023-18S74-B <sub>2</sub>	1023-22S74-B <sub>2</sub>	1023-22S74-SS
四方8mm Square 8mm	1023-18S82-B <sub>2</sub>	1023-22S82-B <sub>2</sub>	1023-22S82-SS	1023-18S84-B <sub>2</sub>	1023-22S84-B <sub>2</sub>	1023-22S84-SS

# 直角转舌锁 Quarter Turn Cam Lock

产品系列：1024

RL IP65




锁芯类型 Insert type	麻面黑 Black Textured Coated	喷沙镀铬 Sandblasted Chrome
低把手Short wingknob	1024-K01-B <sub>2</sub>	1024-K01-S <sub>2</sub>
高把手Tall wingknob	1024-K02-B <sub>2</sub>	1024-K02-S <sub>2</sub>
一字槽2X4 slot	1024-024-B <sub>2</sub>	1024-024-S <sub>2</sub>
双翅5mm Double bit 5mm	1024-D05-B <sub>2</sub>	1024-D05-S <sub>2</sub>
7mm三角Triangular 7mm	1024-T07-B <sub>2</sub>	1024-T07-S <sub>2</sub>
8mm三角Triangular 8mm	1024-T08-B <sub>2</sub>	1024-T08-S <sub>2</sub>
7mm四方Square 7mm	1024-S07-B <sub>2</sub>	1024-S07-S <sub>2</sub>
8mm四方Square 8mm	1024-S08-B <sub>2</sub>	1024-S08-S <sub>2</sub>

备注：  
1. 锌合金锁壳、锁芯和接地螺母；碳钢锁片和螺丝；丁腈O型圈、橡皮垫和波形弹垫。  
2. 其他配件参考页面如下：  
锁片：见页面 N003  
Remark:  
1. Zinc alloy housing, insert and earthnut; m.s. cam and screw, zinc plated, with NBR Oring, rubber gasket and wave spring washer.  
2. Further parts see page:  
Cam: PAGE N003

# 直角转舌锁 Quarter Turn Cam Lock

产品系列：1025

RL IP65




锁芯类型 Insert type	麻面黑 Black Textured Coated	喷沙镀铬 Sandblasted Chrome
双翅3mm Double Bit 3mm	1025-D03-B <sub>2</sub>	1025-D03-S <sub>2</sub>
双翅4mm Double Bit 4mm	1025-D04-B <sub>2</sub>	1025-D04-S <sub>2</sub>
双翅5mm Double Bit 5mm	1025-D05-B <sub>2</sub>	1025-D05-S <sub>2</sub>
2x4直槽型2x4 Slot	1025-024-B <sub>2</sub>	1025-024-S <sub>2</sub>
三角7mm Triangular 7mm	1025-T07-B <sub>2</sub>	1025-T07-S <sub>2</sub>
三角8mm Triangular 8mm	1025-T08-B <sub>2</sub>	1025-T08-S <sub>2</sub>
四方7mm Square 7mm	1025-S07-B <sub>2</sub>	1025-S07-S <sub>2</sub>
四方8mm Square 8mm	1025-S08-B <sub>2</sub>	1025-S08-S <sub>2</sub>

备注：  
1. 锌合金锁壳、锁芯、防尘盖和接地螺母；碳钢锁片和螺丝；丁腈O型圈、橡皮垫和波形弹垫。  
2. 其他配件参考页面如下：  
锁片：见页面 N001-N002  
钥匙：见页面 N006  
Remark:  
1. Zinc alloy housing, insert, dustcover and earthnut; m.s. cam and screw, zinc plated, with NBR Oring, rubber gasket and wave spring washer.  
2. Further parts see page:  
Cam: PAGE N001-N002  
Key: PAGE N006

# 直角转舌锁 Quarter Turn Cam Lock


产品系列：1026

RL IP40



把手型 Handle knob

翼型锁芯 Double bit 3mm




锁芯类型 Insert Type	麻面黑 Black Textured Coated	蓝绿色 Blue Green Coated
翼型把手 Wing Knob	1026-K-B <sub>2</sub>	1026-K-Gn
双翅 3mm Double Bit 3mm	1026-D03-B <sub>2</sub>	1026-D03-Gn

备注：  
1. 锌合金锁壳、锁芯或手柄和接地螺母；碳钢锁片和螺丝；  
丁腈O型圈、橡皮垫和波形弹垫。  
2. 其他配件参考页面如下：  
锁片：见页面 N001-N002  
Remark:  
1. Zinc alloy housing, insert or wing knob and earthnut ;  
m. s. cam and screw, zinc plated, with NBR Oring,  
rubber gasket and wave spring washer.  
2. Further parts see page:  
Cam: PAGE N001-N002

# 直角转舌锁 Quarter Turn Cam Lock

产品系列：1027、1028


RL IP65



锁芯类型 Insert Type	镀亮铬 Bright Chrome	无光黑 Black Coated
双翅 5mm Double Bit 5mm	1027-D05-C <sub>1</sub>	1027-D05-B <sub>1</sub>
2X4直槽锁芯 2x4 Slot	1027-024-C <sub>1</sub>	1027-024-B <sub>1</sub>

备注：  
1. 锌合金锁壳、锁芯、锁片和接地螺母；碳钢螺丝；  
丁腈O型圈、橡皮垫和波形弹垫。  
2. 默认图纸锁片。  
Remark:  
1. Zinc alloy housing, insert, cam and earthnut ; m. s. screw,  
with NBR Oring, rubber gasket and wave spring washer.  
2. Default cam as drawing.

RL IP65



表面处理 Surface Finish	锌合金 Zinc Alloy	塑料壳 + 锌合金锁芯 PA Housing + Zinc Alloy Insert
无光黑 Black Coated	1028-D05-B <sub>1</sub>	1028-D05-PZ

备注：  
1. 锌合金锁壳、锁芯和接地螺母；碳钢锁片和螺丝；丁腈O型圈、  
橡皮垫和波形弹垫。  
2. 其他配件参考页面如下：  
锁片：见页面 N001-N002  
Remark:  
1. Zinc alloy housing, insert and earthnut ; m. s. cam and screw,  
zinc plated, with NBR Oring, rubber gasket and wave spring washer.  
2. Further parts see page:  
Cam: PAGE N001-N002


# 直角转舌锁 Quarter Turn Cam Lock

产品系列：1029、1030

RL IP54



备注：  
1.塑料锁壳、锁片和螺母；锌合金锁芯；碳钢螺丝；丁腈O型圈。  
2.默认图纸锁片。  
Remark:  
1.PA housing, cam and earthnut; zinc alloy insert; m.s. screw, with NBR Oring.  
2..Default cam as drawing.




锁芯类型 Insert Type	黑色塑料壳 + 锌合金锁芯 Black PA Housing+Zinc Alloy Insert	灰色塑料壳 + 锌合金锁芯 Grey PA Housing+Zinc Alloy Insert
双翅 3mm Double Bit 3mm	1029-D031-PZ	1029-D032-PZ

STAINLESS SERIES RL IP54



备注：  
1.锁壳、锁芯和锁片的材料可根据客户要求提供；碳钢定位件和螺丝；丁腈O型圈和橡皮垫。  
2.默认图纸锁片。  
Remark:  
1.Housing, insert and cam maerial as request; m.s. fixing partand screw, with NBR Oring and rubbergasket.  
2..Default cam as drawing.





锁片类型 Cam Type	卵石灰 RAL 7032 Pebble Grey	浅灰色 RAL 7035 Light Grey	不锈钢 Stainless Steel
长锁片 Long Cam	1030-D03L-RAL7032	1030-D03L-RAL7035	1030-D03L-SS
短锁片 Short Cam	1030-D03S-RAL7032	1030-D03S-RAL7035	/

# 直角转舌锁 Quarter Turn Cam Lock

产品系列：1031

RL



止口高度 GH Type	锁片类型 Cam Type	无光黑 Black Coated	镀亮铬 Bright Chrome
GH=16mm	L=29mm	1031-1601-B <sub>1</sub>	1031-1601-C <sub>1</sub>
	L=34mm	1031-1602-B <sub>1</sub>	1031-1602-C <sub>1</sub>
	L=39mm	1031-1603-B <sub>1</sub>	1031-1603-C <sub>1</sub>
GH=20mm	L=29mm	1031-2001-B <sub>1</sub>	1031-2001-C <sub>1</sub>
	L=34mm	1031-2002-B <sub>1</sub>	1031-2002-C <sub>1</sub>
	L=39mm	1031-2003-B <sub>1</sub>	1031-2003-C <sub>1</sub>
GH=25mm	L=29mm	1031-2501-B <sub>1</sub>	1031-2501-C <sub>1</sub>
	L=34mm	1031-2502-B <sub>1</sub>	1031-2502-C <sub>1</sub>
	L=39mm	1031-2503-B <sub>1</sub>	1031-2503-C <sub>1</sub>



备注：  
1.锌合金锁壳和锁芯；碳钢锁片；螺母和螺丝；丁腈O型圈和橡皮垫。  
Remark:  
1.Zinc alloy housing and insert; m.s. cam, nut and screw, with NBR Oring and rubber gasket.


# 直角转舌锁 Quarter Turn Cam Lock

产品系列：1032、1033

RL




备注：  
1. 锌合金锁壳、锁芯和接地螺母；碳钢锁片、垫片和螺丝；  
丁腈O型圈和橡皮垫。  
Remark:  
1. Zinc alloy housing, insert and earthnut; m. s. cam, washer and screw, with NBR Oring and rubbergasket.



镀亮铬 Bright Chrome	无光黑 Black Coated
1032-C <sub>1</sub>	1032-B <sub>1</sub>

# 直角转舌锁 Quarter Turn Cam Lock

产品系列：1034、1035



镀亮铬 Bright Chrome	无光黑 Black Coated
1034-C <sub>1</sub>	1034-17-B <sub>1</sub>

RL IP54




备注：  
1. 锌合金锁壳、锁芯和钥匙；碳钢锁片和螺丝；铜螺母；  
丁腈O型圈和橡皮垫。  
Remark:  
1. Zinc alloy housing, insert and key; m. s. cam and screw, with NBR Oring and rubber gasket.

RL IP54



备注：  
1. 锌合金锁壳、手柄、锁片和接地螺母；碳钢螺丝；  
丁腈O型圈和橡皮垫。  
Remark:  
1. Zinc alloy housing, handle, cam and earthnut; m. s. screw, with NBR Oring and rubber gasket.




喷蓝灰 RAL7031 Blue Grey	镀亮铬 Bright Chrome	无光黑 Black Coated
1033-18-RAL7031	1033-C <sub>1</sub>	1033-B <sub>1</sub>

RL IP54




备注：  
1. 锌合金锁壳、转轴和接地螺母；尼龙把手、碳钢锁片和螺丝；  
丁腈O型圈和橡皮垫。  
Remark:  
1. Zinc alloy housing, shaft and earthnut; PA star knob; m. s. cam and screw, with NBR Oring and rubbergasket.




锁芯类型 Insert type	塑料手柄 + 锌合金锁壳 PA Knob+Zinc Alloy Housing
星型手柄 Star Knob	1035-PZ

产品系列：1036、1037



无光黑 Black Coated	镀亚光 Gray Chrome
1036-B <sub>1</sub>	1036-C <sub>2</sub>


备注：  
1. 锌合金锁壳和盖子。  
Remark:  
1. Zinc alloy housing and cover.



标识类型 Mark Type	无光黑 Black Coated	镀亚光 Gray Chrome
绿色标识 Green Mark	1037-G-B <sub>1</sub>	1037-G-C <sub>2</sub>
红色标识 Red Mark	1037-R-B <sub>1</sub>	1037-R-C <sub>2</sub>


备注：  
1. 锌合金锁壳、盖子和螺母。  
2. 绿色标识代表开启，红色代表关闭。  
Remark:  
1. Zinc alloy housing, cover and nut.  
2. Green mark stands for On, Red stands for Off.

产品系列：1038、1039



锁闭方向 Locking Direction	无光黑 Black Coated	镀亮铬 Bright Chrome
顺时针锁闭 Clockwise to lock	1038-CW-B <sub>1</sub>	1038-CW-C <sub>1</sub>
逆时针锁闭 Counter-Clockwise to lock	1038-CCW-B <sub>1</sub>	1038-CCW-C <sub>1</sub>

备注：  
1. 锌合金锁壳、把手和螺母、碳钢锁片和螺丝、丁腈O型圈和橡皮垫。  
2. 默认图纸锁片。  
Remark:  
1. Zinc alloy housing, knob and nut; m.s. cam and screw, with NBR O-ring and rubber gasket.  
2. Default cam as drawing.





锁片类型 Cam Type	无光黑 Black Coated	镀亮铬 Bright Chrome	镀亚光 Gray Chrome
H=7.5mm	1039-01-B <sub>1</sub>	1039-01-C <sub>1</sub>	1039-01-C <sub>2</sub>
H=13.5mm	1039-02-B <sub>1</sub>	1039-02-C <sub>1</sub>	1039-02-C <sub>2</sub>
H=19.5mm	1039-03-B <sub>1</sub>	1039-03-C <sub>1</sub>	1039-03-C <sub>2</sub>

备注：  
1. 锌合金锁壳和手柄、碳钢或者不锈钢锁片和螺丝、铜螺母、丁腈O型圈、橡皮垫和波形弹垫。  
Remark:  
1. Zinc alloy housing and knob; m.s. or ss cam and screw, brass nut, with NBR O-ring rubber gasket, and wave spring washer.



压缩锁系列  
Compression Latch Series






压缩锁·固定间距  
Compression Latch·Fixed Grip Range

产品系列：1102


RL IP65




备注：  
1. 锌合金锁壳、锁芯和螺母、碳钢附件、丁腈O型圈和橡皮垫。  
2. 表面处理：喷无光黑、麻面黑、镀铬等。  
3. 其他附件参考：钥匙#N006  
Remark:  
1. Zinc alloy housing, insert and nut; m.s. accessories; with NBR Oring and rubber gasket.  
2. Finish: Black powder coated, black textured coated, chrome plated etc.  
3. Further parts see page: Keys #N006




压缩量：6.5mm  
Pull-up 6.5mm



锁芯 (选配)  
Insert (optional)




开孔尺寸  
Panel cutout



钥匙操纵型锁芯专用钥匙  
For key operated

产品编号 (part#) : K3950



选配件, 需单独订购  
Optional components, need to be ordered separately.

产品编号 (part#) : PL01-D222  
取手 (Pull-Tab)




除了把手型,  
其他可选配  
Not suitable for  
knob style

产品编号 (part#) : PL02-D222  
防水盖 (Water dust proof cover)


压缩锁·可调间距  
Compression Latch·Adjustable Grip Range

产品系列：1102


RL IP65




压缩量：6.5mm  
Pull-up 6.5mm



锁芯 (选配)  
Insert (optional)




开孔尺寸  
Panel cutout



钥匙操纵型锁芯专用钥匙  
For key operated

产品编号 (part#) : K3950



选配件, 需单独订购  
Optional components, need to be ordered separately.

产品编号 (part#) : PL01-D222  
取手 (Pull-Tab)



除了把手型,  
其他可选配  
Not suitable for  
knob style

产品编号 (part#) : PL02-D222  
防水盖 (Water dust proof cover)



备注：  
1. 锌合金锁壳、锁芯和螺母、碳钢附件、丁腈O型圈和橡皮垫。  
2. 表面处理：喷无光黑、麻面黑、镀铬等。  
3. 其他附件参考：钥匙#N006  
Remark:  
1. Zinc alloy housing, insert and nut; m.s. accessories; with NBR Oring and rubber gasket.  
2. Finish: Black powder coated, black textured coated, chrome plated etc.  
3. Further parts see page: Keys #N006



短款 - 固定间距 - 带圆圈 (锁片参考页面 #N003) Short Type-Fixed Grip Range W/ Circle, Cam type, refer to page#N003	锁芯类型 Insert Type									
	钥匙操纵型 Key operated	双翅型 Double bit 3	三角 Triangular 7	三角 Triangular 8	四方 Square 7	四方 Square 8	一字槽型 Slotted recess	内六角 Female hex 8	外六角 Male hex10	把手型 Knob style
	1102-K0-B,	1102-D30-B,	1102-T70-B,	1102-T80-B,	1102-S70-B,	1102-S80-B,	1102-240-B,	1102-FH80-B,	1102-MH10-B,	1102-W0-B,

长款 - 可调间距 - 带圆圈 Long Type-Adjustable Grip Range W/ Circle	间距范围 Grip Range		锁芯类型 Insert Type									
	最小 Min	最大 Max	钥匙操纵型 Key operated	双翅型 Double bit 3	三角 Triangular 7	三角 Triangular 8	四方 Square 7	四方 Square 8	一字槽型 Slotted recess	内六角 Female hex 8	外六角 Male hex10	把手型 Knob style
正向 Reversed Cam	11.4	27.2	1102-K10-B,	1102-D310-B,	1102-T710-B,	1102-T810-B,	1102-S710-B,	1102-S810-B,	1102-2410-B,	1102-FH810-B,	1102-MH110-B,	1102-W10-B,
	25.4	41.1	1102-K20-B,	1102-D320-B,	1102-T720-B,	1102-T820-B,	1102-S720-B,	1102-S820-B,	1102-2420-B,	1102-FH820-B,	1102-MH120-B,	1102-W20-B,
直立 Straight Cam	38.9	54.6	1102-K30-B,	1102-D330-B,	1102-T730-B,	1102-T830-B,	1102-S730-B,	1102-S830-B,	1102-2430-B,	1102-FH830-B,	1102-MH130-B,	1102-W30-B,
	52.6	68.3	1102-K20-B,	1102-D320-B,	1102-T720-B,	1102-T820-B,	1102-S720-B,	1102-S820-B,	1102-2420-B,	1102-FH820-B,	1102-MH120-B,	1102-W20-B,
反向 Offset Cam	66.3	76.2	1102-K10-B,	1102-D310-B,	1102-T710-B,	1102-T810-B,	1102-S710-B,	1102-S810-B,	1102-2410-B,	1102-FH810-B,	1102-MH110-B,	1102-W10-B,

压缩锁·可调间距, 锁芯不带圈  
Compression Latch-Adjustable Grip Range,W/O Circled Insert

产品系列: 1102

RL IP65



三角锁芯 7mm  
Triangular 7mm  
三角锁芯 8mm  
Triangular 8mm  
四方锁芯 7mm  
Square 7mm  
四方锁芯 8mm  
Square 8mm




短款 - 固定间距 - 不带圆圈 (锁片参考页面 N003) Short Type-Fixed Grip Range W/O Circle, Cam type, refer to page#N003	锁芯类型 Insert Type					
	双翅型 Double bit 3	三角 Triangular 7	三角 Triangular 8	四方 Square 7	四方 Square 8	一字槽型 Slotted recess
	1102-D3-B,	1102-T7-B,	1102-T8-B,	1102-S7-B,	1102-S8-B,	1102-24-B,

备注:  
1. 锌合金锁壳,锁芯和螺母;碳钢附件;丁腈O型圈和橡皮垫。  
2. 表面处理: 喷无光黑,麻面黑,镀铬等。  
3. 其他附件参考: 钥匙#N006  
Remark:  
1. Zinc alloy housing,insert and nut; m.s. accessories; with NBR Oring and rubber gasket.  
2. Finish: Black powder coated,black textured coated, chrome plated etc.  
3. Further parts see page: Keys #N006

压缩锁·可调间距, 锁芯不带圈  
Compression Latch-Adjustable Grip Range,W/O Circled Insert

产品系列: 1102

RL IP65




三角锁芯 7mm  
Triangular 7mm  
三角锁芯 8mm  
Triangular 8mm  
四方锁芯 7mm  
Square 7mm  
四方锁芯 8mm  
Square 8mm

长款 - 可调间距 - 不带圆圈 Long Type-Adjustable Grip Range W/O Circle	锁片类型 Cam Type	间距范围 Grip Range		锁芯类型 Insert Type					
		最小 Min	最大 Max	双翅型 Double bit 3	三角 Triangular 7	三角 Triangular 8	四方 Square 7	四方 Square 8	一字槽型 Slotted recess
	正向 Reversed Cam	11.4	27.2	1102-D31-B,	1102-T71-B,	1102-T81-B,	1102-S71-B,	1102-S81-B,	1102-241-B,
	直立 Straight Cam	25.4	41.1	1102-D32-B,	1102-T72-B,	1102-T82-B,	1102-S72-B,	1102-S82-B,	1102-242-B,
	反向 Offset Cam	38.9	54.6	1102-D33-B,	1102-T73-B,	1102-T83-B,	1102-S73-B,	1102-S83-B,	1102-243-B,
		52.6	68.3	1102-D32-B,	1102-T72-B,	1102-T82-B,	1102-S72-B,	1102-S82-B,	1102-242-B,
		66.3	76.2	1102-D31-B,	1102-T71-B,	1102-T81-B,	1102-S71-B,	1102-S81-B,	1102-241-B,





备注:  
1. 锌合金锁壳,锁芯和螺母;碳钢附件;丁腈O型圈和橡皮垫。  
2. 表面处理: 喷无光黑,麻面黑,镀铬等。  
3. 其他附件参考: 钥匙#N006  
Remark:  
1. Zinc alloy housing,insert and nut; m.s. accessories; with NBR Oring and rubber gasket.  
2. Finish: Black powder coated,black textured coated, chrome plated etc.  
3. Further parts see page: Keys #N006

产品系列：1103

RL IP65



选配件，需单独订购  
Optional components, need to be ordered separately.




备注：  
1. 锌合金锁壳、锁芯和螺母；碳钢附件；丁腈O型圈和橡皮垫。  
2. 表面处理：喷无光黑、麻面黑、镀铬等。  
3. 其他附件参考：钥匙#N006

Remark:  
1. Zinc alloy housing, insert and nut; m.s. accessories; with NBR O-ring and rubber gasket.  
2. Finish: Black powder coated, black textured coated, chrome plated etc.  
3. Further parts see page: Keys #N006





短款 - 固定间距 - 带圆圈 (锁片参考页面 #N003) Short Type-Fixed Grip Range W/ Circle, Cam type, refer to page#N003	锁芯类型 Insert Type								
	钥匙操纵型 Key operated	双翅型 Double bit 3	三角 Triangular 7	三角 Triangular 8	四方 Square 7	四方 Square 8	一字槽型 Slotted recess	内六角 Female hex 8	外六角 Male hex 10
	1103-K0-B,	1103-D30-B,	1103-T70-B,	1103-T80-B,	1103-S70-B,	1103-S80-B,	1103-240-B,	1103-FH80-B,	1103-MH10-B,

产品系列：1103

RL IP65



选配件，需单独订购  
Optional components, need to be ordered separately.






备注：  
1. 锌合金锁壳、锁芯和螺母；碳钢附件；丁腈O型圈和橡皮垫。  
2. 表面处理：喷无光黑、麻面黑、镀铬等。  
3. 其他附件参考：钥匙#N006

Remark:  
1. Zinc alloy housing, insert and nut; m.s. accessories; with NBR O-ring and rubber gasket.  
2. Finish: Black powder coated, black textured coated, chrome plated etc.  
3. Further parts see page: Keys #N006

长款 - 可调间距 - 带圆圈 Long Type-Adjustable Grip Range W/ Circle	锁片类型 Cam Type	间距范围 Grip Range		锁芯类型 Insert Type								
		最小 Min	最大 Max	钥匙操纵型 Key operated	双翅型 Double bit 3	三角 Triangular 7	三角 Triangular 8	四方 Square 7	四方 Square 8	一字槽型 Slotted recess	内六角 Female hex 8	外六角 Male hex 10
		正向 Reversed Cam	11.4 25.4	27.2 41.1	1103-K10-B, 1103-K20-B,	1103-D310-B, 1103-D320-B,	1103-T710-B, 1103-T720-B,	1103-T810-B, 1103-T820-B,	1103-S710-B, 1103-S720-B,	1103-S810-B, 1103-S820-B,	1103-2410-B, 1103-2420-B,	1103-FH810-B, 1103-FH820-B,
直立 Straight Cam	38.9 52.6	54.6 68.3	1103-K30-B, 1103-K20-B,	1103-D330-B, 1103-D320-B,	1103-T730-B, 1103-T720-B,	1103-T830-B, 1103-T820-B,	1103-S730-B, 1103-S720-B,	1103-S830-B, 1103-S820-B,	1103-2430-B, 1103-2420-B,	1103-FH830-B, 1103-FH820-B,	1103-MH130-B, 1103-MH120-B,	
反向 Offset Cam	66.3 76.2	68.3 76.2	1103-K10-B, 1103-K10-B,	1103-D310-B, 1103-D310-B,	1103-T710-B, 1103-T710-B,	1103-T810-B, 1103-T810-B,	1103-S710-B, 1103-S710-B,	1103-S810-B, 1103-S810-B,	1103-2410-B, 1103-2410-B,	1103-FH810-B, 1103-FH810-B,	1103-MH110-B, 1103-MH110-B,	

产品系列: 1103

RL IP65






三角锁芯 7mm Triangular 7mm  
三角锁芯 8mm Triangular 8mm  
四方锁芯 7mm Square 7mm  
四方锁芯 8mm Square 8mm

短款 - 固定间距 - 不带圆圈 (锁片参考页面 #N003) Short Type-Fixed Grip Range W/O Circle, Cam type, refer to page#N003	锁芯类型 Insert Type			
	三角 Triangular 7	三角 Triangular 8	四方 Square 7	四方 Square 8
	1103-T7-B,	1103-T8-B,	1103-S7-B,	1103-S8-B,

备注:  
1. 锌合金锁壳, 锁芯和螺母, 碳钢附件, 丁腈O型圈和橡皮垫.  
2. 表面处理: 喷无光黑, 麻面黑, 镀亮铬等.  
3. 其他附件参考: 钥匙#N006  
Remark:  
1. Zinc alloy housing, insert and nut; m.s. accessories; with NBR Oring and rubber gasket.  
2. Finish: Black powder coated, black textured coated, chrome plated etc.  
3. Further parts see page: Keys #N006

产品系列: 1103

RL IP65




三角锁芯 7mm Triangular 7mm  
三角锁芯 8mm Triangular 8mm  
四方锁芯 7mm Square 7mm  
四方锁芯 8mm Square 8mm

长款 - 可调间距 - 带圆圈 Long Type-Adjustable Grip Range W/ Circle	锁片类型 Cam Type	间距范围 Grip Range		锁芯类型 Insert Type			
		最小 Min	最大 Max	三角 Triangular 7	三角 Triangular 8	四方 Square 7	四方 Square 8
	正向 Reversed Cam	11.4	27.2	1103-T71-B,	1103-T81-B,	1103-S71-B,	1103-S81-B,
		25.4	41.1	1103-T72-B,	1103-T82-B,	1103-S72-B,	1103-S82-B,
	直立 Straight Cam	38.9	54.6	1103-T73-B,	1103-T83-B,	1103-S73-B,	1103-S83-B,
		52.6	68.3	1103-T72-B,	1103-T82-B,	1103-S72-B,	1103-S82-B,
反向 Offset Cam	66.3	76.2	1103-T71-B,	1103-T81-B,	1103-S71-B,	1103-S81-B,	

备注:  
1. 锌合金锁壳, 锁芯和螺母, 碳钢附件, 丁腈O型圈和橡皮垫.  
2. 表面处理: 喷无光黑, 麻面黑, 镀亮铬等.  
3. 其他附件参考: 钥匙#N006  
Remark:  
1. Zinc alloy housing, insert and nut; m.s. accessories; with NBR Oring and rubber gasket.  
2. Finish: Black powder coated, black textured coated, chrome plated etc.  
3. Further parts see page: Keys #N006

产品系列：1110

STAINLESS SERIES RL IP65




短款 - 固定间距 - 不带圆圈 (锁片参考页面 #N003) Short Type-Fixed Grip Range W/O Circle, Cam type, refer to page#N003	锁芯类型 Insert Type	左开 LH Version	右开 RH Version
	双翅型 5mm Double bit 5mm	1110-D5L-SS	1110-D5R-SS
三角 7mm Triangular 7mm	1110-T7L-SS	1110-T7R-SS	
三角 8mm Triangular 8mm	1110-T8L-SS	1110-T8R-SS	
四方 7mm Square 7mm	1110-S7L-SS	1110-S7R-SS	
四方 8mm Square 8mm	1110-S8L-SS	1110-S8R-SS	

备注：  
1.304或316不锈钢锁壳,锁芯,转轴,锁片,螺母和螺丝;  
拉丝表面处理;丁腈O型圈,橡皮垫。  
Remark:  
1.304 or 316 Stainless steel housing, shaft, insert, cam, nut, spring and screw; satin finish, with NBR O-ring, rubber gaske

产品系列：1110

STAINLESS SERIES RL IP65




备注：  
1.304或316不锈钢锁壳,锁芯,转轴,锁片,螺母和螺丝;  
拉丝表面处理;丁腈O型圈,橡皮垫。  
Remark:  
1.304 or 316 Stainless steel housing, shaft, insert, cam, nut, spring and screw; satin finish, with NBR O-ring, rubber gasket

长款 - 可调间距 - 不带圆圈 Long Type-Adjustable Grip Range W/O Circle.	锁片类型 Cam Type	间距范围 Grip Range		锁芯类型 Insert Type									
		最小 Min	最大 Max	左开 LH Version					右开 RH Version				
				双翅型 Double bit 5	三角 Triangular 7	三角 Triangular 8	四方 Square 7	四方 Square 8	双翅型 Double bit 5	三角 Triangular 7	三角 Triangular 8	四方 Square 7	四方 Square 8
正向 Reversed Cam	11.4	27.2	1110-D51L-SS	1110-T71L-SS	1110-T81L-SS	1110-S71L-SS	1110-S81L-SS	1110-D51R-SS	1110-T71R-SS	1110-T81R-SS	1110-S71R-SS	1110-S81R-SS	
直立 Straight Cam	25.4	41.1	1110-D52L-SS	1110-T72L-SS	1110-T82L-SS	1110-S72L-SS	1110-S82L-SS	1110-D52R-SS	1110-T72R-SS	1110-T82R-SS	1110-S72R-SS	1110-S82R-SS	
反向 Offset Cam	38.9	54.6	1110-D53L-SS	1110-S73L-SS	1110-T83L-SS	1110-S73L-SS	1110-S83L-SS	1110-D53R-SS	1110-T73R-SS	1110-T83R-SS	1110-S73R-SS	1110-S83R-SS	
	52.6	68.3	1110-D52L-SS	1110-T72L-SS	1110-T82L-SS	1110-S72L-SS	1110-S82L-SS	1110-D52R-SS	1110-T72R-SS	1110-T82R-SS	1110-S72R-SS	1110-S82R-SS	
	66.3	76.2	1110-D51L-SS	1110-T71L-SS	1110-T81L-SS	1110-S71L-SS	1110-S81L-SS	1110-D51R-SS	1110-T71R-SS	1110-T81R-SS	1110-S71R-SS	1110-S81R-SS	

不锈钢压缩锁 · 固定间距  
Stainless Steel Compression Latch · Fixed Grip Range

产品系列：1111、1112


STAINLESS SERIES RL IP65



锁芯类型 Insert Type	左开 LH Version	右开 RH Version
四方 7mm Square 7mm	1111-S7L-SS	1111-S7R-SS
四方 8mm Square 8mm	1111-S8L-SS	1111-S8R-SS

备注：  
1.304或316不锈钢锁壳、锁芯、转轴、锁片、螺母和螺丝；  
拉丝表面处理；丁腈O型圈、橡皮垫。  
2.锁片参考页面#N003  
Remark:  
1.304 or 316 Stainless steel housing ,shaft,insert,cam,nut,  
spring and screw;satin finish,with NBR O-ring,rubber gasket.  
2.Cam type ,refer to page#N003

STAINLESS SERIES RL IP65




锁芯类型 Insert Type	左开 LH Version	右开 RH Version
四方 7mm Square 7mm	1112-S7L-SS	1112-S7R-SS

备注：  
1.304或316不锈钢锁壳、锁芯、转轴、锁片、螺母和螺丝；  
拉丝表面处理；丁腈O型圈、橡皮垫。  
2.锁片参考页面#N003  
Remark:  
1.304 or 316 Stainless steel housing ,shaft,insert,cam,nut,  
spring and screw;satin finish,with NBR O-ring,rubber gasket.  
2.Cam type ,refer to page#N003

不锈钢压缩锁 · 可调间距  
Stainless Steel Compression Latch · Adjustable Grip Range

产品系列：1113

STAINLESS SERIES RL IP65




可调间距 Adjustable Grip	锁片类型 Cam Type	间距范围 Grip Range		锁芯类型 Insert Type										
		最小 Min	最大 Max	左开 LH Version					右开 RH Version					
				三角 Triangular 7	三角 Triangular 8	四方 Square 7	四方 Square 8	把手型 Wing knob	三角 Triangular 7	三角 Triangular 8	四方 Square 7	四方 Square 8	把手型 Wing knob	
正向 Reversed Cam	11.4	27.2	1113-T71L-SS	1113-T81L-SS	1113-S71L-SS	1113-S81L-SS	1113-W1L-SS	1113-T71R-SS	1113-T81R-SS	1113-S71R-SS	1113-S81R-SS	1113-W1R-SS		
直立 Straight Cam	25.4	41.1	1113-T72L-SS	1113-T82L-SS	1113-S72L-SS	1113-S82L-SS	1113-W2L-SS	1113-T72R-SS	1113-T82R-SS	1113-S72R-SS	1113-S82R-SS	1113-W2R-SS		
反向 Offset Cam	38.9	54.6	1113-T73L-SS	1113-T83L-SS	1113-S73L-SS	1113-S83L-SS	1113-W3L-SS	1113-T73R-SS	1113-T83R-SS	1113-S73R-SS	1113-S83R-SS	1113-W3R-SS		
	52.6	68.3	1113-T72L-SS	1113-T82L-SS	1113-S72L-SS	1113-S82L-SS	1113-W2L-SS	1113-T72R-SS	1113-T82R-SS	1113-S72R-SS	1113-S82R-SS	1113-W2R-SS		
	66.3	76.2	1113-T71L-SS	1113-T81L-SS	1113-S71L-SS	1113-S81L-SS	1113-W1L-SS	1113-T71R-SS	1113-T81R-SS	1113-S71R-SS	1113-S81R-SS	1113-W1R-SS		

备注：  
1.304或316不锈钢锁壳、锁芯、转轴、锁片、螺母和螺丝；  
拉丝表面处理；丁腈O型圈、橡皮垫。  
Remark:  
1.304 or 316 Stainless steel housing ,shaft,insert,cam,nut,  
spring and screw;satin finish,with NBR O-ring,rubber gasket

# 压缩锁 Compression Latch

产品系列：1114、1115

RL IP65




可调间距 Adjustable Grip	锁片类型 Cam Type	间距范围 Grip Range		锁芯类型 Insert Type			
		最小 Min	最大 Max	左开 LH Version		右开 RH Version	
				四方 Square 7	三角 Triangular 8	四方 Square 7	三角 Triangular 8
正向 Reversed Cam	正向 Reversed Cam	11.4	27.2	1114-S71L-C <sub>1</sub>	1114-T81L-C <sub>1</sub>	1114-S71R-C <sub>1</sub>	1114-T81R-C <sub>1</sub>
	直立 Straight Cam	25.4	41.1	1114-S72L-C <sub>1</sub>	1114-T82L-C <sub>1</sub>	1114-S72R-C <sub>1</sub>	1114-T82R-C <sub>1</sub>
反向 Offset Cam	直立 Straight Cam	38.9	54.6	1114-S73L-C <sub>1</sub>	1114-T83L-C <sub>1</sub>	1114-S73R-C <sub>1</sub>	1114-T83R-C <sub>1</sub>
	反向 Offset Cam	52.6	68.3	1114-S72L-C <sub>1</sub>	1114-T82L-C <sub>1</sub>	1114-S72R-C <sub>1</sub>	1114-T82R-C <sub>1</sub>
		66.3	76.2	1114-S71L-C <sub>1</sub>	1114-T81L-C <sub>1</sub>	1114-S71R-C <sub>1</sub>	1114-T81R-C <sub>1</sub>

备注：  
1. 锌合金锁壳、锁芯和螺母；碳钢附件；丁腈O型圈和橡皮垫。  
2. 表面处理：喷无光黑、麻面黑、镀铬等。  
3. 其他附件参考：钥匙#N006

Remark:  
1. Zinc alloy housing, insert and nut; m. s. accessories; with NBR O-ring and rubber gasket.  
2. Finish: Black powder coated, black textured coated, chrome plated etc.  
3. Further parts see page: Keys #N006

RL IP65



锁芯类型 Insert type	镀铬 Bright Chrome	镀亚光 Gray Chrome
双翅3mm Double Bit 3mm	1115-D3-C <sub>1</sub>	1115-D3-C <sub>2</sub>
双翅4mm Double Bit 4mm	1115-D4-C <sub>1</sub>	1115-D4-C <sub>2</sub>
双翅5mm Double Bit 5mm	1115-D5-C <sub>1</sub>	1115-D5-C <sub>2</sub>
2×4直槽型 2×4 Slot	1115-24-C <sub>1</sub>	1115-24-C <sub>2</sub>
三角7mm Triangular 7mm	1115-T7-C <sub>1</sub>	1115-T7-C <sub>2</sub>
三角8mm Triangular 8mm	1115-T8-C <sub>1</sub>	1115-T8-C <sub>2</sub>
四方7mm Square 7mm	1115-S7-C <sub>1</sub>	1115-S7-C <sub>2</sub>
四方8mm Square 8mm	1115-S8-C <sub>1</sub>	1115-S8-C <sub>2</sub>

备注：  
1. 锌合金锁壳、锁芯和螺母；碳钢附件；丁腈O型圈和橡皮垫。  
2. 表面处理：镀铬或亚光。  
3. 其他附件参考：  
钥匙#N006


锁片#N001-N002

Remark:  
1. Zinc alloy housing, insert and nut; m. s. accessories; with NBR O-ring and rubber gasket.  
2. Finish: Black powder coated, black textured coated, chrome plated etc.  
3. Further parts see page: Keys # N006

# 压缩锁·T型把手 Compression Latch · T handle


产品系列：1116

固定间距  
Fixed grip range



短款 - 固定间距 (锁片参考页面 #N003) Short Type-Fixed Grip Range, Cam type, refer to page#N003	锁芯类型 Insert Type	
	带锁芯 W/ Key	无锁芯 W/O Key
	1116-K-B <sub>2</sub>	1116-N-B <sub>2</sub>

可调间距  
Adjustable  
grip range



长款 - 可调间距 Long Type- Adjustable Grip Range	锁片类型 Cam Type	间距 Grip Range		锁芯类型 Insert Type	
		最小 Min	最大 Max	带锁芯 W/ Key	无锁芯 W/O Key
	正向 Reversed Cam	11.4	27.2	1116-K1-B <sub>2</sub>	1116-N1-B <sub>2</sub>
	直立 Straight Cam	25.4	41.1	1116-K2-B <sub>2</sub>	1116-N2-B <sub>2</sub>
	反向 Offset Cam	38.9	54.6	1116-K3-B <sub>2</sub>	1116-N3-B <sub>2</sub>
		52.6	68.3	1116-K2-B <sub>2</sub>	1116-N2-B <sub>2</sub>
		66.3	76.2	1116-K1-B <sub>2</sub>	1116-N1-B <sub>2</sub>

RL IP65





备注：  
1. 锌合金锁壳、锁芯、手柄和螺母；碳钢附件；丁腈O型圈和橡皮垫。  
2. 表面处理：喷无光黑、麻面黑、镀铬等。  
3. 默认CH75钥匙

Remark:  
1. Zinc alloy housing, insert and nut; m. s. accessories; with NBR O-ring and rubber gasket.  
2. Finish: Black powder coated, black textured coated, chrome plated etc.  
3. Default Key: Keyed Alike CH75

压缩锁 · T型把手  
Compression Latch · T handle

产品系列：1117

RL IP65




备注：  
1. 锌合金锁壳、锁芯、手柄和螺母；碳钢附件；丁腈O型圈和橡皮垫。  
2. 表面处理：喷无光黑、麻面黑、镀铬等。  
3. 默认CH751钥匙  
Remark:  
1. Zinc alloy housing, insert and nut; m. s. accessories; with NBR O-ring and rubber gasket.  
2. Finish: Black powder coated, black textured coated, chrome plated etc.  
3. Default Key: Keyed Alike CH751

长款 - 可调间距 Long Type - Adjustable Grip Range	锁片类型 Cam Type	间距 Grip Range		锁芯类型 Insert Type	
		最小 Min	最大 Max	带锁芯 W/ Key	无锁芯 W/O Key
	正向 Reversed Cam	7.9	23.6	1117-K1-B <sub>2</sub>	1117-N1-B <sub>2</sub>
直立 Straight Cam	21.8	37.3	1117-K2-B <sub>2</sub>	1117-N2-B <sub>2</sub>	
反向 Offset Cam	35.3	51	1117-K3-B <sub>2</sub>	1117-N3-B <sub>2</sub>	
		49	64.8	1117-K2-B <sub>2</sub>	1117-N2-B <sub>2</sub>
		62.7	76.2	1117-K1-B <sub>2</sub>	1117-N1-B <sub>2</sub>

提转式压缩锁  
Compression Latch · Lift & Turn Latch

产品系列：1120

IP65



备注：  
1. 锌合金锁壳、锁芯和手柄、碳钢附件；丁腈O型圈和橡皮垫。  
2. 表面处理：喷无光黑、麻面黑、镀铬等。  
3. 默认CH751钥匙  
Remark:  
1. Zinc alloy housing, insert and handle; m. s. accessories; with NBR O-ring and rubber gasket.  
2. Finish: Black powder coated, black textured coated, chrome plated etc.  
3. Default Key: Keyed Alike CH751

间距 Grip Range		锁芯类型 Insert Type	表面处理 Surface Finish	
锁片正向 Cam Offset Forward Min~Max	锁片反向 Cam Offset Reversed Min~Max		镀亮铬 Bright Chrome	无光黑 Black Coated
6-16	56-66	带锁芯 W/ Key	1120-K1-C <sub>1</sub>	1120-K1-B <sub>1</sub>
16-26	46-56		1120-K2-C <sub>1</sub>	1120-K2-B <sub>1</sub>
26-36	36-46		1120-K3-C <sub>1</sub>	1120-K3-B <sub>1</sub>
6-16	56-66	无锁芯 W/O Key	1120-N1-C <sub>1</sub>	1120-N1-B <sub>1</sub>
16-26	46-56		1120-N2-C <sub>1</sub>	1120-N2-B <sub>1</sub>
26-36	36-46		1120-N3-C <sub>1</sub>	1120-N3-B <sub>1</sub>
6-16	56-66	十字槽 Tool Secured	1120-T1-C <sub>1</sub>	1120-T1-B <sub>1</sub>
16-26	46-56		1120-T2-C <sub>1</sub>	1120-T2-B <sub>1</sub>
26-36	36-46		1120-T3-C <sub>1</sub>	1120-T3-B <sub>1</sub>
6-16	56-66	内六角 4.5mm Hex Recess 4.5mm	1120-H1-C <sub>1</sub>	1120-H1-B <sub>1</sub>
16-26	46-56		1120-H2-C <sub>1</sub>	1120-H2-B <sub>1</sub>
26-36	36-46		1120-H3-C <sub>1</sub>	1120-H3-B <sub>1</sub>


提转式压缩锁  
Compression Latch · Lift & Turn Latch

产品系列：1121

IP65



大型 Large size



带锁芯 Key locking


间距 Grip Range		锁芯类型 Insert Type	表面处理 Surface Finish	
锁片正向 Cam Offset Forward	锁片反向 Cam Offset Reversed		镀亮铬 Bright Chrome	无光黑 Black Coated
Min~Max	Min~Max			
6-16	56-66	无锁芯 W/O Key	1121-L1-C <sub>1</sub>	1121-L1-B <sub>1</sub>
16-26	46-56		1121-L2-C <sub>1</sub>	1121-L2-B <sub>1</sub>
26-36	36-46		1121-L3-C <sub>1</sub>	1121-L3-B <sub>1</sub>

备注：  
1. 锌合金锁壳和手柄碳钢附件；丁腈O型圈和橡皮垫。  
2. 表面处理：喷无光黑、麻面黑、镀亮铬等。  
Remark:  
1. Zinc alloy housing and handle; m.s. accessories; with NBR Oring and rubber gasket.  
2. Finish: Black powder coated, black textured coated, chrome plated etc.

提转式压缩锁  
Compression Latch · Lift & Turn Latch

产品系列：1122、1123

IP65



开孔尺寸  
Panel Cutout


间距 Grip Range		锁芯类型 Insert Type	表面处理 Surface Finish	
锁片正向 Cam Offset Forward	锁片反向 Cam Offset Reversed		镀亮铬 Bright Chrome	无光黑 Black Coated
Min~Max	Min~Max			
6-16	56-66	带锁芯 W/ Key	1122-K1-C <sub>1</sub>	1122-K1-B <sub>1</sub>
16-26	46-56		1122-K2-C <sub>1</sub>	1122-K2-B <sub>1</sub>
26-36	36-46		1122-K3-C <sub>1</sub>	1122-K3-B <sub>1</sub>

备注：  
1. 锌合金锁壳、锁芯和手柄、碳钢附件；丁腈O型圈和橡皮垫。  
2. 表面处理：喷无光黑、麻面黑、镀亮铬等。  
3. 默认钥匙  
Remark:  
1. Zinc alloy housing, insert and handle; m.s. accessories; with NBR Oring and rubber gasket.  
2. Finish: Black powder coated, black textured coated, chrome plated etc.  
3. Default Key

IP65




小型 Small size



开孔尺寸  
Panel cutout

间距 Grip Range		锁芯类型 Insert Type	表面处理 Surface Finish	
锁片正向 Cam Offset Forward	锁片反向 Cam Offset Reversed		镀亮铬 Bright Chrome	无光黑 Black Coated
Min~Max	Min~Max			
4.5-10.5	34.5-40.5	无锁芯 W/O Key	1121-S1-C <sub>1</sub>	1121-S1-B <sub>1</sub>
10.5-16.5	28.5-34.5		1121-S2-C <sub>1</sub>	1121-S2-B <sub>1</sub>
16.5-22.5	22.5-28.5		1121-S3-C <sub>1</sub>	1121-S3-B <sub>1</sub>

备注：  
1. 锌合金锁壳和手柄碳钢附件；丁腈O型圈和橡皮垫。  
2. 表面处理：喷无光黑、麻面黑、镀亮铬等。  
Remark:  
1. Zinc alloy housing and handle; m.s. accessories; with NBR Oring and rubber gasket.  
2. Finish: Black powder coated, black textured coated, chrome plated etc.



带锁芯  
Key locking

开孔尺寸  
Panel Cutout

锁芯类型 Insert Type	表面处理 Surface Finish	
	镀亮铬 Bright Chrome	无光黑 Black Coated
带锁芯 W/ Key	1123-K-C <sub>1</sub>	1123-K-B <sub>1</sub>
无锁芯 W/O Key	1123-N-C <sub>1</sub>	1123-N-B <sub>1</sub>

IP40



备注：  
1. 锌合金锁壳、锁芯、按钮和手柄碳钢附件及附件；丁腈O型圈和橡皮垫。  
2. 表面处理：喷无光黑、麻面黑、镀亮铬等。  
3. 默认钥匙  
Remark:  
1. Zinc alloy housing, insert, button and handle; m.s. cam and other accessories; with NBR Oring and rubber gasket.  
2. Finish: Black powder coated, black textured coated, chrome plated etc.  
3. Default Key




压缩锁·杆杠门锁  
Compression Latch · Lever Latch

产品系列：1124

IP65



备注：  
1. 锌合金锁壳、锁芯、按钮和手柄、碳钢附件、橡皮垫。  
2. 表面处理：喷无光黑或镀铬。  
3. 默认K333钥匙，CH751可选。  
Remark:  
1. Zinc alloy housing, insert, button and handle; m.s. accessories; with rubber gasket.  
2. Finish: Black powder coated or chrome plated.  
3. Default key K333, CH751 key as request.






压缩锁·杆杠门锁  
Compression Latch · Lever Latch

产品系列：1124

IP40



备注：  
1. 锌合金锁壳、锁芯、按钮和手柄、碳钢附件、橡皮垫。  
2. 表面处理：喷无光黑或镀铬。  
3. 默认K333钥匙，CH751可选。  
Remark:  
1. Zinc alloy housing, insert, button and handle; m.s. accessories; with rubber gasket.  
2. Finish: Black powder coated or chrome plated.  
3. Default key K333, CH751 key as request.




杠杆类型 Arm Type	短杠杆 Short Arm		长杠杆 Long Arm	
	1-24mm		23-46mm	
间距范围 Grip Range	1-24mm		23-46mm	
锁型 Lock Type	镀铬 Bright Chrome	无光黑 Black Coated	镀铬 Bright Chrome	无光黑 Black Coated
按钮凸起型 Raised Trigger	1124-S1-C <sub>1</sub>	1124-S1-B <sub>1</sub>	1124-L1-C <sub>1</sub>	1124-L1-B <sub>1</sub>
按钮齐平型 Flush Trigger	1124-S2-C <sub>1</sub>	1124-S2-B <sub>1</sub>	1124-L2-C <sub>1</sub>	1124-L2-B <sub>1</sub>
带锁芯 Key Locking	1124-S3-C <sub>1</sub>	1124-S3-B <sub>1</sub>	1124-L3-C <sub>1</sub>	1124-L3-B <sub>1</sub>
十字槽 Tooling Secured	1124-S4-C <sub>1</sub>	1124-S4-B <sub>1</sub>	1124-L4-C <sub>1</sub>	1124-L4-B <sub>1</sub>
内六角 Hex Recess	1124-S5-C <sub>1</sub>	1124-S5-B <sub>1</sub>	1124-L5-C <sub>1</sub>	1124-L5-B <sub>1</sub>
内四方 Square Recess	1124-S6-C <sub>1</sub>	1124-S6-B <sub>1</sub>	1124-L6-C <sub>1</sub>	1124-L6-B <sub>1</sub>

杠杆类型 Arm Type	短杠杆 Short Arm		长杠杆 Long Arm	
	1-24mm		23-46mm	
间距范围 Grip Range	1-24mm		23-46mm	
锁型 Lock Type	镀铬 Bright Chrome	无光黑 Black Coated	镀铬 Bright Chrome	无光黑 Black Coated
按钮凸起型 Raised Trigger	1124-S10-C <sub>1</sub>	1124-S10-B <sub>1</sub>	1124-L10-C <sub>1</sub>	1124-L10-B <sub>1</sub>
按钮齐平型 Flush Trigger	1124-S20-C <sub>1</sub>	1124-S20-B <sub>1</sub>	1124-L20-C <sub>1</sub>	1124-L20-B <sub>1</sub>
带锁芯 Key Locking	1124-S30-C <sub>1</sub>	1124-S30-B <sub>1</sub>	1124-L30-C <sub>1</sub>	1124-L30-B <sub>1</sub>
十字槽 Tooling Secured	1124-S40-C <sub>1</sub>	1124-S40-B <sub>1</sub>	1124-L40-C <sub>1</sub>	1124-L40-B <sub>1</sub>
内六角 Hex Recess	1124-S50-C <sub>1</sub>	1124-S50-B <sub>1</sub>	1124-L50-C <sub>1</sub>	1124-L50-B <sub>1</sub>
内四方 Square Recess	1124-S60-C <sub>1</sub>	1124-S60-B <sub>1</sub>	1124-L60-C <sub>1</sub>	1124-L60-B <sub>1</sub>


压缩锁·杆杠门锁  
Compression Latch · Lever Latch

产品系列：1125

IP40



请参阅表格  
Max panel Ts, ref. to bellow table




备注：  
1. 锌合金锁壳,锁芯,按钮和手柄,碳钢附件;丁腈O型圈和橡皮垫。  
2. 表面处理: 喷无光黑,麻面黑,镀铬等。  
3. 默认钥匙CH751,可定制专用钥匙。  
Remark:  
1. Zinc alloy housing,insert ,button and handle; m. s. accessories; with NBR Oring and rubber gasket .  
2. Finish: Black powder coated ,black textured coated , chrome plated etc.  
3. Default key CH751 ,keyed different on request.

固定安装板 Mounting Bracket	门板厚度 Panel Thickness		间距范围 Grip Range		E	锁芯类型 Insert Type			
	最小 Min	最大 Max	最小 Min	最大 Max		带锁芯 W/ Key	无锁芯 W/O Key	十字槽 Tooling Secured	内六角 4.5 Hex Recess 4.5
A	1	11	1	14	29	1125-A129-B,	1125-A229-B,	1125-A329-B,	1125-A429-B,
B	11	21				1125-B129-B,	1125-B229-B,	1125-B329-B,	1125-B429-B,
A	1	11	29	44	44	1125-A144-B,	1125-A244-B,	1125-A344-B,	1125-A444-B,
B	11	21				1125-B144-B,	1125-B244-B,	1125-B344-B,	1125-B444-B,
C	21	31				1125-C144-B,	1125-C244-B,	1125-C344-B,	1125-C444-B,
A	1	11	45	60	60	1125-A160-B,	1125-A260-B,	1125-A360-B,	1125-A460-B,
B	11	21				1125-B160-B,	1125-B260-B,	1125-B360-B,	1125-B460-B,
C	21	31				1125-C160-B,	1125-C260-B,	1125-C360-B,	1125-C460-B,
D	31	41				1125-D160-B,	1125-D260-B,	1125-D360-B,	1125-D460-B,
A	1	11	57	72	72	1125-A172-B,	1125-A272-B,	1125-A372-B,	1125-A472-B,
B	11	21				1125-B172-B,	1125-B272-B,	1125-B372-B,	1125-B472-B,
C	21	31				1125-C172-B,	1125-C272-B,	1125-C372-B,	1125-C472-B,
D	31	41				1125-D172-B,	1125-D272-B,	1125-D372-B,	1125-D472-B,


压缩锁·杆杠门锁  
Compression Latch · Lever Latch

产品系列：1126

IP40



门板厚度 Panel Thickness	间距范围 Grip Range	H	B	镀亮铬 Bright Chrome		无光黑 Black Coated	
				带锁芯 W/ Key	无锁芯 W/O Key	带锁芯 W/ Key	无锁芯 W/O Key
1-11mm	1-25mm	36.5	13.5	1126-S361-C,	1126-S360-C,	1126-S361-B,	1126-S360-B,
1-11mm	15-30mm	40	28.5	1126-S401-C,	1126-S400-C,	1126-S401-B,	1126-S400-B,




门板厚度 Panel Thickness	间距范围 Grip Range	H	B	镀亮铬 Bright Chrome	无光黑 Black Coated
1-11mm	15-30mm	40	28.5	1126-L401-C,	1126-L401-B,

备注：  
1. 锌合金锁壳,锁芯,按钮和手柄,碳钢附件;丁腈O型圈和橡皮垫。  
2. 表面处理: 喷无光黑,麻面黑,镀铬等。  
3. 默认钥匙CH751或CH510,可定制专用钥匙。  
Remark:  
1. Zinc alloy housing,insert ,button and handle; m. s. accessories; with NBR Oring and rubber gasket .  
2. Finish: Black powder coated ,chrome plated ,gray chrome etc.  
3. Default key CH751 or CH510 ,keyed different on request.



产品系列：1200



带锁芯 Key locking

无锁芯 Non-locking


开孔尺寸  
Panel cutout

锁芯类型 Insert Type	镀亮铬 Bright Chrome	无光黑 Black Coated	不锈钢 Stainless Steel
带锁芯 W/ Key	1200-18K-C <sub>1</sub>	1200-18K-B <sub>1</sub>	1200-18K-SS
无锁芯 W/O Key	1200-18N-C <sub>1</sub>	1200-18N-B <sub>1</sub>	1200-18N-SS

STAINLESS SERIES RL IP65



备注：  
1. 锁壳、锁芯、把手和接地螺母的材料可根据客户要求提供：碳钢或者不锈钢锁片和螺丝；丁腈O型圈、橡胶垫和波形弹垫。  
2. 默认K333，或者CH751或者定制专用钥匙。  
3. 锁片类型参考页面#N001-N002  
Remark:  
1. Housing, insert and earthnut material as request; m.s. or ss cam and screw, with NBR Oring, rubber gasket and wave spring washer.  
2. Default Key K333, or CH751 or Keyed Different as request.  
3. Cam type refer to page#N001-N002



带锁芯  
Key locking

无锁芯  
Non-locking

门板厚度Ts=1-20mm  
Door Panel Ts=1-20mm

开孔尺寸  
Panel cutout

锁芯类型 Insert Type	GH=30		GH=50	
	镀亮铬 Bright Chrome	无光黑 Black Coated	镀亮铬 Bright Chrome	无光黑 Black Coated
带锁芯 W/ Key	1200-30K-C <sub>1</sub>	1200-30K-B <sub>1</sub>	1200-50K-C <sub>1</sub>	1200-50K-B <sub>1</sub>
无锁芯 W/O Key	1200-30N-C <sub>1</sub>	1200-30N-B <sub>1</sub>	1200-50N-C <sub>1</sub>	1200-50N-B <sub>1</sub>

RL IP65




备注：  
1. 锌合金锁壳、锁芯、把手和接地螺母；碳钢锁片和螺丝；丁腈O型圈、橡胶垫和波形弹垫。  
2. 默认K333，或者CH751或者定制专用钥匙。  
3. 锁片类型参考页面#N001-N002  
Remark:  
1. Zinc Alloy housing, insert and earthnut; m.s. cam and screw, zinc plated, with NBR Oring, rubber gasket and wave spring washer.  
2. Default Key K333, or CH751 or Keyed Different as request.  
3. Cam type refer to page#N001-N002

# 把手锁 T&L Handle Lock

产品系列：1201

STAINLESS SERIES RL IP65




锁芯类型 Insert Type	镀亮铬 Bright Chrome	无光黑 Black Coated	不锈钢 Stainless Steel
带锁芯 W/ Key	1201-18K-C <sub>1</sub>	1201-18K-B <sub>1</sub>	1201-18K-SS
无锁芯 W/O Key	1201-18N-C <sub>1</sub>	1201-18N-B <sub>1</sub>	1201-18N-SS

备注：  
1. 锁壳、锁芯、把手和接地螺母的材料可根据客户要求提供，碳钢或者不锈钢锁片和螺丝、丁腈O型圈、橡皮垫和波形弹垫。  
2. 默认K333.或者CH751或者定制专用钥匙。  
3. 锁片类型参考页面#N001-N002  
Remark:  
1. Housing, insert and earthnut material as request; m.s. or ss cam and screw, with NBR Oring, rubber gasket and wave spring washer.  
2. Default Key K333, or CH751 or Keyed Different as request.  
3. Cam type refer to page#N001-N002

# 把手锁 T&L Handle Lock

产品系列：1202、1203


STAINLESS SERIES RL IP65



锁芯类型 Insert Type	镀亮铬 Bright Chrome	无光黑 Black Coated
带锁芯 W/ Key	1202-K-C <sub>1</sub>	1202-K-B <sub>1</sub>
无锁芯 W/O Key	1202-N-C <sub>1</sub>	1202-N-B <sub>1</sub>
2X4 直槽防硬币型 2X4 Slot coin proof insert	1202-S-C <sub>1</sub>	1202-S-B <sub>1</sub>

备注：  
1. 锌合金锁壳、锁芯、把手和接地螺母；碳钢锁片和螺丝；丁腈O型圈、橡皮垫和波形弹垫。  
2. 默认K333.或者CH751或者定制专用钥匙。  
3. 锁片类型参考页面#N001-N002  
Remark:  
1. Zinc Alloy housing, insert and earthnut; m.s. cam and screw, zinc plated, with NBR Oring, rubber gasket and wave spring washer.  
2. Default Key K333, or CH751 or Keyed Different as request.  
3. Cam type refer to page#N001-N002

RL IP65 NEW



锁芯类型 Insert Type	GH=30		GH=50	
	镀亮铬 Bright Chrome	无光黑 Black Coated	镀亮铬 Bright Chrome	无光黑 Black Coated
带锁芯 W/ Key	1201-30K-C <sub>1</sub>	1201-30K-B <sub>1</sub>	1201-50K-C <sub>1</sub>	1201-50K-B <sub>1</sub>
无锁芯 W/O Key	1201-30N-C <sub>1</sub>	1201-30N-B <sub>1</sub>	1201-50N-C <sub>1</sub>	1201-50N-B <sub>1</sub>

备注：  
1. 锌合金锁壳、锁芯、把手和接地螺母；碳钢锁片和螺丝；丁腈O型圈、橡皮垫和波形弹垫。  
2. 默认K333.或者CH751或者定制专用钥匙。  
3. 锁片类型参考页面#N001-N002  
Remark:  
1. Zinc Alloy housing, insert and earthnut; m.s. cam and screw, zinc plated, with NBR Oring, rubber gasket and wave spring washer.  
2. Default Key K333, or CH751 or Keyed Different as request.  
3. Cam type refer to page#N001-N002

镀亮铬 Bright Chrome	无光黑 Black Coated	不锈钢 Stainless Steel
1203-C <sub>1</sub>	1203-B <sub>1</sub>	1203-SS


备注：  
1. 锁壳、把手和接地螺母的材料可根据客户要求提供；不锈钢挂钩、碳钢锁片和螺丝；丁腈O型圈、橡皮垫和波形弹垫。  
2. 锁片类型参考页面#N001-N002  
Remark:  
1. Housing, handle and earthnut material as request; ss padlock device; m.s. cam and screw, zinc plated, with NBR Oring, rubber gasket and wave spring washer.  
2. Cam type refer to page#N001-N002

# 把手锁 T&L Handle Lock

产品系列：1204、1205



备注：  
1.锁壳、把手和接地螺母的材料可根据客户要求提供；  
不锈钢挂钩；碳钢锁片和螺丝；丁腈O型圈、橡皮垫和波形弹垫。  
2.锁片类型参考页面#N001-N002  
Remark:  
1.Housing, handle and earthnut material as request;  
ss padlock device; m. s. cam and screw, zinc plated, with NBR Oring,  
rubber gasket and wave spring washer.  
2. Cam type refer to page#N001-N002




镀亮铬 Bright Chrome	无光黑 Black Coated	不锈钢 Stainless Steel
1204-C <sub>1</sub>	1204-B <sub>1</sub>	1204-SS

RL



备注：  
1.锌合金锁壳、把手、锁芯和锁片、不锈钢挂锁装置；  
碳钢转轴和螺丝。  
2.默认钥匙 92268  
3.锁片可以选配。  
Remark:  
1.Zinc Alloy housing, handle, insert and cam ; ss padlock device;  
m. s. shaft and screw, zinc plated.  
2.Default Key 92268.  
3. Optional cam is available.





锁芯类型 Insert Type	带挂 With Padlock Device	不带挂 Without Padlock Device
带锁芯 W/ Key	1205-KP-C <sub>1</sub>	1205-K-C <sub>1</sub>
无锁芯 W/O Key	1205-NP-C <sub>1</sub>	1205-N-C <sub>1</sub>

# 把手锁 T&L Handle Lock

产品系列：1206

RL




锁芯类型 Insert Type	T型把手 A款 T Handle Type A	T型把手 B款 T Handle Type B
带锁芯 W/ Key	1206-KA-C <sub>1</sub>	1206-KB-C <sub>1</sub>
无锁芯 W/O Key	1206-NA-C <sub>1</sub>	1206-NB-C <sub>1</sub>

备注：  
1.锌合金锁壳、把手、锁芯和锁片、碳钢转轴和螺丝。  
2.默认钥匙 92268  
3.锁片可以选配。  
Remark:  
1.Zinc Alloy housing, handle, insert and cam ; m. s. shaft and screw.  
2.Default Key 92268.  
3. Optional cam is available.

# 把手锁 T&L Handle Lock

产品系列：1207、1208




备注：  
1. 锌合金锁壳、把手和锁芯、碳钢附件。  
2. 默认配3把铁钥匙，可定制专用钥匙，牙花数量可达1000种以上。  
Remark:  
1. Zinc Alloy housing, handle and insert; m. s. accessories.  
2. Default offering 3 keys, different keys can reach more than 1000 choices.

RL IP54





备注：  
1. 锌合金锁壳、把手和锁芯、碳钢附件。  
2. 默认钥匙0200。  
Remark:  
1. Zinc Alloy housing, handle and insert; m. s. accessories.  
2. Default key 0200.



锁闭方向 Locking Direction	镀亮铬 Bright Chrome	无光黑 Black Coated
顺时针锁闭 Clockwise to lock	1208-CW-C <sub>1</sub>	1208-CW-B <sub>1</sub>
逆时针锁闭 Counter-Clockwise to lock	1208-CCW-C <sub>1</sub>	1208-CCW-B <sub>1</sub>

# 把手锁 T&L Handle Lock

产品系列：1209



RL IP54




备注：  
1. 锁壳、把手和螺母的材料可根据客户要求提供：碳钢或不锈钢附件；丁腈O型圈和橡皮垫。  
2. 默认钥匙0200  
Remark:  
1. Housing, handle, insert and nut material as request; ss or m. s. accessories.  
2. Default key 0200.

间距范围 H Grip Range	A	B	锌合金 Zinc Alloy			不锈钢 Stainless Steel		
			60 度左右开门 60° RH&LH	90 度左开门 90°RH Version	90 度右开门 90°RH Version	60 度左右开门 60° RH&LH	90 度左开门 90°RH Version	90 度右开门 90°RH Version
23 mm	23 mm	41.5 mm	1209-RL1-C <sub>1</sub>	1209-L1-C <sub>1</sub>	1209-R1-C <sub>1</sub>	1209-RL1-SS	1209-L1-SS	1209-R1-SS
45-58 mm	23 mm	83 mm	1209-RL2-C <sub>1</sub>	1209-L2-C <sub>1</sub>	1209-R2-C <sub>1</sub>	1209-RL2-SS	1209-L2-SS	1209-R2-SS
52-75 mm	40 mm	103 mm	1209-RL3-C <sub>1</sub>	1209-L3-C <sub>1</sub>	1209-R3-C <sub>1</sub>	1209-RL3-SS	1209-L3-SS	1209-R3-SS
75-80 mm	63 mm	103 mm	1209-RL4-C <sub>1</sub>	1209-L4-C <sub>1</sub>	1209-R4-C <sub>1</sub>	1209-RL4-SS	1209-L4-SS	1209-R4-SS

# 把手锁 T&L Handle Lock

产品系列：1210、1211




备注：  
1. 锌合金基座和把手-碳钢附件。  
Remark:  
1. Zinc Alloy housing and handle ; m. s. accessories.

镀亮铬 Bright Chrome	无光黑 Black Coated
1210-C <sub>1</sub>	1210-B <sub>1</sub>

# 把手锁 T&L Handle Lock

产品系列：1212、1213




玄武石灰 RAL7012 Coated	无光黑 Black Coated	不锈钢 Stainless Steel
1212-RAL7012	1212-B <sub>1</sub>	1212-SS

备注：  
1. 锁壳、把手和接地螺母的材料可根据客户要求提供：碳钢或不锈钢附件；订购O型圈和橡皮垫。  
Remark:  
1. Housing, handle ,insert and earthnut material as request; ss or m. s. accessories; with NBR Oring, rubber gasket and wave spring washer.




连杆部分单独订购  
Rod system needs to be ordered separately.



备注：  
1. 锌合金基座和把手-碳钢附件。  
Remark:  
1. Zinc Alloy housing and handle ; m. s. accessories.

玄武石灰 RAL7012 Coated	无光黑 Black Coated
1211-RAL7012	1211-B <sub>1</sub>



麻面黑 Black Textured Coated	不锈钢 Stainless Steel
1213-B <sub>2</sub>	1213-SS



备注：  
1. 锁壳、把手和接地螺母的材料可根据客户要求提供：碳钢或不锈钢附件；订购O型圈和橡皮垫。  
2. 锁片类型参考页面#N001-N002  
Remark:  
1. Housing, handle ,insert and earthnut material as request; ss or m. s. accessories; with NBR Oring, rubber gasket and wave spring washer.  
2. Cam type refer to page#N001-N002



# 把手锁 T&L Handle Lock

产品系列：1214


RL  IP65 



备注：  
1. 锁壳、把手和锁芯的材料可根据客户要求提供：碳钢或不锈钢附件；丁腈O型圈和发泡密封胶。  
2. 默认CH751 钥匙，可定制专用钥匙。  
3. 锁片类型参考页面#N001-N002  
Remark:  
1. Housing, handle and insert material as request; ss or m.s. accessories; with NBR Oring, foamed-in seal.  
2. Default Key CH751 or Keyed Different as request.  
3. Cam type refer to page#N001-N002

锁芯类型 Insert Type	麻面黑 Black Textured Coated	不锈钢 Stainless Steel
带锁芯 W/ Key	1214-K-B <sub>2</sub>	1214-K-SS
无锁芯 W/O Key	1214-N-B <sub>2</sub>	1214-K-SS
2X4直槽型 2X4 slot	1214-24-B <sub>2</sub>	1214-24-SS


# 平面摇把锁系列 Swinghandle Latch Series




# 平面摇把锁 Swinghandle Latch

产品系列：1300

RL IP65



长款 GH=18mm Long Type GH=18mm	锁芯类型 Insert Type	塑料塑壳 + 锌合金手柄 PA Housing+Zinc Handle
	K333锁芯 Key Alike K333	




长款 GH=20mm Long Type GH=20mm	锁芯类型 Insert Type	塑料塑壳 + 锌合金手柄 PA Housing+Zinc Handle	全锌合金 Zinc Housing+Handle	全锌合金带挂 Zinc Housing+Handle W/ Padlock
	K333锁芯 Key Alike K333			
	按钮型 Push Button			
	双翅3mm Double Bit 3mm			
	三角 8mm Triangular 8mm			
	四方 8mm Square 8mm			

备注：  
1.锁壳材料可根据客户要求提供锌合金把手、锁芯和定位件；碳钢附件、不锈钢挂锁环、丁腈O型圈和发泡密封胶。  
2.默认K333钥匙，或CH751钥匙；可定制专用钥匙。  
3.锁片类型参考页面#N001-N002  
Remark:  
1.Housing material as request; zinc alloy handle, insert and fixing part; m.s. accessories; SS padlock ring; with NBR Oring and foamed-in seal.  
2.Default Key K333 or CH751, Keyed Different as request.  
3.Cam type refer to page#N001-N002

# 平面摇把锁 Swinghandle Latch


产品系列：1300、1301

RL IP65



短款 GH=20mm Short Type GH=20mm	锁芯类型 Insert Type	塑料塑壳 + 锌合金手柄 PA Housing+Zinc Handle	全锌合金 Zinc Housing+Handle	全塑料 PA Housing+Handle
	K333锁芯 Key Alike K333			
	按钮型 Push Button			
	双翅3mm Double Bit 3mm			
	三角 8mm Triangular 8mm			
	四方 8mm Square 8mm			

备注：  
1.锁壳材料可根据客户要求提供锌合金把手、锁芯和定位件；碳钢附件、不锈钢挂锁环、丁腈O型圈和发泡密封胶。  
2.默认K333钥匙，或CH751钥匙；可定制专用钥匙。  
3.锁片类型参考页面#N001-N002  
Remark:  
1.Housing material as request; zinc alloy handle, insert and fixing part; m.s. accessories; SS padlock ring; with NBR Oring and foamed-in seal.  
2.Default Key K333 or CH751, Keyed Different as request.  
3.Cam type refer to page#N001-N002



密码锁 Code Lock	1301-PA
---------------	---------

RL IP65




备注：  
1.塑料PA66尼龙增强锁壳、把手和密码组件；碳钢附件；丁腈O型圈和发泡密封胶。  
2.默认K333钥匙，或CH751钥匙；可定制专用钥匙。  
3.锁片类型参考页面#N001-N002  
Remark:  
1.PA66 30%GF housing, handle and code parts; m.s. accessories; with NBR Oring and foamed-in seal.  
2.Default Key K333 or CH751, Keyed Different as request.  
3.Cam type refer to page#N001-N002

# 平面摇把锁 Swinghandle Latch

产品系列：1302、1303


STAINLESS SERIES RL IP65



不锈钢 Stainless Steel	1302-SS
---------------------	---------

备注：  
1.全部不锈钢;丁腈O型圈和橡皮垫。  
2.锁片类型参考页面#N001-N002  
Remark:  
1.Stainless steel for all lock parts; with NBR Oring and rubber gasket.  
2.Cam type refer to page#N001-N002

STAINLESS SERIES RL IP65




锌合金 Zinc Alloy	不锈钢 Stainless Steel
1303-C <sub>1</sub>	1303-SS

备注：  
1.锁壳,把手,挂锁环和转轴的材料可根据客户要求提供。  
2.锁片类型参考页面#N001-N002  
Remark:  
1.Housing, handle, padlock ring and shaft material as request.  
2.Cam type refer to page#N001-N002

# 平面摇把锁 Swinghandle Latch

产品系列：1304、1305




锁芯类型 Insert Type		镀亮铬 Bright Chrome	麻面黑 Black Textured Coated
Ch751 锁芯 Keyed Alike CH751	带挂 W/ padlock	1304-KP-C <sub>1</sub>	1304-KP-B <sub>2</sub>
	不带挂 W/O padlock	1304-N-C <sub>1</sub>	1304-N-B <sub>2</sub>
三角锁芯 8 Triangular 8	带挂 W/ padlock	1304-TP-C <sub>1</sub>	1304-TP-B <sub>2</sub>
	不带挂 W/O padlock	1304-T-C <sub>1</sub>	1304-T-B <sub>2</sub>

RL IP65



备注：  
1.锌合金锁壳,把手和锁芯;碳钢附件;丁腈O型圈和橡皮垫。  
2.默认CH751 钥匙;可定制专用钥匙。  
3.锁片类型参考页面#N001-N002  
Remark:  
1.Zinc Alloy housing, handle and insert ; m.s. accessories; with NBR Oring and rubber gasket.  
2.Default Key CH751 or Keyed Different as request.  
3.Cam type refer to page#N001-N002



密码锁 Code Lock	镀亮铬 Bright Chrome	麻面黑 Black Textured Coated
	1305-C <sub>1</sub>	1305-B <sub>2</sub>

IP65 NEW



备注：  
1.锌合金锁壳,把手和锁芯;碳钢附件;丁腈O型圈和橡皮垫。  
2.默认CH751 钥匙;可定制专用钥匙。  
3.锁片类型参考页面#N001-N002  
Remark:  
1.Zinc Alloy housing, handle and insert ; m.s. accessories; with NBR Oring and rubber gasket.  
2.Default Key CH751 or Keyed Different as request.  
3.Cam type refer to page#N001-N002




平面摇把锁  
Swinghandle Latch

产品系列：1306

RL IP40






大型 Large size






开孔尺寸  
Panel Cutout

中型 Middle size



开孔尺寸  
Panel Cutout

小型 Small size



开孔尺寸  
Panel Cutout


尺寸 Sizes	挂锁装置 Padlock Device	镀亚光 Gray Chrome	无光黑 Black Coated
长款 Long Size	带挂 W/ Padlock Device	1306-1P-C <sub>2</sub>	1306-1P-B <sub>1</sub>
	不带挂 W/O Padlock Device	1306-1-C <sub>2</sub>	1306-1-B <sub>1</sub>
中款 Middle Size	带挂 W/ Padlock Device	1306-2P-C <sub>2</sub>	1306-2P-B <sub>1</sub>
	不带挂 W/O Padlock Device	1306-2-C <sub>2</sub>	1306-2-B <sub>1</sub>
短款 Short Size	带挂 W/ Padlock Device	1306-3P-C <sub>2</sub>	1306-3P-B <sub>1</sub>
	不带挂 W/O Padlock Device	1306-3-C <sub>2</sub>	1306-3-B <sub>1</sub>

备注：  
1. 锌合金锁壳,把手,锁芯和按钮,碳钢附件。  
2. 默认0200 钥匙。  
Remark:  
1. Zinc Alloy housing, handle, insert and button, m.s. accessories.  
2. Default Key 0200.



平面摇把锁  
Swinghandle Latch

产品系列：1307


RL IP40





方形锁壳  
Rectangular Housing



开孔尺寸  
Panel Cutout



圆形锁壳  
Round Housing



开孔尺寸  
Panel cutout



表面处理 Surface Finish	方形锁壳 Rectangular Housing	圆形锁壳 Round Housing
镀亚光 Gray Chrome	1307-1-C <sub>2</sub>	1307-2-C <sub>2</sub>
无光黑 Black Coated	1307-1-B <sub>1</sub>	1307-2-B <sub>1</sub>

备注：  
1. 铝合金锁壳,锌合金把手,锁芯和按钮,碳钢附件。  
2. 默认0200 钥匙。  
Remark:  
1. Aluminum Alloy housing, zinc alloy handle, insert and button, m.s. accessories.  
2. Default Key 0200.

平面摇把锁  
Swinghandle Latch

产品系列：1308

RL






尺寸 Sizes	锁芯类型 Insert Type	L1	L2	L2	W1	W2	镀亚光 Gray Chrome	无光黑 Black Coated
长款 Long Size	带锁芯 W/ Key	147	117	27	33	27	1308-K1-C <sub>2</sub>	1308-K1-B <sub>1</sub>
	无锁芯 W/O Key						1308-N1-C <sub>2</sub>	1308-N1-B <sub>1</sub>
中款 Midle Size	带锁芯 W/ Key	120	96	24	30	24	1308-K2-C <sub>2</sub>	1308-K2-B <sub>1</sub>
	无锁芯 W/O Key						1308-N2-C <sub>2</sub>	1308-N2-B <sub>1</sub>
短款 Short Size	带锁芯 W/ Key	88	63	24	27.5	24	1308-K3-C <sub>2</sub>	1308-K3-B <sub>1</sub>
	无锁芯 W/O Key						1308-N3-C <sub>2</sub>	1308-N3-B <sub>1</sub>

备注：  
1. 锌合金锁壳、把手、锁芯和按钮、碳钢附件。  
2. 默认0200 钥匙。  
Remark:  
1. Zinc Alloy housing, handle, insert and button; m.s. accessories.  
2. Default Key 0200.

平面摇把锁  
Swinghandle Latch

产品系列：1309



尺寸 Sizes	锁芯类型 Insert Type	镀亚光 Gray Chrome	无光黑 Black Coated	不锈钢 Stainless Steel
长款 Long Size	带锁芯 W/ Key	1309-1K-C <sub>2</sub>	1309-1K-B <sub>1</sub>	1309-1K-SS
	无锁芯 W/O Key	1309-1N-C <sub>2</sub>	1309-1N-B <sub>1</sub>	1309-1N-SS
中款 Middle Size	带锁芯 W/ Key	1309-2K-C <sub>2</sub>	1309-2K-B <sub>1</sub>	1309-2K-SS
	无锁芯 W/O Key	1309-2N-C <sub>2</sub>	1309-2N-B <sub>1</sub>	1309-2N-SS
短款 Short Size	带锁芯 W/ Key	1309-3K-C <sub>2</sub>	1309-3K-B <sub>1</sub>	1309-3K-SS
	无锁芯 W/O Key	1309-3N-C <sub>2</sub>	1309-3N-B <sub>1</sub>	1309-3N-SS

STAINLESS SERIES RL IP54




备注：  
1. 锁壳、把手、锁芯和按钮的材料可根据客户要求提供碳钢附件。  
2. 默认0200 钥匙。  
Remark:  
1. Housing, handle, insert and button material as request.  
2. Default Key 0200.

## 平面摇把锁 Swinghandle Latch

产品系列：1310、1311

RL




备注：  
1. 锌合金锁壳、把手、锁芯和按钮；碳钢附件。  
2. 默认0200钥匙。  
Remark:  
1. Zinc Alloy housing, handle, insert and button; m.s. accessories.  
2. Default Key 0200.

锁芯类型 Insert Type	镀亚光 Gray Chrome	无光黑 Black Coated
带锁芯 W/ Key	1310-1K-C <sub>2</sub>	1310-1K-B <sub>1</sub>
无锁芯 W/O Key	1310-1N-C <sub>2</sub>	1310-1N-B <sub>1</sub>

## 平面摇把锁 Swinghandle Latch

产品系列：1312、1313


RL IP65



电泳黑 E-Coated	1312-11-B <sub>3</sub>
--------------	------------------------


备注：  
1. 锌合金锁壳、把手、锁芯和挂锁环；不锈钢防尘盖、碳钢附件。  
Remark:  
1. Zinc Alloy housing, handle, insert and padlock ring; stainless steel dust cover and padlock ring; m.s. accessories.

RL



备注：  
1. 锌合金锁壳、把手、锁芯和按钮；碳钢附件。  
Remark:  
1. Zinc Alloy housing, handle, insert and button; m.s. accessories.

尺寸 Sizes	锁芯类型 Insert Type	喷砂镀铬 Sandblasting Chrome	无光黑 Black Coated
锌合金按钮 Zinc Button	带锁芯 W/ Key	1311-1K-S <sub>2</sub>	1311-1K-B <sub>1</sub>
	无锁芯 W/O Key	1311-1N-S <sub>2</sub>	1311-1N-B <sub>1</sub>
塑料按钮 PA Button	带锁芯 W/ Key	1311-2K-S <sub>2</sub>	1311-2K-B <sub>1</sub>
	无锁芯 W/O Key	1311-2N-S <sub>2</sub>	1311-2N-B <sub>1</sub>



类型 Type	电泳黑 E-Coated
带挂锁装置 W/ Padlock Device	1313-11-B <sub>3</sub>
不带挂锁装置 W/O Padlock Device	1313-10-B <sub>3</sub>

RL IP65




备注：  
1. 锌合金锁壳、把手和锁芯；不锈钢防尘盖和挂锁环；PA盖板、碳钢附件。  
Remark:  
1. Zinc Alloy housing, handle and insert; stainless steel dust cover and padlock ring; PA back cover.



### 锁具拉杆与锁舌及配件选型图


### Optional Cams & Accessories For Locks



单点锁闭锁舌型  
Single point cam control version



3点锁闭锁舌型  
3 points cam control version



2点锁闭拉杆型  
2 points rod control version




3点锁闭拉杆型  
3 points rod control version

### 拉杆长度计算说明

### Explanations Of Rod Size Calculation

#### 拉杆安装示意图

#### Instructions of Rod Installation



### 拉杆长度计算公式

### Formula of Rod Size Calculation

门板中心与锁体旋转中心线重合的连杆长度计算:

Rod length calculation that door panel center coincided with lock body rotatory center line

$L1=L/2-X+(S-2)$

$L2=L/2-Y+(S-2)$

门板中心与锁体中心线重合的连杆长度计算:

Rod control length calculation that door panel center coincided with lock body center line

$L1=L/2-[X+(D/2-C)]+(S-2)$

$L2=L/2-[Y+(D/2-C)]+(S-2)$

注:如有连接件应减掉连接件的有效长度;其计算方法适用于密封条内安装连杆的长度计算;

其计算方法,仅供参考,使用时应考虑连杆的实际安装条件;


Note: If there are rod adaptors the effective length of the rod adaptors should be reduced;The calculation method is suitable for the length calculation of the rod installed inside with the gasket; The calculation method is for reference only. The actual installation conditions of the rod should be considered during use;

S:传动伸缩行程代号 transmission telescopic stroke code

L:门框开口高 door opening height



产品系列：1400



RL IP65





备注：  
1. 锌合金锁壳、把手、锁芯、防尘盖和拉杆驱动盒；  
碳钢扁拉杆和附件；丁腈O型圈和发泡密封胶。  
2. 默认K333 钥匙，或CH751 钥匙；可定制专用钥匙。  
3. 其他配件参考页面如下：  
锁片：见页面# N001-N002  
拉杆：见页面# N008-N009  
拉杆驱动盒：见页面# E035 1452 Series  
Remark:  
1. Zinc alloy housing, handle, insert, dustcover and linear actuator;  
m. s. rods and accessories; with NBR Oring and foamed-in seal.  
2. Default Key K333 or CH751, Keyed Different as request.  
3. Further parts see page:  
Cam: Page# N001-N002  
Rods: Page# N008-N009  
Linear Actuator: Page# E035 1452 Series

锁芯类型 Insert Type	单点 Single Point W/ Cam Type		两点 Two Point W/ Linear Actuator		三点 Three Point W/ Linear Actuator And Cam	
	配防尘盖 W/ Dustcover	无防尘盖 W/O Dustcover	配防尘盖 W/ Dustcover	无防尘盖 W/O Dustcover	配防尘盖 W/ Dustcover	无防尘盖 W/O Dustcover
半圆柱 K333 Profile Insert K333	1400-K10-B <sub>2</sub>	1400-K1-B <sub>2</sub>	1400-K20-B <sub>2</sub>	1400-K2-B <sub>2</sub>	1400-K30-B <sub>2</sub>	1400-K3-B <sub>2</sub>
双翅 4mm Double Bit 4mm	1400-D10-B <sub>2</sub>	1400-D1-B <sub>2</sub>	1400-D20-B <sub>2</sub>	1400-D2-B <sub>2</sub>	1400-D30-B <sub>2</sub>	1400-D3-B <sub>2</sub>
四方 7mm Square 7mm	1400-S10-B <sub>2</sub>	1400-S1-B <sub>2</sub>	1400-S20-B <sub>2</sub>	1400-S2-B <sub>2</sub>	1400-S30-B <sub>2</sub>	1400-S3-B <sub>2</sub>
三角 8mm Triangular 8mm	1400-T10-B <sub>2</sub>	1400-T1-B <sub>2</sub>	1400-T20-B <sub>2</sub>	1400-T2-B <sub>2</sub>	1400-T30-B <sub>2</sub>	1400-T3-B <sub>2</sub>

# 多点式拉杆锁 Multipoint Rod Latch

产品系列：1401

RL IP65





备注：  
1.PA66锁壳,把手和防尘盖;锌合金锁芯和拉杆驱动盒;碳钢扁拉杆和附件;丁腈O型圈和橡胶密封垫。  
2.默认K333 钥匙,或CH751 钥匙;可定制专用钥匙。  
3.其他配件参考页面如下:  
锁片:见页面# N001-N002  
拉杆:见页面# N008-N009  
拉杆驱动盒:见页面# E035 1452 Series  
Remark:  
1.PA66 housing, handle and dustcover; zinc alloy insert and linear actuator; m.s. rods and accessories; with NBR O-ring and rubber gasket.  
2.Default Key K333 or CH751, Keyed Different as request.  
3.Further parts see page:  
Cam:Page# N001-N002  
Rods:Page# N008-N009  
Linear Actuator:Page# E035 1452 Series

锁芯类型 Insert Type	单点 Single Point W/ Cam Type		两点 Two Point W/ Linear Actuator		三点 Three Point W/ Linear Actuator And Cam	
	配防尘盖 W/ Dustcover	无防尘盖 W/O Dustcover	配防尘盖 W/ Dustcover	无防尘盖 W/O Dustcover	配防尘盖 W/ Dustcover	无防尘盖 W/O Dustcover
圆柱 K333 Standard Insert K333	1401-10-B <sub>2</sub>	1401-1-B <sub>2</sub>	1401-20-B <sub>2</sub>	1401-2-B <sub>2</sub>	1401-30-B <sub>2</sub>	1401-3-B <sub>2</sub>

# 多点式拉杆锁 Multipoint Rod Latch

产品系列：1401

RL IP65



备注：  
1.PA66锁壳,把手和防尘盖;锌合金锁芯和拉杆驱动盒;碳钢扁拉杆和附件;丁腈O型圈和橡胶密封垫。  
2.默认K333 钥匙,或CH751 钥匙;可定制专用钥匙。  
3.其他配件参考页面如下:  
锁片:见页面# N001-N002  
拉杆:见页面# N008-N009  
拉杆驱动盒:见页面# E035 1452 Series  
Remark:  
1.PA66 housing, handle and dustcover; zinc alloy insert and linear actuator; m.s. rods and accessories; with NBR O-ring and rubber gasket.  
2.Default Key K333 or CH751, Keyed Different as request.  
3.Further parts see page:  
Cam:Page# N001-N002  
Rods:Page# N008-N009  
Linear Actuator:Page# E035 1452 Series

锁芯类型 Insert Type	单点 Single Point W/ Cam Type		两点 Two Point W/ Linear Actuator		三点 Three Point W/ Linear Actuator And Cam	
	配防尘盖 W/ Dustcover	无防尘盖 W/O Dustcover	配防尘盖 W/ Dustcover	无防尘盖 W/O Dustcover	配防尘盖 W/ Dustcover	无防尘盖 W/O Dustcover
半圆柱 K333 Profile Insert K333	1401-K10-B <sub>2</sub>	1401-K1-B <sub>2</sub>	1401-K20-B <sub>2</sub>	1401-K2-B <sub>2</sub>	1401-K30-B <sub>2</sub>	1401-K3-B <sub>2</sub>
双翅 4mm Double Bit 4mm	1401-D10-B <sub>2</sub>	1401-D1-B <sub>2</sub>	1401-D20-B <sub>2</sub>	1401-D2-B <sub>2</sub>	1401-D30-B <sub>2</sub>	1401-D3-B <sub>2</sub>
四方 7mm Square 7mm	1401-S10-B <sub>2</sub>	1401-S1-B <sub>2</sub>	1401-S20-B <sub>2</sub>	1401-S2-B <sub>2</sub>	1401-S30-B <sub>2</sub>	1401-S3-B <sub>2</sub>
三角 8mm Triangular 8mm	1401-T10-B <sub>2</sub>	1401-T1-B <sub>2</sub>	1401-T20-B <sub>2</sub>	1401-T2-B <sub>2</sub>	1401-T30-B <sub>2</sub>	1401-T3-B <sub>2</sub>



# 多点式拉杆锁 Multipoint Rod Latch

产品系列：1402

RL IP65



备注：  
1. PA66锁壳,把手和防尘盖;锌合金锁芯和拉杆驱动盒;  
碳钢扁拉杆和附件;铜或钢转轴;丁腈O型圈和发泡密封胶。  
2. 默认K333 钥匙,或CH751 钥匙;可定制专用钥匙。  
3. 其他配件参考页面如下:  
锁片:见页面# N001-N002  
拉杆:见页面# N008-N009  
拉杆驱动盒:见页面# E035 1452 Series  
Remark:  
1. PA66 housing, handle and dustcover;  
zinc alloy insert and linear actuator; m. s. rods and accessories;  
brass or steel shaft; with NBR Oring and foamed-in seal.  
2. Default Key K333 or CH751, Keyed Different as request.  
3. Further parts see page:  
Cam: Page# N001-N002  
Rods: Page# N008-N009  
Linear Actuator: Page# E035 1452 Series





锁芯类型 Insert Type	单点 Single Point W/ Cam Type	两点 Two Point W/ Linear Actuator	三点 Three Point W/ Linear Actuator And Cam
圆柱 K333 Standard Insert K333	1402-1-B <sub>2</sub>	1402-2-B <sub>2</sub>	1402-3-B <sub>2</sub>

# 多点式拉杆锁 Multipoint Rod Latch

产品系列：1402

RL IP65 NEW




备注：  
1. PA66锁壳,把手和防尘盖;锌合金锁芯和拉杆驱动盒;  
碳钢扁拉杆和附件;铜或钢转轴;丁腈O型圈和发泡密封胶。  
2. 默认K333 钥匙,或CH751 钥匙;可定制专用钥匙。  
3. 其他配件参考页面如下:  
锁片:见页面# N001-N002  
拉杆:见页面# N008-N009  
拉杆驱动盒:见页面# E035 1452 Series  
Remark:  
1. PA66 housing, handle and dustcover;  
zinc alloy insert and linear actuator; m. s. rods and accessories;  
brass or steel shaft; with NBR Oring and foamed-in seal.  
2. Default Key K333 or CH751, Keyed Different as request.  
3. Further parts see page:  
Cam: Page# N001-N002  
Rods: Page# N008-N009  
Linear Actuator: Page# E035 1452 Series

锁芯类型 Insert Type	单点 Single Point W/ Cam Type	两点 Two Point W/ Linear Actuator	三点 Three Point W/ Linear Actuator And Cam
半圆柱 K333 Profile Insert K333	1402-K1-B <sub>2</sub>	1402-K2-B <sub>2</sub>	1402-K3-B <sub>2</sub>
双翅 4mm Double Bit 4mm	1402-D1-B <sub>2</sub>	1402-D2-B <sub>2</sub>	1402-D3-B <sub>2</sub>
四方 7mm Square 7mm	1402-S1-B <sub>2</sub>	1402-S2-B <sub>2</sub>	1402-S3-B <sub>2</sub>
三角 8mm Triangular 8mm	1402-T1-B <sub>2</sub>	1402-T2-B <sub>2</sub>	1402-T3-B <sub>2</sub>

# 多点式拉杆锁 Multipoint Rod Latch

产品系列：1403

RL IP65




备注：  
1. PA66锁壳，锌合金把手，锁芯，转轴和拉杆驱动盒；  
碳钢扁拉杆和附件；丁腈O型圈和发泡密封圈。  
2. 默认K333 钥匙，或CH751 钥匙；可定制专用钥匙。  
3. 其他配件参考页面如下：  
锁片：见页面# N001-N002  
拉杆：见页面# N008-N009  
拉杆驱动盒：见页面# E035 1452 Series  
Remark:  
1. PA66 housing; zinc alloy handle, insert, shaft and linear actuator;  
m. s. rods and accessories; with NBR Oring and foamed-in seal .  
2. Default Key K333 or CH751 , Keyed Different as request.  
3. Further parts see page:  
Cam: Page# N001-N002  
Rods: Page# N008-N009  
Linear Actuator: Page# E035 1452 Series

锁芯类型 Insert Type	单点 Single Point W/ Cam Type	两点 Two Point W/ Linear Actuator	三点 Three Point W/ Linear Actuator And Cam
圆柱 K333 Standard Insert K333	1403-1-B <sub>2</sub>	1403-2-B <sub>2</sub>	1403-3-B <sub>2</sub>

# 多点式拉杆锁 Multipoint Rod Latch

产品系列：1403

RL IP65



备注：  
1. PA66锁壳，锌合金把手，锁芯，转轴和拉杆驱动盒；  
碳钢扁拉杆和附件；丁腈O型圈和发泡密封圈。  
2. 默认K333 钥匙，或CH751 钥匙；可定制专用钥匙。  
3. 其他配件参考页面如下：  
锁片：见页面# N001-N002  
拉杆：见页面# N008-N009  
拉杆驱动盒：见页面# E035 1452 Series  
Remark:  
1. PA66 housing; zinc alloy handle, insert, shaft and linear actuator;  
m. s. rods and accessories; with NBR Oring and foamed-in seal .  
2. Default Key K333 or CH751 , Keyed Different as request.  
3. Further parts see page:  
Cam: Page# N001-N002  
Rods: Page# N008-N009  
Linear Actuator: Page# E035 1452 Series

锁芯类型 Insert Type	单点 Single Point W/ Cam Type	两点 Two Point W/ Linear Actuator	三点 Three Point W/ Linear Actuator And Cam
半圆柱 K333 Profile Insert K333	1403-K1-B <sub>2</sub>	1403-K2-B <sub>2</sub>	1403-K3-B <sub>2</sub>
双翅 4mm Double Bit 4mm	1403-D1-B <sub>2</sub>	1403-D2-B <sub>2</sub>	1403-D3-B <sub>2</sub>
四方 7mm Square 7mm	1403-S1-B <sub>2</sub>	1403-S2-B <sub>2</sub>	1403-S3-B <sub>2</sub>
三角 8mm Triangular 8mm	1403-T1-B <sub>2</sub>	1403-T2-B <sub>2</sub>	1403-T3-B <sub>2</sub>



# 多点式拉杆锁 Multipoint Rod Latch

产品系列：1404

RL IP54





备注：  
1. 锌合金锁壳、把手、锁芯和拉杆驱动盒、碳钢扁拉杆和附件；  
不锈钢挂锁环、丁腈O型圈和橡胶密封垫。  
2. 其他配件参考页面如下：  
锁片：见页面# N001-N002  
拉杆：见页面# N008-N009  
Remark:  
1. Zinc alloy housing, handle, insert, dustcover and linear actuator;  
m.s. rods and accessories; ss padlock ring;  
with NBR Oring and rubber gasket.  
2. Further parts see page:  
Cam: Page# N001-N002  
Rods: Page# N008-N009



# 多点式拉杆锁 Multipoint Rod Latch

产品系列：1405

RL IP65



备注：  
1. 锌合金锁壳、把手、锁芯和拉杆驱动盒、碳钢扁拉杆和附件；  
不锈钢挂锁环、丁腈O型圈和橡胶密封垫。  
2. 默认K333钥匙，或CH751钥匙；可定制专用钥匙。  
3. 其他配件参考页面如下：  
锁片：见页面# N001-N002  
拉杆：见页面# N008-N009  
拉杆驱动盒：见页面# E035 1452 Series  
Remark:  
1. Zinc alloy housing, handle, insert, dustcover and linear actuator;  
m.s. rods and accessories; ss padlock ring;  
with NBR Oring and rubber gasket.  
2. Default Key K333 or CH751, Keyed Different as request.  
3. Further parts see page:  
Cam: Page# N001-N002  
Rods: Page# N008-N009  
Linear Actuator: Page# E034 1451-B Series


锁芯类型 Insert Type	单点 Single Point W/ Cam Type	两点 Two Point W/ Linear Actuator	三点 Three Point W/ Linear Actuator And Cam
带挂 W/ Padlock Device	1404-10-B <sub>2</sub>	1404-10-B <sub>2</sub>	1404-20-B <sub>2</sub> 1404-20-B <sub>2</sub> 1404-30-B <sub>2</sub> 1404-30-B <sub>2</sub>
不带挂 W/O Padlock Device	1404-1-B <sub>2</sub>	1404-1-B <sub>2</sub>	1404-2-B <sub>2</sub> 1404-2-B <sub>2</sub> 1404-3-B <sub>2</sub> 1404-3-B <sub>2</sub>

锁芯类型 Insert Type		单点 Single Point W/ Cam Type		两点 Two Point W/ Linear Actuator		三点 Three Point W/ Linear Actuator And Cam	
		无光黑 Black Coated	电泳黑 Black E-Coated	无光黑 Black Coated	电泳黑 Black E-Coated	无光黑 Black Coated	电泳黑 Black E-Coated
半圆柱 K333 Profile Insert K333	带挂 W/ Padlock Device	1405-K10-B <sub>1</sub>	1405-K10-B <sub>3</sub>	1405-K20-B <sub>1</sub>	1405-K20-B <sub>3</sub>	1405-K30-B <sub>1</sub>	1405-K30-B <sub>3</sub>
	不带挂 W/O Padlock Device	1405-K1-B <sub>1</sub>	1405-K1-B <sub>3</sub>	1405-K2-B <sub>1</sub>	1405-K2-B <sub>3</sub>	1405-K3-B <sub>1</sub>	1405-K3-B <sub>3</sub>
三角 8mm Triangular 8mm	带挂 W/ Padlock Device	1405-T10-B <sub>1</sub>	1405-T10-B <sub>3</sub>	1405-T20-B <sub>1</sub>	1405-T20-B <sub>3</sub>	1405-T30-B <sub>1</sub>	1405-T30-B <sub>3</sub>
	不带挂 W/O Padlock Device	1405-T1-B <sub>1</sub>	1405-T1-B <sub>3</sub>	1405-T2-B <sub>1</sub>	1405-T2-B <sub>3</sub>	1405-T3-B <sub>1</sub>	1405-T3-B <sub>3</sub>

# 多点式拉杆锁 Multipoint Rod Latch

产品系列：1406

RL IP65




备注：  
1. 锌合金锁壳, 把手, 锁芯, 按钮和拉杆驱动盒;  
碳钢扁拉杆和附件; 丁腈O型圈和橡胶密封垫。  
2. 默认K333 钥匙, 或CH751 钥匙; 可定制专用钥匙。  
3. 其他配件参考页面如下:  
锁片-见页面# N001-N002  
拉杆-见页面# N008-N009  
Remark:  
1. Zinc alloy housing, handle, insert, dustcover and linear actuator;  
m.s. rods and accessories; ss padlock ring;  
with NBR Oring and rubber gasket.  
2. Default Key K333 or CH751, Keyed Different as request.  
3. Further parts see page:  
Cam: Page# N001-N002  
Rods: Page# N008-N009

单点 Single Point W/ Cam Type		两点 Two Point W/ Linear Actuator		三点 Three Point W/ Linear Actuator And Cam	
纳米喷漆 (银亚光) NM Painting	无光黑 Black Coated	纳米喷漆 (银亚光) NM Painting	无光黑 Black Coated	纳米喷漆 (银亚光) NM Painting	无光黑 Black Coated
1406-1-Nm	1406-1-B <sub>1</sub>	1406-2-Nm	1406-2-B <sub>1</sub>	1406-3-Nm	1406-3-B <sub>1</sub>

# 多点式拉杆锁 Multipoint Rod Latch

产品系列：1407

RL IP40




备注：  
1. 锌合金锁壳, 把手, 锁芯, 按钮和拉杆驱动盒;  
碳钢扁拉杆和附件; 丁腈O型圈和橡胶密封垫。  
2. 其他配件参考页面如下:  
锁片-见页面# N001-N002  
拉杆-见页面# N008-N009  
Remark:  
1. Zinc alloy housing, handle, insert, dustcover and linear actuator;  
m.s. rods and accessories; ss padlock ring;  
with NBR Oring and rubber gasket.  
2. Further parts see page:  
Cam: Page# N001-N002  
Rods: Page# N008-N009

单点 Single Point W/ Cam Type		两点 Two Point W/ Linear Actuator		三点 Three Point W/ Linear Actuator And Cam	
纳米喷漆 (银亚光) NM Painting	无光黑 Black Coated	纳米喷漆 (银亚光) NM Painting	无光黑 Black Coated	纳米喷漆 (银亚光) NM Painting	无光黑 Black Coated
1407-1-Nm	1407-1-B <sub>1</sub>	1407-2-Nm	1407-2-B <sub>1</sub>	1407-3-Nm	1407-3-B <sub>1</sub>

# 多点式拉杆锁 Multipoint Rod Latch

产品系列：1408

RL IP40



备注：  
1. 锌合金锁壳、把手、锁芯、按钮和拉杆驱动盒；  
碳钢扁拉杆和附件；丁腈O型圈和橡胶密封垫。  
2. 其他配件参考页面如下：  
锁片：默认锁片  
拉杆：见页面# N008-N009



Remark:  
1. Zinc alloy housing, handle, insert, dustcover and linear actuator;  
m.s. rods and accessories; ss padlock ring;  
with NBR O-ring and rubber gasket.  
2. Further parts see page:  
Cam: Default Cam  
Rods: Page# N008-N009

三点 Three Point W/ Linear Actuator And Cam	
纳米喷漆 (银亚光) NM Painting	无光黑 Black Coated
1408-3-Nm	1408-3-B <sub>1</sub>

# 多点式拉杆锁 Multipoint Rod Latch

产品系列：1409

RL IP40



单点 Single Point W/ Cam Type		三点 Three Point W/ Linear Actuator And Cam	
纳米喷漆 (银亚光) NM Painting	无光黑 Black Coated	纳米喷漆 (银亚光) NM Painting	无光黑 Black Coated
1409-1-Nm	1409-1-B <sub>1</sub>	1409-3-Nm	1409-3-B <sub>1</sub>


备注：  
1. 锌合金锁壳、把手、锁芯、按钮和拉杆驱动盒；  
碳钢扁拉杆和附件；丁腈O型圈和橡胶密封垫。  
2. 其他配件参考页面如下：  
锁片：默认锁片  
拉杆：见页面# N008-N009

Remark:  
1. Zinc alloy housing, handle, insert, dustcover and linear actuator;  
m.s. rods and accessories; ss padlock ring;  
with NBR O-ring and rubber gasket.  
2. Further parts see page:  
Cam: Default Cam  
Rods: Page# N008-N009

# 多点式拉杆锁 Multipoint Rod Latch

产品系列：1410

RL IP65



备注：



- 1.PA66或锌合金锁壳;锌合金把手,锁芯和拉杆驱动盒;碳钢扁拉杆和附件;丁腈O型圈和发泡密封圈.
  - 2.默认K333 钥匙,或CH751 钥匙;可定制专用钥匙.
  - 3.其他配件参考页面如下:  
锁片:见页面# N001-N002  
拉杆:见页面# N009
- Remark:  
1.PA66 or zinc alloy housing; zinc alloy handle, insert and linear actuator, m.s. rods and accessories; with NBR Oring and foamed-in seal.  
2.Default Key K333 or CH751, Keyed Different as request.  
3.Further parts see page:  
Cam:Page# N001-N002  
Rods:Page# N009

全锌合金 Zinc Housing+Handle		塑料塑壳 + 锌合金手柄 PA Housing+Zinc Handle	
两点 Two Point W/ Linear Actuator	三点 Three Point W/ Linear Actuator And Cam	两点 Two Point W/ Linear Actuator	三点 Three Point W/ Linear Actuator And Cam
1410-2-B <sub>2</sub>	1410-3-B <sub>2</sub>	1410-2-PZ	1410-3-PZ

# 多点式拉杆锁 Multipoint Rod Latch

产品系列：1411

RL IP65



备注：


- 1.PA66锁壳;锌合金把手,锁芯和拉杆驱动盒;碳钢扁拉杆和附件;丁腈O型圈和发泡密封圈.
  - 2.默认K333 钥匙,或CH751 钥匙;可定制专用钥匙.
  - 3.其他配件参考页面如下:  
锁片:见页面# N001-N002  
拉杆:见页面# N009
- Remark:  
1.PA66 housing; zinc alloy handle, insert and linear actuator, m.s. rods and accessories; with NBR Oring and foamed-in seal.  
2.Default Key K333 or CH751, Keyed Different as request.  
3.Further parts see page:  
Cam:Page# N001-N002  
Rods:Page# N009

单点 Single Point W/ Cam Type	三点 Three Point W/ Linear Actuator And Cam
1411-1-B <sub>2</sub>	1411-3-B <sub>2</sub>

## 多点式拉杆锁 Multipoint Rod Latch

产品系列：1412

RL IP40




备注：  
1. 锌合金锁壳、把手、锁芯和拉杆驱动盒、碳钢扁拉杆和附件；  
不锈钢挂锁环、丁腈O型圈和橡胶密封垫。  
Remark:  
1. Zinc alloy housing, handle, insert, dustcover and linear actuator;  
m.s. rods and accessories; ss padlock ring;  
with NBR Oring and rubber gasket.

锁芯类型 Insert Type	三点 Three Point W/ Linear Actuator And Cam		
	喷塑黑 Black Powder Coated	卵石灰 RAL 7032 Pebble Grey	浅灰色 RAL 7035 Light Grey
带挂 W/ Padlock Device	1412-10-B <sub>1</sub>	1412-10-RAL7032	1412-10-RAL7035
不带挂 W/O Padlock Device	1412-1-B <sub>1</sub>	1412-1-RAL7032	1412-1-RAL7035

## 多点式拉杆锁 Multipoint Rod Latch

产品系列：1413

RL IP65




备注：  
1. 锌合金锁壳、把手、锁芯和拉杆驱动盒、碳钢扁拉杆和附件；  
丁腈O型圈和发泡密封胶。  
2. 默认K333 钥匙，或CH751 钥匙；可定制专用钥匙。  
3. 其他配件参考页面如下：  
锁片：见页面# N001-N002  
拉杆：见页面# N008-N009  
拉杆驱动盒：见页面# E035 1452 Series  
Remark:  
1. Zinc alloy housing, handle, insert, dustcover and linear actuator;  
m.s. rods and accessories; with NBR Oring and foamed-in seal.  
2. Default Key K333 or CH751, Keyed Different as request.  
3. Further parts see page:  
Cam: Page# N001-N002  
Rods: Page# N008-N009  
Linear Actuator: Page# E035 1452 Series

两点 Two Point W/ Linear Actuator	三点 Three Point W/ Linear Actuator And Cam
1413-2-B <sub>2</sub>	1413-3-B <sub>2</sub>

# 多点式拉杆锁 Multipoint Rod Latch

产品系列：1414

RL IP65




备注：  
1.PA66锁壳,把手和密码组件;锌合金锁心和拉杆驱动盒;  
碳钢扁拉杆和附件;丁腈O型圈和发泡密封胶。  
2.默认K333 钥匙,或CH751 钥匙;可定制专用钥匙。  
3.其他配件参考页面如下:  
锁片-见页面# N001-N002  
拉杆-见页面# N008-N009  
拉杆驱动盒-见页面# E035 1452 Series  
Remark:  
1.PA66 housing,handle and code parts;  
zinc alloy insert and linear actuator, m.s. rods and accessories;  
with NBR Oring and foamed-in seal.  
2.Default Key K333 or CH751, Keyed Different as request.  
3.Further parts see page:  
Cam:Page# N001-N002  
Rods:Page# N008-N009  
Linear Actuator:Page# E035 1452 Series

两点 Two Point W/ Linear Actuator	三点 Three Point W/ Linear Actuator And Cam
1414-2-B <sub>2</sub>	1414-3-B <sub>2</sub>

# 多点式拉杆锁 Multipoint Rod Latch

产品系列：1415

RL IP65




备注：  
1.锌合金锁壳,把手,锁芯,按钮和拉杆驱动盒;  
碳钢扁拉杆和附件;丁腈O型圈和发泡密封胶。  
2.其他配件参考页面如下:  
锁片-见页面# N001-N002  
拉杆-见页面# N008-N009  
Remark:  
1.Zinc alloy housing,handle,insert,dustcover and linear actuator;  
m.s. rods and accessories;with NBR Oring and foamed-in seal.  
2.Further parts see page:  
Cam:Page# N001-N002  
Rods:Page# N008-N009

锁芯类型 Insert Type	单点 Single Point W/ Cam Type		两点 Two Point W/ Linear Actuator		三点 Three Point W/ Linear Actuator And Cam	
带挂 W/ Padlock Device	1415-10-B <sub>1</sub>	1415-10-B <sub>1</sub>	1415-20-B <sub>1</sub>	1415-20-B <sub>1</sub>	1415-30-B <sub>1</sub>	1415-30-B <sub>1</sub>
不带挂 W/O Padlock Device	1415-1-B <sub>1</sub>	1415-1-B <sub>1</sub>	1415-2-B <sub>1</sub>	1415-2-B <sub>1</sub>	1415-3-B <sub>1</sub>	1415-3-B <sub>1</sub>

# 多点式拉杆锁 Multipoint Rod Latch

产品系列：1416

RL IP65 NEW





备注：  
1. 不锈钢锁壳、把手、防尘盖、扁拉杆和拉杆驱动盒、锌合金锁芯、丁腈O型圈和发泡密封圈。  
2. 默认K333钥匙。  
3. 其他配件参考页面如下：  
锁片：见页面# N001-N002  
拉杆：见页面# N008-N009  
Remark:  
1. Stainless steel housing, handle, dustcover and linear actuator; zinc alloy insert; with NBR O-ring and foamed-in seal.  
2. Default Key K333.  
3. Further parts see page:  
Cam: Page# N001-N002  
Rods: Page# N008-N009





# 多点式拉杆锁 Multipoint Rod Latch

产品系列：1417

锁舌型  
cam control



拉杆型  
Rod control



RL IP65



备注：  
1. 塑料锁壳、锌合金锁芯和拉杆驱动盒、碳钢扁拉杆和附件、丁腈O型圈和发泡密封圈。  
2. 其他配件参考页面如下：  
锁片：见页面# N001-N002  
拉杆：见页面# N008-N009  
拉杆驱动盒：见页面# E036 1453-C Series  
Remark:  
1. Zinc alloy housing, handle, insert, dustcover and linear actuator; m.s. rods and accessories; with NBR O-ring and foamed-in seal.  
2. Further parts see page:  
Cam: Page# N001-N002  
Rods: Page# N008-N009  
Linear Actuator: Page# E036 1453-C Series

锁芯类型 Insert Type	单点 Single Point W/ Cam Type		两点 Two Point W/ Linear Actuator		三点 Three Point W/ Linear Actuator And Cam	
	配防尘盖 W/ Dustcover	无防尘盖 W/O Dustcover	配防尘盖 W/ Dustcover	无防尘盖 W/O Dustcover	配防尘盖 W/ Dustcover	无防尘盖 W/O Dustcover
Hs8 异形锁芯 HS8 Profile Insert	1416-H10-SS	1416-H1-SS	1416-H20-SS	1416-H2-SS	1416-H30-SS	1416-H3-SS
半圆柱 K333 Profile Insert K333	1416-K10-SS	1416-K1-SS	1416-K20-SS	1416-K2-SS	1416-K30-SS	1416-K3-SS
双翅 4mm Double Bit 4mm	1416-D10-SS	1416-D1-SS	1416-D20-SS	1416-D2-SS	1416-D30-SS	1416-D3-SS
四方 7mm Square 7mm	1416-S10-SS	1416-S1-SS	1416-S20-SS	1416-S2-SS	1416-S30-SS	1416-S3-SS

锁芯类型 Insert Type	单点 Single Point W/ Cam Type		两点 Two Point W/ Linear Actuator		三点 Three Point W/ Linear Actuator And Cam	
	配防尘盖 W/ Dustcover	无防尘盖 W/O Dustcover	配防尘盖 W/ Dustcover	无防尘盖 W/O Dustcover	配防尘盖 W/ Dustcover	无防尘盖 W/O Dustcover
双翅 3mm Double Bit 3mm	1417-D10-B <sub>2</sub>	1417-D1-B <sub>2</sub>	1417-D20-B <sub>2</sub>	1417-D2-B <sub>2</sub>	1417-D30-B <sub>2</sub>	1417-D3-B <sub>2</sub>
2x4 直槽型 2x4 Slot	1417-241-B <sub>2</sub>	1417-24-B <sub>2</sub>	1417-242-B <sub>2</sub>	1417-24-B <sub>2</sub>	1417-243-B <sub>2</sub>	1417-24-B <sub>2</sub>
三角 8mm Triangular 8mm	1417-T10-B <sub>2</sub>	1417-T1-B <sub>2</sub>	1417-T20-B <sub>2</sub>	1417-T2-B <sub>2</sub>	1417-T30-B <sub>2</sub>	1417-T3-B <sub>2</sub>
四方 8mm Square 8mm	1417-S10-B <sub>2</sub>	1417-S1-B <sub>2</sub>	1417-S20-B <sub>2</sub>	1417-S2-B <sub>2</sub>	1417-S30-B <sub>2</sub>	1417-S3-B <sub>2</sub>


# 多点式拉杆锁 Multipoint Rod Latch

产品系列：1418


RL IP65



锁舌型  
cam control



拉杆型  
Rod control



T形手柄  
T-handle

把手形  
Wing Knob Handle

L形手柄  
L-handle


备注：  
1. 锌合金锁壳,把手,锁芯和拉杆驱动盒;碳钢扁拉杆和附件;  
丁腈O型圈和发泡密封胶。  
2. 默认K333 钥匙,或CH751 钥匙;可定制专用钥匙。  
3. 其他配件参考页面如下:  
锁片:见页面# N001-N002  
锁杆:见页面# N008-N009  
拉杆驱动盒:见页面# E036 1453-C Series  
Remark:  
1. Zinc alloy housing, handle, insert, dustcover and linear actuator;  
m.s. rods and accessories; with NBR Oring and foamed-in seal.  
2. Default Key K333 or CH751, Keyed Different as request.  
3. Further parts see page:  
Cam: Page# N001-N002  
Rods: Page# N008-N009  
Linear Actuator: Page# E036 1453-C Series

把手类型 Handle Type	单点 Single Point W/ Cam Type		两点 Two Point W/ Linear Actuator		三点 Three Point W/ Linear Actuator And Cam	
	带锁芯 W/ Insert	无锁芯 W/O Insert	带锁芯 W/ Insert	无锁芯 W/O Insert	带锁芯 W/ Insert	无锁芯 W/O Insert
T 形把手 T-Handle	1418-T11-B <sub>2</sub>	1418-T10-B <sub>2</sub>	1418-T21-B <sub>2</sub>	1418-T20-B <sub>2</sub>	1418-T31-B <sub>2</sub>	1418-T30-B <sub>2</sub>
L 形把手 L-Handle	1418-L11-B <sub>2</sub>	1418-L10-B <sub>2</sub>	1418-L21-B <sub>2</sub>	1418-L20-B <sub>2</sub>	1418-L31-B <sub>2</sub>	1418-L30-B <sub>2</sub>
翼型把手 Wing Knob Handle	1418-W11-B <sub>2</sub>	1418-W10-B <sub>2</sub>	1418-W21-B <sub>2</sub>	1418-W20-B <sub>2</sub>	1418-W31-B <sub>2</sub>	1418-W30-B <sub>2</sub>



# 多点式拉杆锁 Multipoint Rod Latch

产品系列：1419

锁舌型  
cam control



拉杆型  
Rod control



RL IP65




备注：  
1. 塑料锁壳,锌合金锁芯和拉杆驱动盒;碳钢扁拉杆和附件;  
丁腈O型圈和发泡密封胶。  
2. 其他配件参考页面如下:  
锁片:见页面# N001-N002  
锁杆:见页面# N008-N009  
拉杆驱动盒:见页面# E035 1452 Series  
Remark:  
1. Zinc alloy housing, handle, insert, dustcover and linear actuator;  
m.s. rods and accessories; with NBR Oring and foamed-in seal.  
2. Further parts see page:  
Cam: Page# N001-N002  
Rods: Page# N008-N009  
Linear Actuator: Page# E035 1452 Series

锁芯类型 Insert Type	单点 Single Point W/ Cam Type	两点 Two Point W/ Linear Actuator	三点 Three Point W/ Linear Actuator And Cam
双翅 3mm Double Bit 3mm	1419-D10-B <sub>2</sub>	1419-D20-B <sub>2</sub>	1419-D30-B <sub>2</sub>
2x4 直槽型 2x4 Slot	1419-241-B <sub>2</sub>	1419-242-B <sub>2</sub>	1419-243-B <sub>2</sub>
三角 8mm Triangular 8mm	1419-T10-B <sub>2</sub>	1419-T20-B <sub>2</sub>	1419-T30-B <sub>2</sub>
四方 8mm Square 8mm	1419-S10-B <sub>2</sub>	1419-S20-B <sub>2</sub>	1419-S30-B <sub>2</sub>

多点式拉杆锁  
Multipoint Rod Latch

产品系列：1420

IP40




备注：  
1. 锌合金锁壳、把手、锁芯和滑动块、碳钢附件。  
2. 默认拉杆参考页面# N011 LG-X/Y/Z  
Remark:  
1. Zinc alloy housing, handle, insert and sliding block; m.s accessories.  
2. Default rods refer to Page# N011 LG-X/Y/Z

锁芯类型 Insert Type	喷塑黑 Black Powder Coated	卵石灰 RAL 7032 Pebble Grey	浅灰色 RAL 7035 Light Grey
圆柱 K333 Standard Insert K333	1420-K1-B <sub>1</sub>	1420-K1-RAL7032	1420-K1-RAL7035
双翅 4mm Double Bit 4mm	1420-D4-B <sub>1</sub>	1420-D4-RAL7032	1420-D4-RAL7035

多点式拉杆锁  
Multipoint Rod Latch

产品系列：1421

IP40




备注：  
1. 锌合金锁壳、把手、锁芯和滑动块、碳钢附件。  
2. 默认拉杆参考页面# N011 LG-X/Y/Z  
Remark:  
1. Zinc alloy housing, handle, insert and sliding block; m.s accessories.  
2. Default rods refer to page# N011 LG-X/Y/Z

喷塑黑 Black Powder Coated	卵石灰 RAL 7032 Pebble Grey	浅灰色 RAL 7035 Light Grey
1421-K-B <sub>1</sub>	1421-K-RAL7032	1421-K-RAL7035

## 多点式拉杆锁 Multipoint Rod Latch

产品系列：1422

IP40




备注：  
1. 锌合金锁壳,把手,锁芯,滑动块和拉杆驱动盒,碳钢附件。  
2. 默认拉杆参考页面# N011 LG-X/Y/Z  
Remark:  
1. Zinc alloy housing, handle, insert, sliding block and linear actuator;  
m.s accessories.  
2. Default rods refer to page# N011 LG-X/Y/Z

锁芯类型 Insert Type	不带拉杆盒 W/O Linear Actuator And Cam			带拉杆盒 W/ Linear Actuator And Cam		
	喷塑黑 Black Powder Coated	卵石灰 RAL 7032 Pebble Grey	浅灰色 RAL 7035 Light Grey	喷塑黑 Black Powder Coated	卵石灰 RAL 7032 Pebble Grey	浅灰色 RAL 7035 Light Grey
锁芯带按钮 Insert W/ Push Button	1422-1P-B,	1422-1P-RAL7032	1422-1P-RAL7035	1422-2P-B,	1422-2P-RAL7032	1422-2P-RAL7035
锁芯不带按钮 Insert W/O Button	1422-1-B,	1422-1-RAL7032	1422-1-RAL7035	1422-2-B,	1422-2-RAL7032	1422-2-RAL7035

## 多点式拉杆锁 Multipoint Rod Latch

产品系列：1423

IP40




备注：  
1. 锌合金锁壳,把手,锁芯和滑动块,塑料按钮,碳钢附件。  
2. 默认拉杆参考页面# N011 LG-X/Y/Z  
Remark:  
1. Zinc alloy housing, handle, insert and sliding block; plastic button;  
m.s accessories.  
2. Default rods refer to page# N011 LG-X/Y/Z

	喷塑黑 Black Powder Coated	卵石灰 RAL 7032 Pebble Grey	浅灰色 RAL 7035 Light Grey
带挂 W/ Padlock Device	1423-10-B,	1423-10-RAL7032	1423-10-RAL7035
不带挂 W/O Padlock Device	1423-1-B,	1423-1-RAL7032	1423-1-RAL7035

## 多点式拉杆锁 Multipoint Rod Latch

产品系列：1424

IP54




备注：  
1. 锌合金锁壳、把手、锁芯和滑动块、碳钢附件。  
2. 默认拉杆参考页面# N011 LG-X/Y/Z  
Remark:  
1. Zinc alloy housing, handle, insert and sliding block;  
m.s accessories.  
2. Default rods refer to page# N011 LG-X/Y/Z

锁芯类型 Insert Type	喷塑黑 Black Powder Coated	卵石灰 RAL 7032 Pebble Grey	浅灰色 RAL 7035 Light Grey
圆柱带按钮 Push Button Insert	1424-K1-B <sub>1</sub>	1424-K1-RAL7032	1424-K1-RAL7035
双翅 4mm Double Bit 4mm	1424-D4-B <sub>1</sub>	1424-D4-RAL7032	1424-D4-RAL7035
四方 8mm Square 8mm	1424-S8-B <sub>1</sub>	1424-S8-RAL7032	1424-S8-RAL7035
三角 8mm Triangular 8mm	1424-T8-B <sub>1</sub>	1424-T8-RAL7032	1424-T8-RAL7035

## 多点式拉杆锁 Multipoint Rod Latch

产品系列：1425

IP54




备注：  
1. 锌合金锁壳、把手、锁芯、滑动块和拉杆驱动盒、碳钢附件。  
2. 拉杆参考页面# N008-N010  
Remark:  
1. Zinc alloy housing, handle, insert, sliding block and linear actuator;  
m.s accessories.  
2. Rods refer to page# N008-N010

锁芯类型 Insert Type	喷塑黑 Black Powder Coated	卵石灰 RAL 7032 Pebble Grey	浅灰色 RAL 7035 Light Grey
圆柱 K333 Standard Insert K333	1425-K1-B <sub>1</sub>	1425-K1-RAL7032	1425-K1-RAL7035
双翅 4mm Double Bit 4mm	1425-D4-B <sub>1</sub>	1425-D4-RAL7032	1425-D4-RAL7035
四方 8mm Square 8mm	1425-S8-B <sub>1</sub>	1425-S8-RAL7032	1425-S8-RAL7035
三角 8mm Triangular 8mm	1425-T8-B <sub>1</sub>	1425-T8-RAL7032	1425-T8-RAL7035

多点式拉杆锁  
Multipoint Rod Latch

产品系列：1426

IP54



开孔尺寸  
Panel Cutout


备注：  
1. 锌合金锁壳、把手、锁芯、滑动块和拉杆驱动盒、碳钢附件。  
2. 拉杆参考页面# N008-N010  
Remark:  
1. Zinc alloy housing, handle, insert, sliding block and linear actuator;  
m.s accessories.  
2. Rods refer to page# N008-N010

喷塑黑 Black Powder Coated	镀亚光 Gray Chrome	卵石灰 RAL 7032 Pebble Grey	浅灰色 RAL 7035 Light Grey
1426-K-B <sub>1</sub>	1426-K-C <sub>2</sub>	1426-K-RAL7032	1426-K-RAL7035

多点式拉杆锁  
Multipoint Rod Latch

产品系列：1427

RL IP40



开孔尺寸  
Panel cutout

备注：  
1. 锁壳、锁芯、滑动块和拉杆驱动盒材料可根据客户要求提供。  
2. 拉杆参考页面#  
Remark:  
1. Housing, handle, insert and linear actuator material as request.  
2. Rods refer to page#

全锌合金 Zinc Housing+ Insert		塑料塑壳 + 锌合金锁芯 PA Housing+Zinc Insert		不锈钢 Stainless Steel
卵石灰 RAL 7032 Pebble Grey	浅灰色 RAL 7035 Light Grey	卵石灰 RAL 7032 Pebble Grey	浅灰色 RAL 7035 Light Grey	拉丝 Satin
1427-D3-RAL7032	1427-D3-RAL7035	1427-D3-PZ7032	1427-D3-PZ7035	1427-D3-SS


## 多点式拉杆锁 Multipoint Rod Latch

产品系列：1428、1429

RL IP40



备注：  
1.塑料锁壳,锌合金锁芯和滑动块;镶嵌铜螺纹。  
2.默认拉杆参考页面# N011 LG-X/Y/Z  
Remark:  
1.Plastic housing,zinc alloy insert and sliding block;  
inject-in brass thread.  
2.Default rods refer to page# N011 LG-X/Y/Z




塑料塑壳 + 锌合金锁芯 PA Housing+Zinc Insert	卵石灰 RAL 7032 Pebble Grey	浅灰色 RAL 7035 Light Grey
	1428-D3-PZ7032	1428-D3-PZ7035

RL IP40



备注：  
1.锌合金锁壳,锁芯和滑动块。  
2.默认拉杆参考页面# N011 LG-X/Y/Z  
Remark:  
1.Zinc alloy housing,insert and sliding block.  
2.Default rods refer to page#N011 LG-X/Y/Z




喷塑黑 Black Powder Coated	卵石灰 RAL 7032 Pebble Grey	浅灰色 RAL 7035 Light Grey
1426-D3-B <sub>1</sub>	1429-D3-RAL7032	1429-D3-RAL7035






## 异形锁芯 Profile Cylinder

产品系列：1450

款式 A  
Version A



款式 B  
Version B




锁芯类型 Insert Type	款式 A Version A	款式 B Version B
半圆柱 K333 Profile Insert K333	1450-K33-A	1450-K33-B
双翅 3mm Double Bit 3mm	1450-D03-A	1450-D03-B
双翅 4mm Double Bit 4mm	1450-D04-A	1450-D04-B
双翅 5mm Double Bit 5mm	1450-D05-A	1450-D05-B
2×4直槽型 2×4 Slot	1450-024-A	1450-024-B
2×4直槽防硬币型 2×4 Slot coin proof	1450-124-A	1450-124-B
三角 7mm Triangular 7mm	1450-T07-A	1450-T07-B
三角 8mm Triangular 8mm	1450-T08-A	1450-T08-B
四方 7mm Square 7mm	1450-S07-A	1450-S07-B
四方 8mm Square 8mm	1450-S08-A	1450-S08-B
四方 7mm 带槽 Square 7mm with slot	1450-S17-A	1450-S17-B
四方 8mm 带槽 Square 8mm with slot	1450-S18-A	1450-S18-B
内四方 8mm Female Square 8mm	1450-FS8-A	1450-FS8-B
内六角 8mm Female Hexagon 8mm	1450-FH8-A	1450-FH8-B
内六角 9mm Female Hexagon 9mm	1450-FH9-A	1450-FH9-B
内六角 8mm 带销 3mm Female Hexagon 8mm with 3mm pin	1450-FH18-A	1450-FH18-B
外六角 10mm Male Hexagon 10mm	1450-MH10-A	1450-MH10-B

备注：  
1.锌合金锁芯组件,表面镀铬。  
Remark:  
1.Zinc alloy insert. Chrome plated finish.

拉杆驱动装置  
Linear Actuator

产品系列：1451



RL




备注：  
锌合金底座，碳钢扁拉杆。  
Remark:  
Zinc alloy base, mild steel flat rods.


铆钉类型 Studs Type	适用 A 型开孔 Type A Cutout	适用 B 型开孔 Type B Cutout
圆形铆钉 Round Studs	1451-1A	1451-1B
方形铆钉 Square Studs	1451-2A	1451-2B
通孔型 W/ Holes 6.0 mm	1451-3A	1451-3B

拉杆驱动装置  
Linear Actuator

产品系列：1452



RL




备注：  
锌合金底座，碳钢扁拉杆。  
Remark:  
Zinc alloy base, mild steel flat rods.

铆钉类型 Studs Type	适用 A 型开孔 Type A Cutout
圆形铆钉 Round Studs	1452-1A
方形铆钉 Square Studs	1452-2A
T 型铆钉 T-Shape Studs	1452-3A
弯钩型 Hook Type	1452-4A

拉杆驱动装置  
Linear Actuator


产品系列：1453、1454

RL



适用 A 型开孔 Type C Cutout	圆形铆钉 Round Studs	方形铆钉 Square Studs	通孔型 W/ Holes 6.0 mm
		1453-1C	1453-2C

备注：  
锌合金底座，碳钢扁拉杆。  
Remark:  
Zinc alloy base, mild steel flat rods.



适用 A 型开孔 Type C Cutout	圆形铆钉 Round Studs	方形铆钉 Square Studs	通孔型 W/ Holes 6.0 mm
		1454-1C	1454-2C


备注：  
锌合金底座，碳钢扁拉杆。  
Remark:  
Zinc alloy base, mild steel flat rods.

按压式和闸板门锁系列  
Push To Close Latch & Paddle Latch Series



# 按压式门锁 Push To Close Slam Latch

产品系列：1500




备注：  
1.锁壳,拉手,锁舌,锁芯,固定支架的材料可以根据客户要求提供  
不锈钢螺丝和保持器。  
2.默认CH751钥匙,可定制专用钥匙。  
Remark:  
1.Housing,handle,lock tongue,insert and bracket material as request;  
SUS screws and keeper.  
2.Default Key CH751 or Keyed Different as request.

门板厚度 Panel Thickness		固定安装板 Mounting Bracket	固定螺丝高度 Fixing Screw Length	带锁芯 W/ Key			无锁芯 W/O Key		
最小Min	最大Max			锌合金Zinc Alloy	塑料Plastic	不锈钢Stainless Steel	锌合金Zinc Alloy	塑料Plastic	不锈钢Stainless Steel
2	7	14	16	1500-K501-C <sub>1</sub>	1500-K501-PA	1500-K501-SS	1500-N501-C <sub>1</sub>	1500-N501-PA	1500-N501-SS
7	12	14	20	1500-K502-C <sub>1</sub>	1500-K502-PA	1500-K502-SS	1500-N502-C <sub>1</sub>	1500-N502-PA	1500-N502-SS
12	17	3.8	16	1500-K503-C <sub>1</sub>	1500-K503-PA	1500-K503-SS	1500-N503-C <sub>1</sub>	1500-N503-PA	1500-N503-SS
17	22	3.8	20	1500-K504-C <sub>1</sub>	1500-K504-PA	1500-K504-SS	1500-N504-C <sub>1</sub>	1500-N504-PA	1500-N504-SS



# 按压式门锁 Push To Close Slam Latch

产品系列：1500、1501



门板厚度 Panel Thickness		垫片方向 Spacer Orientation	固定安装板 Mounting Bracket	锌合金 Zinc Alloy	
最小Min	最大Max			镀亮铬Bright Chrome	电泳黑 Black E-Coated
1	7	Forward	Face UP	1500-N381-C <sub>1</sub>	1500-N381-B <sub>3</sub>
7	13	(not required)	Face Up	1500-N382-C <sub>1</sub>	1500-N382-B <sub>3</sub>
13	19	(not required)	Face Down	1500-N383-C <sub>1</sub>	1500-N383-B <sub>3</sub>

备注：  
锌合金锁壳,拉手和锁舌;碳钢安装板和保持器;塑料垫片。  
Remark:  
Zinc Alloy housing,handle and lock tongue ;  
m.s. bracket and keeper; plastic spacer.



带锁芯 W/ Key	无锁芯 W/O Key
1501-K-C <sub>1</sub>	1501-N-C <sub>1</sub>

备注：  
锌合金锁壳,按钮,锁舌和接地螺母;橡皮垫。  
Remark:  
Zinc Alloy housing,button,lock tongue and earthnut .


## 按压式门锁 Push To Close Slam Latch

产品系列：1502、1503

IP40



备注：  
1.ABS 锁壳,按钮,锁芯,锁舌,攀拉和螺母;不锈钢齿形垫和保持器。  
2.默认CH751 钥匙,可定制专用钥匙。  
Remark:  
1.ABS housing,button,insert,lock tongue,pull tab and nut.  
SUS tooth washer and keeper.  
2.Default Key CH751 or Keyed Different as request.





	带锁芯 W/ Key	无锁芯 W/O Key
不带攀拉 Latch Only	1502-K1-PA	1502-N1-PA
攀拉与锁舌平行 Pull Tab in-line with cam	1502-K10-PA	1502-N10-PA
攀拉与锁舌垂直 Pull Tab prependicular to cam	1502-K11-PA	1502-N11-PA

## 按压式门锁 Push To Close Slam Latch

产品系列：1504

IP40




表面处理 Finish	光亮铬 Bright Chrome	麻面黑 Black Textured Coated
无锁芯 W/O Key	1503-N-C <sub>1</sub>	1503-N-B <sub>2</sub>



备注：  
1.锌合金锁壳,锁芯和螺母;塑料锁舌;碳钢齿形垫和保持器。  
2.默认CH751 钥匙,可定制专用钥匙。  
3.可选配件:防水盖和攀拉 参考页面#N015  
Remark:  
1.Zinc alloy housing,insert and nut. m.s tooth washer and keeper.  
2.Default Key CH751 or Keyed Different as request.  
3. Optional accessories : dustcover and pull tab ,refer to page#N015

表面处理 Finish	光亮铬 Bright Chrome	麻面黑 Black Textured Coated
无锁芯 W/O Key	1503-N-C <sub>1</sub>	1503-N-B <sub>2</sub>




表面处理 Finish	光亮铬 Bright Chrome	麻面黑 Black Textured Coated
无锁芯 W/O Key	1503-N-C <sub>1</sub>	1503-N-B <sub>2</sub>

闸板门锁  
Push To Close Latch · Paddle Latch

产品系列：1510、1511、1512




备注：  
PA66 锁壳和把手，锌合金锁芯，碳钢附件。  
Remark:  
PA66 housing and handle, zinc alloy insert.



带锁芯 W/ Key	1510-PA
------------	---------




备注：  
碳钢面板，把手，挂锁环和焊接螺栓。  
Remark:  
Mild steel lock plate, handle, padlock ring and welding bolts.



带挂锁装置 W/ Padlock Device	1511-B <sub>1</sub>
-------------------------	---------------------






备注：  
碳钢面板，把手和焊接螺栓，锌合金锁芯。  
Remark:  
Mild steel lock plate, handle, padlock ring and welding bolts;  
zinc alloy insert.



带锁芯 W/ Key	1512-B <sub>1</sub>
------------	---------------------

闸板门锁  
Push To Close Latch · Paddle Latch


产品系列：1513、1514



锁芯类别 Insert Type	碳钢 Mild Steel	不锈钢 Stainless Steel
带锁芯 W/ Key	1513-K-B <sub>1</sub>	1513-K-SS
不带锁芯 W/O Key	1513-N-B <sub>1</sub>	1513-N-SS



备注：  
面板，把手，固定安装板和焊接螺栓材料可根据客户要求提供。  
Remark:  
Lock plate, handle, mounting bracket and welding bolts material as request; zinc alloy insert.



锁片类型 Cam Type	间距范围 Grip Range		带锁芯 W/ Key	不带锁芯 W/O Key
	最小 Min	最大 Max		
正向 Reversed Cam	28	43	1514-K1-B <sub>1</sub>	1514-N1-B <sub>1</sub>
	43	58	1514-K2-B <sub>1</sub>	1514-N2-B <sub>1</sub>
直立 Straight Cam	58	73	1514-K3-B <sub>1</sub>	1514-N3-B <sub>1</sub>
反向 Offset Cam	73	88	1514-K2-B <sub>1</sub>	1514-N2-B <sub>1</sub>
	88	104	1514-K1-B <sub>1</sub>	1514-N1-B <sub>1</sub>

IP65




备注：  
1. 碳钢面板和锁片，锌合金锁芯和把手，不锈钢止动垫圈，转轴和螺母。  
2. 默认 CH751 钥匙，可定制专用钥匙。  
Remark:  
1. Mild steel lock plate and cam; zinc alloy insert and handle; SUS tab washer, shaft and nut.  
2. Default Key CH751 or Keyed Different as request.

闸板门锁  
Push To Close Latch · Paddle Latch

产品系列：1515

IP65




备注：  
1. 锌合金锁壳,把手,锁芯和固定安装板,碳钢锁片和挂锁环,塑料滑轮。  
2. 可配电动驱动器,适配12V电源。  
Remark:  
1. Zinc alloy housing, handle, insert and mounting bracket. m.s cam and padlock ring, PA adjustable roller.  
2. 12V Electric actuator is available.

锁闭方式 Locking Type	镀亮铬 Bright Chrome	无光黑 Black Coated
手动型 Manual Operated	1515-M-C <sub>1</sub>	1515-M-B <sub>1</sub>
电动型 Electric Actuated	1515-E-C <sub>1</sub>	1515-E-B <sub>1</sub>

闸板门锁  
Push To Close Latch · Paddle Latch

产品系列：1516

IP65




备注：  
1. 锌合金把手,锁芯和支架,PA面板,防尘盖和调节滑轮,不锈钢挂锁环。  
2. 镀亮铬把手或者喷无光黑,镀锌锁片。  
3. 可配电动驱动器,适配12V电源。  
Remark:  
1. Zinc alloy handle, insert and bracket. PA housing, dustcover and adjustable roller; SUS padlock ring.  
2. Bright chrome plated or black power coated handle, zinc plated bracket.  
3. 12V Electric actuator is available.

锁闭方式 Locking Type	注塑螺栓型 Inject-In Studs Type		通孔型 Through-Hole Type	
	镀亮铬把手 + 黑色锁壳 Bright Chrome Handle+Black Housing	喷塑把手 + 黑色锁壳 Black Coated Handle+Black Housing	镀亮铬把手 + 黑色锁壳 Bright Chrome Handle+Black Housing	喷塑把手 + 黑色锁壳 Black Coated Handle+Black Housing
手动型 Manual Operated	1516-M1-C <sub>1</sub>	1516-M1-B <sub>1</sub>	1516-M0-C <sub>1</sub>	1516-M0-B <sub>1</sub>
电动型 Electric Actuated	1516-E1-C <sub>1</sub>	1516-E1-B <sub>1</sub>	1516-E0-C <sub>1</sub>	1516-E0-B <sub>1</sub>

## 闸板门锁 Push To Close Latch · Paddle Latch

产品系列：1517、1518


IP54



备注：  
1. 锌合金前后锁壳，把手，锁芯和滑动栓；  
红色塑料带锁定插销的驱动装置，碳钢扣板固定板，  
固定支架和配件。  
2. 镀亮铬或喷塑锁体，镀锌滑动栓和附件。  
Remark:  
Zinc alloy front and back housing, handle, insert and slide bolt;  
red deadbolt actuator; m.s. striker mounting plate,  
bracket and other accessories.  
2. Bright chrome plated or powder coated surface,  
zinc plated slide bolt and accessories.\*

镀亮铬 Bright Chrome	无光黑 Black Coated
1517-C <sub>1</sub>	1517-B <sub>1</sub>

IP54






备注：  
1. 锌合金把手，锁芯和滑动栓；PA面板和后盖板，碳钢附件。  
2. 喷麻面黑锁体，镀锌附件。  
3. 默认钥匙，可定制专用钥匙。  
Remark:  
1. Zinc alloy handle, insert and lock cam; PA housing and back cover;  
m.s. accessories.  
2. Black textured coated lock body,  
zinc plated slide bolt and accessories.  
3. Default keyed alike, keyed Different as request.

麻面黑 Black Textured Coated	1518-B <sub>2</sub>
---------------------------	---------------------

## 闸板门锁 Push To Close Latch · Paddle Latch

产品系列：1519

IP65



1. Features:  
\* 3 kinds of unlocking methods: password, remote control, key.  
Without interference, 20M/65ft can be unlocked remotely.  
\* It has passed the tensile test, anti-collision,  
and will not damage the lock when hit. The shell,  
door handle and lock cylinder are all made of metal.  
\* Safety and high quality, powered by 4x1.5V batteries  
(Batteries are not included).  
\* Easy Installation RV Lock: All hardware and clear and detailed  
instructions included, it only takes 10-15mins to install.  
And you can easy to program your own code to set a password  
you want by several touches.

2. Description:  
Color: Black textured coated lock body, or other colors as request.  
Power Supply mode: 4 batteries (not included)  
Material: Zinc Alloy lock housing, handle, insert and slide bolt,  
PA back cover and red deadbolt actuator.  
Unlocking Method: Password, remote control\*2, key\*2  
Remote control distance: 20m/65ft

3. Fitment: RV, Bus, Yacht, Ferry, Trunk, Travel Trailer,  
Bumper Pull and Campers

4. Single package included:  
1 x RV door lock  
1 x Remote Controller  
2 x Keys  
1 Set Mounting Hardware  
1 x Instruction





麻面黑 Black Textured Coated	1519-B <sub>2</sub>
---------------------------	---------------------

闸板门锁  
Push To Close Latch · Paddle Latch

产品系列：1520

闸板门锁  
Push To Close Latch · Paddle Latch

产品系列：1521



备注：

1. 锌合金把手、支架和锁头；不锈钢面板、碳钢板片。
2. 锁面板镜面抛光，镀铬把手和防水盖。
3. 默认锌合金防水盖，塑料防水盖可选。

Remark:

1. Zinc alloy handle, bracket and cam lock; SUS lock plate; m.s cam.
2. Polished lock plate, chrome plated handle and dustcover.
3. Default with zinc alloy dustcover, plastic dustcover as request.

锁片类型 Cam Type	焊接螺栓型 Welded Studs Type	通孔型 Through-Hole Type
锁片可调节 Adjustable Cam	1520-11-SS	1520-10-SS
锁片不可调节 Fixed Cam	1520-21-SS	1520-20-SS

备注：

1. 面板、把手材料可根据客户要求提供锌合金锁头和锁舌。
2. 锁体镜面抛光或者喷塑镀锌锁舌。


Remark:

1. Lock plate, handle material as request; zinc alloy cam lock and slide bolt.
2. Polished or black powder coated lock body, zinc plated slide bolt.

尺寸 Sizes	碳钢 Mild Steel		不锈钢 Stainless Steel	
	带锁芯 W/ Key	不带锁 W/O Key	带锁芯 W/ Key	不带锁芯 W/O Key
大型 Large Type	1521-K1-B <sub>1</sub>	1521-N1-B <sub>1</sub>	1521-K1-SS	1521-N1-SS
小型 Small Type	1521-K2-B <sub>1</sub>	1521-N2-B <sub>1</sub>	1521-K2-SS	1521-N2-SS

闸板门锁  
Push To Close Latch · Paddle Latch

产品系列：1522、1523




备注：  
1.面板把手材料可根据客户要求提供锌合金锁头和锁舌。  
2.锁体镜面抛光或者喷塑镀锌锁舌。  
Remark:  
1.Lock plate,handle material as request; zinc alloy cam lock and slide bolt.  
2. Polished or black powder coated lock body. zinc plated slide bolt.

碳钢 Mild Steel		不锈钢 Stainless Steel	
带锁芯 W/ Key	不带锁芯 W/O Key	带锁芯 W/ Key	不带锁芯 W/O Key
1522-K-B <sub>1</sub>	1522-N-B <sub>1</sub>	1522-K-SS	1522-N-SS


闸板门锁  
Push To Close Latch · Paddle Latch

产品系列：1524、1525




不锈钢 Stainless Steel	带锁芯 W/ Key	不带锁芯 W/O Key
	1524-K-SS	1524-N-SS

备注：  
1.不锈钢面板和拉手,锌合金锁头,碳钢锁舌。  
2.表面镜面抛光,镀锌锁舌。  
Remark:  
1.Stainless steel lock plate and handle; zinc alloy cam lock; mild steel hook cam.  
2. Polished lock body,zinc plated hook cam.



备注：  
1.碳钢面板,把手,挂锁环和附件,锌合金锁头,可选锌合金拉栓。  
2.表面喷麻面黑或者无光黑,镀锌配件。  
Remark:  
1.Mild steel lock plate,handle,padlock ring and accessories; zinc alloy cam lock; slide bolt available on request.  
2. Black powder coated. zinc plated accessories.

碳钢 Mild Steel		不锈钢 Stainless Steel	
带挂锁 W/ Padlock Device	不带挂锁 W/O Padlock Device	带挂锁 W/ Padlock Device	不带挂锁 W/O Padlock Device
1523-P-B <sub>2</sub>	1523-B <sub>2</sub>	1523-K-SS	1523-N-SS




表面处理 Finish	带锁芯 W/ Key	不带锁芯 W/O Key
	光亮铬 Bright Chrome	1525-K-C <sub>1</sub>
无光黑 Black Coated	1525-K-B <sub>1</sub>	1525-N-B <sub>1</sub>

备注：  
1.锌合金锁壳,把手和锁芯,碳钢附件。  
2.光亮铬或喷塑锁体,镀锌附件。  
3.默认配合搭扣  
Remark:  
1.Zinc alloy housing,handle and insert; m.s accessories.  
2. Bright chrome or black powder coated lock body, zinc plated accessories.


闸板门锁  
Push To Close Latch · Paddle Latch

产品系列：1526



不锈钢 Stainless Steel      1526-1-SS

备注：  
1. 不锈钢面板、拉手、滑块和安装板。  
2. 表面拉丝。  
Remark:  
1. Stainless steel lock plate, handle, slide and bracket.  
2. Satin finish.





不锈钢 Stainless Steel      1526-2-SS

备注：  
1. 不锈钢面板、拉手和安装板；PA滑块。  
2. 表面拉丝。  
Remark:  
1. Stainless steel lock plate, handle and bracket; PA slide.  
2. Satin finish.

闸板门锁  
Push To Close Latch · Paddle Latch

产品系列：1527



无光黑 Black Coated      1527-B1

IP54




备注：  
1. 锌合金锁壳、把手和锁芯、碳钢附件。  
2. 表面喷塑。  
Remark:  
1. Zinc alloy housing, handle and insert; m.s accessories.  
2. Black powder coated lock body.

闸板门锁  
Push To Close Latch · Paddle Latch

产品系列：1528、1529


RL IP54



备注：  
塑料锁壳和手柄，锌合金锁芯，碳钢附件。  
Remark:  
1. PA66 housing and handle, zinc alloy insert; m.s accessories.

全塑料 PA Housing+Handle	1528-PA
-----------------------	---------

RL IP54





备注：  
锁壳、手柄材料根据客户要求提供，锌合金锁芯，碳钢附件。  
Remark:  
1. Housing and handle material as request, zinc alloy insert; m.s accessories.

塑料锁壳 + 锌合金手柄 PA Housing+Zinc Handle	全锌合金 Zinc Housing+Handle	全塑料 PA Housing+Handle
1528-PZ	1529-B <sub>2</sub>	1529-PA

闸板门锁  
Push To Close Latch · Paddle Latch

产品系列：1527

IP54




镀亮铬 Bright Chrome	无光黑 Black Coated
1530-C <sub>1</sub>	1530-B <sub>1</sub>

备注：  
1. 锌合金锁壳、把手和锁芯，碳钢附件。  
2. 默认钥匙0200。  
Remark:  
1. Zinc Alloy housing, handle and insert; m.s accessories.  
2. Default key 0200.


闸板门锁  
Push To Close Latch · Paddle Latch

产品系列：1540、1541



备注：  
1. 铝合金锁壳、盖板、把手和挂锁环、碳钢转轴、锁片和固定安装板。  
2. 表面喷蓝灰。  
Remark:  
1. Zinc alloy housing, handle and padlock device;  
m. s shaft, cam and mounting bracket.  
2. Blue grey powder coated lock body.


喷蓝灰 RAL7031 Blue Grey      1540-RAL7031



备注：  
1. 铝合金锁壳、盖板、把手和挂锁环、碳钢转轴、锁片和固定安装板。  
2. 表面喷蓝灰。  
Remark:  
1. Zinc alloy housing, handle and padlock device;  
m. s shaft, cam and mounting bracket.  
2. Blue grey powder coated lock body.





喷蓝灰 RAL7031 Blue Grey      1541-RAL7031

碰锁和卡式门锁系列  
Slam-lock & Snap-in Latch Series






碰锁  
Slam-lock

产品系列：1550



螺钉固定-滑动栓朝上  
Screw-on Type-Slide Face Up

螺钉固定-滑动栓朝下  
Screw-on Type-Slide Face Down



焊接固定-滑动栓朝上  
Welding Type-Slide Face Up



焊接固定-滑动栓朝下  
Welding Type-Slide Face Down

备注：  
1.碳钢外壳,锌合金滑动栓。  
2.表面镀锌。  
Remark:  
1. m.s shell, zinc alloy slide latch.  
2. Zinc plated.

安装方式 Mounting Type	滑动栓朝上 Slide Face Up	滑动栓朝下 Slide Face Down
螺丝固定型 Screw-on Type	1550-10-C <sub>3</sub>	1550-20-C <sub>3</sub>
焊接固定型 Welding Type	1550-11-C <sub>3</sub>	1550-21-C <sub>3</sub>

碰锁  
Slam-lock

产品系列：1551



可以按照要求弯曲连杆以便手动操作  
Rod connection can be bent for hand-operation on request


平直拉手 Straight Pull	折弯拉手 Bending Pull
1551-1-C <sub>3</sub>	1551-2-C <sub>3</sub>



备注：  
1.碳钢外壳和拉手,锌合金滑动栓。  
2.表面镀锌。  
Remark:  
1. m.s shell and pull, zinc alloy slide latch.  
2. Zinc plated.

# 碰锁 Slam-lock

产品系列：1552、1553




镀镍 Nickel Plated	1552-C4
------------------	---------

备注：  
1. 锌合金锁体、按钮和滑动栓  
2. 表面镀镍  
Remark:  
1. Zinc alloy housing, button and slide latch.  
2. Nickel plated.


# 卡式门锁 Snap-in Latch

产品系列：1554、1555




	黑色 PA Black Color	米白色 PA Beige Color
长滑块 Long Slide	1554-1-PA	1554-PAB
短滑块 Short Slide	1554-2-PA	1554-PAB

备注：  
尼龙锁体和滑块、不锈钢弹簧  
Remark:  
PA66 housing and slide; SUS spring.



拉力值 Pull-Up Force	13N	1553-13-PA
	22N	1553-22-PA
	44N	1553-44-PA

备注：  
尼龙保持器和搭扣  
Remark:  
PA66 catch and keeper.




黑色 PA Black Color	米白色 PA Beige Color
1555-PA	1555-PAB

备注：  
尼龙锁体、不锈钢弹簧  
Remark:  
PA66 housing, SUS spring.


## 卡式门锁 Snap-in Latch

产品系列：1556、1557



带锁芯 W/ Key	不带锁芯 W/O Key
1556-K-PA	1556-N-PA

备注：  
1.尼龙锁体,按钮和锁芯,不锈钢弹簧。  
2.默认K333 钥匙。  
Remark:  
1.PA66 housing,button and insert, SUS spring.  
2. Default K333 keyed alike.







带锁芯 W/ Key	不带锁芯 W/O Key
1557-K-PA	1557-N-PA

备注：  
1.尼龙锁体,滑块和锁芯,不锈钢弹簧。  
2.默认K333 钥匙。  
Remark:  
1.PA66 housing,slide and insert, SUS spring.  
2. Default K333 keyed alike.

## 卡式门锁 Snap-in Latch

产品系列：1558



带锁芯 W/ Key	不带锁芯 W/O Key
1558-K-PA	1558-N-PA

NEW






备注：  
1.尼龙锁体,滑块和锁芯,不锈钢弹簧。  
2.默认CH751 钥匙。  
Remark:  
1.PA66 housing,slide and insert, SUS spring.  
2. Default CH751 keyed alike.\*

# 卡式门锁 Snap-in Latch

产品系列：1559、1560



备注：  
尼龙锁体，不锈钢弹簧。  
Remark:  
PA66 housing, SUS spring.



黑色 PA Black Color	1560-PA
-------------------	---------



备注：  
尼龙锁体，不锈钢弹簧。  
Remark:  
PA66 housing, SUS spring.

# 卡式门锁 Snap-in Latch


产品系列：1561、1562



备注：  
1.ABS锁体，按钮，锁芯和固定支架。  
2.默认CH751钥匙。  
Remark:  
1.ABS housing, button, insert and mounting bracket.  
2. Default CH751 keyed alike.



黑色 ABS	1561-PA
--------	---------



黑色 ABS	1562-PA
--------	---------

备注：  
尼龙锁体，不锈钢弹簧。  
Remark:  
PA66 housing, SUS spring.




H001

H001


H002

H002



H003


H003



H004



H004




H005



H005

产品系列：1600、1601




级与驱动装置 Stage & Actuation	安装方式 Mounting Type	碳钢 Mild Steel		不锈钢 Stainless Steel	
		左侧驱动 LH Version	右侧驱动 RH Version	左侧驱动 LH Version	右侧驱动 RH Version
单级 - 底部 Single Stage - Bottom	7.2 通孔 7.2 Thru Hole	1600-L10-C <sub>s</sub>	1600-R10-C <sub>s</sub>	1600-L10-SS	1600-R10-SS
	M6x1 螺纹 M6x1 Thread	1600-L11-C <sub>s</sub>	1600-R11-C <sub>s</sub>	1600-L11-SS	1600-R11-SS

RL



备注：  
镀锌钢或者304不锈钢，钝化。  
Remark:  
Mild steel, zinc plated or stainless steel, passivated lock body.



RL





备注：  
镀锌钢或者304不锈钢，钝化。  
Remark:  
Mild steel, zinc plated or stainless steel, passivated lock body.

安装方式 Mounting Type	碳钢 Mild Steel		不锈钢 Stainless Steel	
	左侧驱动 LH Version	右侧驱动 RH Version	左侧驱动 LH Version	右侧驱动 RH Version
8.3 通孔 8.3 Thru Hole	1601-L10-C <sub>s</sub>	1601-R10-C <sub>s</sub>	1601-L10-SS	1601-R10-SS
M6x1.25 螺纹 M6x1.25 Thread	1601-L11-C <sub>s</sub>	1601-R11-C <sub>s</sub>	1601-L11-SS	1601-R11-SS

# 旋转式门锁 Rotary Latches

产品系列：1602

RL




级与驱动装置 Stage & Actuation	安装方式 Mounting Type	碳钢 Mild Steel		不锈钢 Stainless Steel	
		左侧驱动 LH Version	右侧驱动 RH Version	左侧驱动 LH Version	右侧驱动 RH Version
单级 - 垂直 Single Stage - Perpendicular	7.2 通孔 7.2 Thru Hole	1602-L10-C <sub>s</sub>	1602-R10-C <sub>s</sub>	1602-L10-SS	1602-R10-SS
	M6x1 螺纹 M6x1 Thread	1602-L11-C <sub>s</sub>	1602-R11-C <sub>s</sub>	1602-L11-SS	1602-R11-SS
单级 - 直列式 Single Stage - In-Line	7.2 通孔 7.2 Thru Hole	1602-L20-C <sub>s</sub>	1602-R20-C <sub>s</sub>	1602-L20-SS	1602-R20-SS
	M6x1 螺纹 M6x1 Thread	1602-L21-C <sub>s</sub>	1602-R21-C <sub>s</sub>	1602-L21-SS	1602-R21-SS

备注：  
镀锌钢或者304不锈钢钝化。  
Remark:  
Mild steel, zinc plated or stainless steel, passivated lock body.

# 旋转式门锁 Rotary Latches


产品系列：1602、1603

RL



级与驱动装置 Stage & Actuation	安装方式 Mounting Type	碳钢 Mild Steel		不锈钢 Stainless Steel	
		左侧驱动 LH Version	右侧驱动 RH Version	左侧驱动 LH Version	右侧驱动 RH Version
单级 - 两点 Single Stage - Two Point	7.2 通孔 7.2 Thru Hole	1602-L30-C <sub>s</sub>	1602-R30-C <sub>s</sub>	1602-L30-SS	1602-R30-SS
	M6x1 螺纹 M6x1 Thread	1602-L31-C <sub>s</sub>	1602-R31-C <sub>s</sub>	1602-L31-SS	1602-R31-SS

备注：  
镀锌钢或者304不锈钢钝化。  
Remark:  
Mild steel, zinc plated or stainless steel, passivated lock body.



级与驱动装置 Stage & Actuation	安装方式 Mounting Type	碳钢 Mild Steel		不锈钢 Stainless Steel	
		左侧驱动 LH Version	右侧驱动 RH Version	左侧驱动 LH Version	右侧驱动 RH Version
单级 - 顶部 Single Stage - Top	7.2 通孔 7.2 Thru Hole	1603-L10-C <sub>s</sub>	1603-R10-C <sub>s</sub>	1603-L10-SS	1603-R10-SS
	M6x1 螺纹 M6x1 Thread	1603-L11-C <sub>s</sub>	1603-R11-C <sub>s</sub>	1603-L11-SS	1603-R11-SS


备注：  
镀锌钢或者304不锈钢钝化。  
Remark:  
Mild steel, zinc plated or stainless steel, passivated lock body.

RL



## 旋转式门锁 Rotary Latches

产品系列：1604、1610




备注：  
镀锌钢或者304不锈钢钝化。  
Remark:  
Mild steel, zinc plated or stainless steel, passivated lock body.

重型·双级 Heavy-duty · Two stage	安装方式 Mounting Type	碳钢 Mild Steel	不锈钢 Stainless Steel
	8.0 通孔 8.0 Thru Hole	1604-C <sub>3</sub>	1704-SS



## 旋转式门锁 Rotary Latches

产品系列：1611、1612




备注：  
镀锌钢或者304不锈钢钝化。  
Remark:  
Mild steel, zinc plated or stainless steel, passivated lock body.

碳钢 Mild Steel	不锈钢 Stainless Steel
1611-C <sub>3</sub>	1611-SS



备注：  
镀锌钢或者304不锈钢钝化。  
Remark:  
Mild steel, zinc plated or stainless steel, passivated lock body.



碳钢 Mild Steel	不锈钢 Stainless Steel
1610-C <sub>3</sub>	1610-SS



备注：  
镀锌钢或者304不锈钢钝化。  
Remark:  
Mild steel, zinc plated or stainless steel, passivated lock body.

碳钢 Mild Steel	不锈钢 Stainless Steel
1612-C <sub>3</sub>	1612-SS


拉动式门锁系列  
Draw Latch Series




# 拉动式门锁 Draw Latch

产品系列：1700

大型 Large size



小型 Small size




备注：  
锌合金锁壳、锁芯和保持器；不锈钢安装板。  
Remark:  
Zinc alloy housing, insert and keeper ; stainless steel mounting bracket.

锁芯类型 Insert Type	尺寸 Sizes	镀亮铬 Bright Chrome	无光黑 Black Coated
带锁芯 W/ Key	大型 Large Type	1700-K1-C <sub>1</sub>	1700-K1-B <sub>1</sub>
	小型 Small Type	1700-K2-C <sub>1</sub>	1700-K2-B <sub>1</sub>
无锁芯 W/O Key	大型 Large Type	1700-N1-C <sub>1</sub>	1700-N1-B <sub>1</sub>
	小型 Small Type	1700-N2-C <sub>1</sub>	1700-N2-B <sub>1</sub>


# 拉动式门锁 Draw Latch

产品系列：1701

大型 Large size



小型 Small size




备注：  
锌合金锁壳、锁芯和保持器；不锈钢安装板。  
Remark:  
Zinc alloy housing, insert and keeper ; stainless steel mounting bracket.


锁芯类型 Insert Type	尺寸 Sizes	镀亮铬 Bright Chrome	无光黑 Black Coated
带锁芯 W/ Key	大型 Large Type	1701-K1-C <sub>1</sub>	1701-K1-B <sub>1</sub>
	小型 Small Type	1701-K2-C <sub>1</sub>	1701-K2-B <sub>1</sub>
无锁芯 W/O Key	大型 Large Type	1701-N1-C <sub>1</sub>	1701-N1-B <sub>1</sub>
	小型 Small Type	1701-N2-C <sub>1</sub>	1701-N2-B <sub>1</sub>

# 拉动式门锁 Draw Latch



产品系列：1702



锁芯型  
Key Locking



不带锁芯  
Non Locking








开孔尺寸  
Panel cutout

备注：  
1.锁壳、把手和保持器可为锌合金或不锈钢。  
2.默认CH751或者定制专用钥匙。  
Remark:  
1.Zinc alloy or stainless steel housing, handle and keeper ; zinc alloy insert.  
2.Default Key CH751 or Keyed Different as request.

# 拉动式门锁 Draw Latch

产品系列：1703



备注：  
镀锌钢或者304不锈钢，钝化。  
Remark:  
Mild steel, zinc plated or stainless steel ,passivated lock body.


锁芯类型 Insert Type	螺纹孔 Thread Hole M5X0.8			螺纹孔 Thread Hole 10-32UNC		
	镀亮铬 Bright Chrome	无光黑 Black Coated	不锈钢 Stainless Steel	镀亮铬 Bright Chrome	无光黑 Black Coated	不锈钢 Stainless Steel
带锁芯 W/ Key	1702-K1-C <sub>1</sub>	1702-K1-B <sub>1</sub>	1702-K1-SS	1702-K2-C <sub>1</sub>	1702-K2-B <sub>1</sub>	1702-K2-SS
无锁芯 W/O Key	1702-N1-C <sub>1</sub>	1702-N1-B <sub>1</sub>	1702-N1-SS	1702-N2-C <sub>1</sub>	1702-N2-B <sub>1</sub>	1702-N2-SS

材质 Material	底座类型 BaseType					
	隐藏式 Concealed	隐藏式-带辅助锁扣 Concealed with secondary catch	隐藏式-带挂锁 Concealed with padlock hasp	外露式 Exposed	外露式-带辅助锁扣 Exposed with secondary catch	外露式-带挂锁 Exposed with padlock hasp
碳钢 Mild Steel	1703-1-C <sub>3</sub>	1703-2-C <sub>3</sub>	1703-3-C <sub>3</sub>	1703-5-C <sub>3</sub>	1703-6-C <sub>3</sub>	1703-7-C <sub>3</sub>
不锈钢 Stainless Steel	1703-1-SS	1703-2-SS	1703-3-SS	1703-5-S	1703-6-SS	1703-7-SS


# 拉动式门锁 Draw Latch

产品系列：1704


## 小型 Small Sizes



## 中型 Medium Sizes



## 大型 Large Sizes







尺寸 Sizes	碳钢 Mild Steel	不锈钢 Stainless Steel
大型 Large Sizes	1704-1-C <sub>3</sub>	1704-1-SS
中型 Medium Sizes	1704-2-C <sub>3</sub>	1704-2-SS
小型 Small Sizes	1704-3-C <sub>3</sub>	1704-3-SS

备注：  
镀锌钢和304不锈钢钝化手柄PVC漫塑处理。  
Remark:  
Mild steel, zinc plated or stainless steel, passivated.  
Dipping PVC handle.

# 拉动式门锁 Draw Latch

产品系列：1705




	碳钢 Mild Steel	不锈钢 Stainless Steel
不带安全自锁装置 W/O Secondary Catch	1705-10-C <sub>3</sub>	1705-10-SS
带安全自锁装置 W/ Secondary Catch	1705-11-C <sub>3</sub>	1705-11-SS

备注：  
镀锌钢和304不锈钢钝化手柄PVC漫塑处理。  
Remark:  
Mild steel, zinc plated or stainless steel, passivated.  
Dipping PVC handle.



拉动式门锁  
Draw Latch

产品系列：1715




隐藏式橡胶搭扣 Concealed Latch	1715-1
-------------------------	--------

备注：  
黑色热塑合成橡胶锁体，不锈钢底座和保持器。  
Remark:  
Thermoplastic elastomer cover, stainless steel keeper and base.

拉动式门锁  
Draw Latch

产品系列：1716




	大型 Large Type	小型 Small Type
隐藏式橡胶搭扣 Concealed Latch	1716-1	1716-2

## 拉动式门锁 Draw Latch

产品系列：1718、1720




备注：  
黑色热塑合成橡胶锁体,PA支架和保持器。  
Remark:  
Thermoplastic elastomer cover,PA bracket and keeper.



尺寸 Sizes	L	P	W	Front Mount	Concealed Mount
大型 Large Type	221 mm	126 mm	32 mm	1718-10	1718-11
中型 Medium Type	160 mm	81 mm	32 mm	1718-20	1718-21
小型 Small Type	112 mm	51mm	25 mm	1718-30	1718-31



备注：  
黑色热塑合成橡胶锁体,不锈钢或碳钢支架和保持器。  
Remark:  
Thermoplastic elastomer latch ,  
steel or stainless steel bracket and keeper.




碳钢支架 Mild Steel Bracket	不锈钢支架 Stainless Steel Bracket
1720-C <sub>s</sub>	1720-SS


## 拉动式门锁 Draw Latch

产品系列：1721

大型 Large Sizes



小型 Small Sizes






尺寸 Sizes	碳钢支架 Mild Steel Bracket	不锈钢支架 Stainless Steel Bracket
大型 Large Sizes	1721-1-C <sub>s</sub>	1721-1-SS
小型 Small Sizes	1721-2-C <sub>s</sub>	1721-2-SS



备注：  
黑色热塑合成橡胶锁体,不锈钢或碳钢支架和保持器。  
Remark:  
Thermoplastic elastomer latch ,  
steel or stainless steel bracket and keeper.

## 铰链承载力计算

### Calculation Formula Of Hinge Loading Capacity



设置铰链的数量n,门宽为W,门重为G,铰链安装距离为L

Suppose the quantity of hinges is n, door width is W, door weight is G, hinge installation distance is L

□ 轴向承载力  $F1=G/n$   
Axial load capacity  $F1=G/n$

□ 径向承载力  $F2=G*W/2L$   
Radial load capacity  $F2=G*W/2L$

## 扭矩铰链数值计算方式

### Torque Value Calculation Formula Of Torque Hinge

径向/垂直安装 (左右开合) Radial/ vertical installation (opening and closing transversely)	横向/水平安装 (上下开合) Lateral/horizontal installation (opening and closing lengthways)
<p>固定在门框上 Fixed on the door frame</p> <p>固定在门板上 Fixed on the door panel</p> <p>用手拨动门板左右来回的开启和关闭, 门板能停在任何位置 Open and close the door several times from left to right, the door can be stopped at any position</p>	<p>固定在门板上 Fixed on the door panel</p> <p>用手拨动门板上下来回的开启和关闭, 门板能停在任何位置 Open and close the door several times from up to down, the door can be stopped at any position.</p> <p>固定在门框上 Fixed on the door frame</p>
<p>安装示意图 Installation Instruction</p>	<p>安装示意图 Installation Instruction</p>
<p>需知条件:</p> <ol style="list-style-type: none"> <li>1.门的重量: 千克(门重+门上所安装物品的总重量)</li> <li>2.门板的宽度: 米</li> <li>3.摩擦系数: 0.12</li> </ol> <p>Information required:</p> <ol style="list-style-type: none"> <li>1.The weight of the door: KG (The weight of the door + the total weight of the items installed on the door)</li> <li>2.Width of door panel: M</li> <li>3.Friction coefficient: 0.12</li> </ol>	<p>需知条件:</p> <ol style="list-style-type: none"> <li>1.门的重量: 千克(门重+门上所安装物品的总重量)</li> <li>2.门板的宽度: 米</li> </ol> <p>Information required:</p> <ol style="list-style-type: none"> <li>1.The weight of the door: KG (The weight of the door + the total weight of the items installed on the door)</li> <li>2.Width of door panel: M</li> </ol>
<p>计算公式:</p> <p>扭矩值 (N*M)=门宽 (M)/2*门重 (G)*9.8*摩擦系数</p> <p>Calculation formula :</p> <p>Torque value (N*M)=Width of door panel (M)/2*The weight of the door (KG)*9.8* Friction coefficient</p>	<p>计算公式:</p> <p>扭矩值 (N*M)=门宽 (M)/2*门重 (G)*9.8</p> <p>Calculation formula :</p> <p>Torque value (N*M)=Width of door panel (M)/2*The weight of the door (KG)*9.8</p>

铰链系列  
Hinge Series




铰链系列  
Hinge Series






产品系列：2000  
M5 沉头螺钉固定 Countersunk Screw M5




材质可做全不锈钢  
SUS material upon request

产品系列：2000  
M5 镶嵌螺柱 With Threaded Studs M5


M5 镶嵌螺柱 With Threaded Studs M5



M6 镶嵌螺柱 With Threaded Studs M6




M8 镶嵌螺柱 With Threaded Studs M8



尺寸 Sizes	无光黑 Black Smooth Coated	麻面黑 Black Textured Coated	镀亮铬 Bright Chrome	不锈钢 Stainless Steel
40X40 mm	2000-4141-B <sub>1</sub>	2000-4141-B <sub>2</sub>	2000-4141-C <sub>1</sub>	2000-4141-SS
50X50 mm	2000-5151-B <sub>1</sub>	2000-5151-B <sub>2</sub>	2000-5151-C <sub>1</sub>	2000-5151-SS
60X60 mm	2000-6161-B <sub>1</sub>	2000-6161-B <sub>2</sub>	2000-6161-C <sub>1</sub>	2000-6161-SS




M6 沉头螺钉固定 Countersunk Screw M6



材质可做全不锈钢  
SUS material upon request

M8 沉头螺钉固定 Countersunk Screw M8



材质可做全不锈钢  
SUS material upon request


尺寸 Sizes	无光黑 Black Smooth Coated	麻面黑 Black Textured Coated	镀亮铬 Bright Chrome	不锈钢 Stainless Steel
40X40 mm	2000-4040-B <sub>1</sub>	2000-4040-B <sub>2</sub>	2000-4040-C <sub>1</sub>	2000-4040-SS
50X50 mm	2000-5050-B <sub>1</sub>	2000-5050-B <sub>2</sub>	2000-5050-C <sub>1</sub>	2000-5050-SS
60X60 mm	2000-6050-B <sub>1</sub>	2000-6060-B <sub>2</sub>	2000-6060-C <sub>1</sub>	2000-6060-SS

备注：  
锌合金或不锈钢铰链叶片，碳钢或不锈钢销子。  
Remark:  
Hinge leaf: zinc alloy or stainless steel, powder coated or chrome plated.  
Pin: mild steel, zinc plated or stainless steel.

备注：  
锌合金或不锈钢铰链叶片，碳钢或不锈钢销子和螺栓。  
Remark:  
Hinge leaf: zinc alloy or stainless steel, powder coated or chrome plated.  
Pin and thread studs: mild steel, zinc plated or stainless steel.



备注：  
锌合金或不锈钢铰链叶片，不锈钢销子，塑料垫片。  
Remark:  
Hinge leaf: zinc alloy or stainless steel, powder coated or chrome plated.  
Pin: stainless steel. Washer: PA




尺寸 40X40 mm Sizes 40X40 mm	无光黑 Black Smooth Coated	麻面黑 Black Textured Coated	镀亮铬 Bright Chrome	不锈钢 Stainless Steel
左装 LH Version	2000-4040L-B <sub>1</sub>	2000-4040L-B <sub>2</sub>	2000-4040L-C <sub>1</sub>	2000-4040L-SS
右装 RH Version	2000-4040R-B <sub>1</sub>	2000-4040R-B <sub>2</sub>	2000-4040R-C <sub>1</sub>	2000-4040R-SS

产品系列：2000

产品系列：2000




备注：  
锌合金或不锈钢铰链叶片，不锈钢销子，塑料垫片。  
Remark:  
Hinge leaf: zinc alloy or stainless steel, powder coated or chrome plated.  
Pin: stainless steel. Washer: PA




尺寸 60X60 mm Sizes 60X60 mm	无光黑 Black Smooth Coated	麻面黑 Black Textured Coated	镀亮铬 Bright Chrome	不锈钢 Stainless Steel
左装 LH Version	2000-6060L-B <sub>1</sub>	2000-6060L-B <sub>2</sub>	2000-6060L-C <sub>1</sub>	2000-6060L-SS
右装 RH Version	2000-6060R-B <sub>1</sub>	2000-6060R-B <sub>2</sub>	2000-6060R-C <sub>1</sub>	2000-6060R-SS



备注：  
锌合金或不锈钢铰链叶片，不锈钢销子，塑料垫片。  
Remark:  
Hinge leaf: zinc alloy or stainless steel, powder coated or chrome plated.  
Pin: stainless steel. Washer: PA



尺寸 50X50 mm Sizes 50X50 mm	无光黑 Black Smooth Coated	麻面黑 Black Textured Coated	镀亮铬 Bright Chrome	不锈钢 Stainless Steel
左装 LH Version	2000-5050L-B <sub>1</sub>	2000-5050L-B <sub>2</sub>	2000-5050L-C <sub>1</sub>	2000-5050L-SS
右装 RH Version	2000-5050R-B <sub>1</sub>	2000-5050R-B <sub>2</sub>	2000-5050R-C <sub>1</sub>	2000-5050R-SS




无光黑 Black Smooth Coated	麻面黑 Black Textured Coated	镀亮铬 Bright Chrome
2000-2441-B <sub>1</sub>	2000-2441-B <sub>2</sub>	2000-2441-C <sub>1</sub>




备注：  
锌合金铰链叶片，碳钢或不锈钢销子和螺栓。  
Remark:  
Hinge leaf: zinc alloy, powder coated or chrome plated.  
Pin and thread studs: mild steel, zinc plated or stainless steel.



M6 沉头螺钉固定 Countersunk Screw M6





材质可做全不锈钢  
SUS material upon request



安装方式 Mounting Type	无光黑 Black Smooth Coated	麻面黑 Black Textured Coated	镀亮铬 Bright Chrome	不锈钢 Stainless Steel
M6 沉孔 W/ Countersunk Holes	2000-5076-B <sub>1</sub>	2000-5076-B <sub>2</sub>	2000-5076-C <sub>1</sub>	2000-5076-SS
M6 镶嵌螺柱 W/ Threaded Studs	2000-5176-B <sub>1</sub>	2000-5176-B <sub>2</sub>	2000-5176-C <sub>1</sub>	2000-5176-SS

产品系列：2000

产品系列：2000





安装方式 Mounting Type	无光黑 Black Smooth Coated	麻面黑 Black Textured Coated	镀亮铬 Bright Chrome	不锈钢 Stainless Steel
M6 沉孔 W/ Countersunk Holes	2000-5063-B <sub>1</sub>	2000-5063-B <sub>2</sub>	2000-5063-C <sub>1</sub>	2000-5063-SS
M6 镶嵌螺柱 W/ Threaded Studs	2000-5163-B <sub>1</sub>	2000-5163-B <sub>2</sub>	2000-5163-C <sub>1</sub>	2000-5163-SS



备注：  
锌合金或不锈钢铰链叶片，碳钢或不锈钢销子和螺栓。  
Remark:  
Hinge leaf: zinc alloy or stainless steel, powder coated or chrome plated.  
Pin and thread studs: mild steel, zinc plated or stainless steel.





产品系列：2000



备注：  
锌合金或不锈钢铰链叶片，碳钢或不锈钢销子和螺栓。  
Remark:  
Hinge leaf: zinc alloy or stainless steel, powder coated or chrome plated.  
Pin and thread studs: mild steel, zinc plated or stainless steel.

安装方式 Mounting Type	无光黑 Black Smooth Coated	麻面黑 Black Textured Coated	镀亮铬 Bright Chrome	不锈钢 Stainless Steel
M6 沉孔 W/ Countersunk Holes	2000-6091-B <sub>1</sub>	2000-6091-B <sub>2</sub>	2000-6091-C <sub>1</sub>	2000-6091-SS
M6 镶嵌螺柱 W/ Threaded Studs	2000-6191-B <sub>1</sub>	2000-6191-B <sub>2</sub>	2000-6191-C <sub>1</sub>	2000-6191-SS

产品系列：2000




备注：  
锌合金或不锈钢铰链叶片，碳钢或不锈钢销子和螺栓。  
Remark:  
Hinge leaf: zinc alloy or stainless steel, powder coated or chrome plated.  
Pin and thread studs: mild steel, zinc plated or stainless steel.

安装方式 Mounting Type	无光黑 Black Smooth Coated	麻面黑 Black Textured Coated	镀亮铬 Bright Chrome	不锈钢 Stainless Steel
M6 沉孔 W/ Countersunk Holes	2000-6012-B <sub>1</sub>	2000-6012-B <sub>2</sub>	2000-6012-C <sub>1</sub>	2000-6012-SS
M6 镶嵌螺柱 W/ Threaded Studs	2000-6112-B <sub>1</sub>	2000-6112-B <sub>2</sub>	2000-6112-C <sub>1</sub>	2000-6112-SS

产品系列：2000

M6 沉头螺钉固定 Countersunk Screw M6




安装方式 Mounting Type	无光黑 Black Smooth Coated	麻面黑 Black Textured Coated	镀亮铬 Bright Chrome	不锈钢 Stainless Steel
M6 沉孔 x4 W/4 x Countersunk Holes	2000-6476-B <sub>1</sub>	2000-6476-B <sub>2</sub>	2000-6476-C <sub>1</sub>	2000-6476-SS
M6 沉孔 x6 W/6 x Countersunk Holes	2000-6676-B <sub>1</sub>	2000-6676-B <sub>2</sub>	2000-6676-C <sub>1</sub>	2000-6676-SS



备注：  
锌合金或不锈钢铰链叶片，碳钢或不锈钢销子。  
Remark:  
Hinge leaf: zinc alloy or stainless steel, powder coated or chrome plated.  
Pin: mild steel, zinc plated or stainless steel.

产品系列：2001

M6 沉头螺钉固定 Countersunk Screw M6



安装方式 Mounting Type	无光黑 Black Smooth Coated	麻面黑 Black Textured Coated	镀亮铬 Bright Chrome
M6 沉孔 W/ Countersunk Holes	2001-5076-B <sub>1</sub>	2001-5076-B <sub>2</sub>	2001-5076-C <sub>1</sub>
M6 镶嵌螺柱 W/ Threaded Studs	2001-5176-B <sub>1</sub>	2001-5176-B <sub>2</sub>	2001-5176-C <sub>1</sub>




备注：  
锌合金铰链叶片，碳钢或不锈钢销子和螺栓。  
Remark:  
Hinge leaf: zinc alloy, powder coated or chrome plated.  
Pin and thread studs: mild steel, zinc plated or stainless steel.




备注：  
锌合金或不锈钢铰链叶片，碳钢或不锈钢销子和螺栓。  
Remark:  
Hinge leaf: zinc alloy or stainless steel, powder coated or chrome plated.  
Pin and thread studs: mild steel, zinc plated or stainless steel.

M6 沉头螺钉固定 Countersunk Screw M6




M5 沉头螺钉固定 Countersunk Screw M5



尺寸 Sizes	安装方式 Mounting Type	无光黑 Black Smooth Coated	麻面黑 Black Textured Coated	镀亮铬 Bright Chrome	不锈钢 Stainless Steel
大型 Large Type	M6 沉孔 W/ Countersunk Holes	2002-5440-B <sub>1</sub>	2002-5440-B <sub>2</sub>	2002-5440-C <sub>1</sub>	2002-5440-SS
	M6 镶嵌螺柱 W/ Threaded Studs	2002-5441-B <sub>1</sub>	2002-5441-B <sub>2</sub>	2002-5441-C <sub>1</sub>	2002-5441-SS
小型 Small Type	M5 沉孔 W/ Countersunk Holes	2002-4230-B <sub>1</sub>	2002-4230-B <sub>2</sub>	2002-4230-C <sub>1</sub>	2002-4230-SS
	M5 镶嵌螺柱 W/ Threaded Studs	2002-4231-B <sub>1</sub>	2002-4231-B <sub>2</sub>	2002-4231-C <sub>1</sub>	2002-4231-SS


产品系列：2002

产品系列：2003、2004



安装方式 Mounting Type	无光黑 Black Smooth Coated	麻面黑 Black Textured Coated	镀亮铬 Bright Chrome	不锈钢 Stainless Steel
M8 镶嵌螺柱 W/ Threaded Studs	2003-9061-B <sub>1</sub>	2003-9061-B <sub>2</sub>	2003-9061-C <sub>1</sub>	2003-9061-SS

备注：  
锌合金或不锈钢铰链叶片，碳钢或不锈钢销子和螺栓。  
Remark:  
Hinge leaf: zinc alloy or stainless steel, powder coated or chrome plated.  
Pin and thread studs: mild steel, zinc plated or stainless steel.




安装方式 Mounting Type	带螺孔型 With Female Threaded Holes		带螺柱型 With Threaded Studs	
	无光黑 Black Smooth Coated	麻面黑 Black Textured Coated	无光黑 Black Smooth Coated	麻面黑 Black Textured Coated
左装 LH Version	2004-6450L-B <sub>1</sub>	2004-6450L-B <sub>2</sub>	2004-6451L-B <sub>1</sub>	2004-6451L-B <sub>2</sub>
右装 RH Version	2004-6450R-B <sub>1</sub>	2004-6450R-B <sub>2</sub>	2004-6451R-B <sub>1</sub>	2004-6451R-B <sub>2</sub>

备注：  
锌合金铰链叶片，碳钢或不锈钢销子和螺栓。  
Remark:  
Hinge leaf: zinc alloy powder coated or chrome plated.  
Pin and thread studs: mild steel, zinc plated or stainless steel.




备注：  
锌合金铰链叶片，不锈钢销子和螺栓。  
Remark:  
Hinge leaf: zinc alloy powder coated or chrome plated.  
Pin and thread studs: mild steel, zinc plated or stainless steel.



安装方式 Mounting Type	无光黑 Black Smooth Coated	麻面黑 Black Textured Coated
左开 LH Version	2005-8164L-B <sub>1</sub>	2005-8164L-B <sub>2</sub>
右开 RH Version	2005-8164R-B <sub>1</sub>	2005-8164R-B <sub>2</sub>

产品系列：2007、2008




不锈钢 Stainless Steel	2007-1010-SS
---------------------	--------------




备注：  
304 不锈钢铰链叶片和销子，镜面抛光。  
Hinge leaf and pin: stainless steel, polished surface.



备注：  
锌合金或不锈钢铰链叶片，碳钢或不锈钢销子。  
Remark:  
Hinge leaf: zinc alloy or stainless steel, powder coated or chrome plated.  
Pin: mild steel, zinc plated or stainless steel.



尺寸 Sizes	无光黑 Black Smooth Coated	镀亮铬 Bright Chrome	不锈钢 Stainless Steel
大型 Large Type	2006-8065-B <sub>1</sub>	2006-8065-C <sub>1</sub>	2006-8065-SS
小型 Small Type	2006-6555-B <sub>1</sub>	2006-6555-C <sub>1</sub>	2006-6555-SS




镀亮铬 Bright Chrome	2008-4560-C <sub>1</sub>
-------------------	--------------------------



备注：  
1. 锌合金铰链叶片，碳钢或不锈钢销子。  
2. 定位度数 90° 或 180°。  
Remark:  
1. Hinge leaf: zinc alloy powder coated or chrome plated. Pin: mild steel, zinc plated or stainless steel.  
2. Detent angle 90° or 180°.




备注：  
锌合金铰链叶片，碳钢或不锈钢销子。  
Remark:  
Hinge leaf: zinc alloy powder coated or chrome plated.  
Pin: mild steel, zinc plated or stainless steel.



安装方式 Mounting Type	无光黑 Black Smooth Coated	镀亮铬 Bright Chrome
左装 LH Version	2009-6660L-B <sub>1</sub>	2009-6660L-C <sub>1</sub>
右装 RH Version	2009-6660R-B <sub>1</sub>	2009-6660R-C <sub>1</sub>

产品系列：2011、2012




黑色PA	2011-PA
------	---------




备注：  
尼龙铰链叶片，不锈钢销子。  
Remark:  
Hinge leaf: PA66 GF 30%.  
Pin: mild steel, zinc plated or stainless steel.



备注：  
锌合金铰链叶片，碳钢或不锈钢销子，PA垫片。  
Remark:  
Hinge leaf: zinc alloy powder coated or chrome plated.  
Pin: mild steel, zinc plated or stainless steel, with PA washer.



麻面黑 Black Textured Coated	2010-7053-B <sub>2</sub>
---------------------------	--------------------------






黑色PA	2012-PA
------	---------



备注：  
尼龙铰链叶片，碳钢或不锈钢销子。  
Remark:  
Hinge leaf: PA66 GF 30%.  
Pin: mild steel, zinc plated or stainless steel.


产品系列：2013

产品系列：2014、2015




黑色PA 2014-6464-PA

备注：  
尼龙铰链叶片，碳钢或不锈钢销子和螺栓。  
Remark:  
Hinge leaf: PA66 GF 30%.  
Pin and thread studs: mild steel, zinc plated or stainless steel.



备注：  
尼龙铰链叶片，碳钢或不锈钢销子。  
Remark:  
Hinge leaf: PA66 GF 30%.  
Pin: mild steel, zinc plated or stainless steel



尺寸 Sizes	L <sub>1</sub>	L <sub>2</sub>	A	B	T	D
2013-4040-PA	40	40	25	25	9	4.2
2013-4552-PA	45	52	24	30	8	6.4
2013-4558-PA	45	57	24	33	8	6.4
2013-4848-PA	48	48	30	30	10	7.2
2013-5060-PA	50	60	30	40	10	8
2013-5070-PA	50	70	30	45	10	6.5
2013-6464-PA	64	64	40	40	13	7.5
2013-1080-PA	102	80	72.5	49.5	11.5	8.5



黑色PA 2015-7760-PA

备注：  
尼龙铰链叶片，碳钢或不锈钢销子和螺栓。  
Remark:  
Hinge leaf: PA66 GF 30%.  
Pin and thread studs: mild steel, zinc plated or stainless steel.


产品系列：2016、2017



黑色PA 2016-4871-PA



备注：  
尼龙铰链叶片，碳钢或不锈钢销子和螺栓。  
Remark:  
Hinge leaf: PA66 GF 30%.  
Pin and thread studs: mild steel, zinc plated or stainless steel.

产品系列：2018、2019





黑色PA 2018-5048-PA

备注：  
尼龙铰链叶片，碳钢或不锈钢销子。  
Remark:  
Hinge leaf: PA66 GF 30%.  
Pin: mild steel, zinc plated or stainless steel.



黑色PA 2017-4841-PA


备注：  
尼龙铰链叶片，碳钢或不锈钢销子和螺栓。  
Remark:  
Hinge leaf: PA66 GF 30%.  
Pin and thread studs: mild steel, zinc plated or stainless steel.



黑色PA 2019-3664-PA



备注：  
尼龙铰链叶片，碳钢或不锈钢销子。  
Remark:  
Hinge leaf: PA66 GF 30%.  
Pin: mild steel, zinc plated or stainless steel.






备注：  
锌合金铰链，镀镍黄铜销子，碳钢镀锌垫片和 PA 衬套。  
Remark:  
Zinc alloy hinge, brass pin, mild steel washer, PA bush.

产品系列：2020



类型 Type	麻面黑 Black Textured Coated	喷砂镀铬 Sandblasting Chrome
A 型 Version A	2020-10-B <sub>2</sub>	2020-10-S <sub>2</sub>
B 型 Version B	2020-20-B <sub>2</sub>	2020-20-S <sub>2</sub>
C 型 Version C	2020-30-B <sub>2</sub>	2020-30-S <sub>2</sub>


产品系列：2021、2022



类型 Type	麻面黑 Black Textured Coated	喷砂镀铬 Sandblasting Chrome
左装 LH Version	2021-L-B <sub>2</sub>	2021-L-S <sub>2</sub>
右装 RH Version	2021-R-B <sub>2</sub>	2021-R-S <sub>2</sub>



备注：  
锌合金铰链，不锈钢销子和紧定螺丝。  
Remark:  
Zinc alloy hinge, stainless steel pin and fixing screw.





麻面黑 Black Textured Coated	浅灰色 RAL 7035 Light Grey
2022-B <sub>2</sub>	2022-RAL7035



备注：  
锌合金铰链，不锈钢销子和螺母。  
Remark:  
Zinc alloy hinge, stainless steel pin and nut.




产品系列：2023




尺寸 Sizes	麻面黑 Black Textured Coated	镀亮铬 Bright Chrome	不锈钢 Stainless Steel
标准型 U4.5 Level	2023-600-B <sub>2</sub>	2023-600-C <sub>1</sub>	2023-600-SS
高度增加 4MM 型 U7.10 4mm Higher	2023-604-B <sub>2</sub>	2023-604-C <sub>1</sub>	/
高度增加 6MM 型 U27.28 6mm Higher	2023-606-B <sub>2</sub>	2023-606-C <sub>1</sub>	/
高度增加 10MM 型 U19.20 10mm Higher	2023-610-B <sub>2</sub>	2023-610-C <sub>1</sub>	/

备注：  
锌合金铰链，不锈钢销子和 C 型卡簧。  
Remark:  
Zinc alloy hinge, stainless steel pin and C-clip.

产品系列：2024、2025



类型 Type	无光黑 Black Smooth Coated	浅灰色 RAL 7035 Light Grey
直角型 Right Angle	2024-90-B <sub>1</sub>	2024-90-RAL7035
斜角型 Beveled Angle	2024-135-B <sub>1</sub>	2024-135-RAL7035



安装方式 Mounting Type	麻面黑 Black Textured Coated	纳米喷漆 NM Painting
M5 镶嵌螺钉 W/ Threaded Studs M5	2025-B <sub>2</sub>	2025-Nm


备注：  
锌合金铰链，碳钢销子。90° 直角面或 135° 斜角面可选。  
Remark:  
Zinc alloy hinge, mild steel pin. Right or beveled angle as request.



备注：  
锌合金铰链，不锈钢销子和螺栓。  
Remark:  
Zinc alloy hinge, stainless steel pin and thread studs.



备注：  
锌合金铰链，碳钢螺栓和转轴，塑料插销。  
Remark:  
Zinc alloy hinge, mild steel shaft and studs, PA clamping pin.




麻面黑 Black Textured Coated	喷砂镀铬 Sandblasting Chrome
2026-B <sub>2</sub>	2026-S <sub>2</sub>

产品系列：2026、2027

产品系列：2028、2029




备注：  
锌合金铰链，碳钢销子。  
Remark:  
Zinc alloy hinge, mild steel pin.




无光黑 Black Smooth Coated	麻面黑 Black Textured Coated
2028-B <sub>1</sub>	2028-B <sub>2</sub>



备注：  
锌合金铰链，碳钢销子。  
Remark:  
Zinc alloy hinge, mild steel pin and washer.



无光黑 Black Smooth Coated	镀亮铬 Bright Chrome
2027-B <sub>1</sub>	2027-C <sub>1</sub>



无光黑 Black Smooth Coated	蓝绿色 Blue Green Coated
2029-B <sub>1</sub>	2029-Gn




备注：  
锌合金静铰链，碳钢动铰链，安装板和销子。  
Remark:  
Zinc alloy male hinge, steel female leaf, bracket and pin.

RL  NEW




备注：  
锌合金铰链，碳钢或不锈钢销子，铜垫片。  
Remark:  
Zinc alloy hinge, mild steel or stainless steel pin, brass washer.



无光黑 Black Smooth Coated	麻面黑 Black Textured Coated
2030-B <sub>1</sub>	2030-B <sub>2</sub>

产品系列：2030、2031

产品系列：2032、2033



无光黑 Black Smooth Coated	麻面黑 Black Textured Coated
2032-B <sub>1</sub>	2032-B <sub>2</sub>

RL 




备注：  
锌合金铰链，塑料销子和垫片。  
Remark: Zinc alloy hinge, PA pin and washer.


NEW



备注：  
锌合金铰链，碳钢或不锈钢销子，铜垫片。  
Remark:  
Zinc alloy hinge, mild steel or stainless steel pin, brass washer.



无光黑 Black Smooth Coated	麻面黑 Black Textured Coated
2031-B <sub>1</sub>	2031-B <sub>2</sub>



无光黑 Black Smooth Coated	麻面黑 Black Textured Coated
2033-B <sub>1</sub>	2033-B <sub>2</sub>


RL 



备注：  
锌合金铰链，碳钢或不锈钢销子，铜垫片。  
Remark:  
Zinc alloy hinge, mild steel or stainless steel pin, brass washer.




Version A A 型



产品系列：2034



产品系列：2035、2036





类型 Type	无光黑 Black Smooth Coated	镀亮铬 Bright Chrome	不锈钢 Stainless Steel
左装 LH Version	2035-L-B <sub>1</sub>	2035-L-C <sub>1</sub>	2035-L-SS
右装 RH Version	2035-R-B <sub>1</sub>	2035-R-C <sub>1</sub>	2035-R-SS



Version B B 型



Version C C 型



类型 Type	无光黑 Black Smooth Coated	镀亮铬 Bright Chrome	纳米喷漆 NM Painting	不锈钢 Stainless Steel
A 型 Version A	2034-10-B <sub>1</sub>	2034-10-C <sub>1</sub>	2034-10-Nm	2034-10-SS
B 型 Version B	2034-20-B <sub>1</sub>	2034-20-C <sub>1</sub>	2034-20-Nm	2034-20-SS
C 型 Version C	2034-30-B <sub>1</sub>	2034-30-C <sub>1</sub>	2034-30-Nm	2034-30-SS




备注：  
锌合金或不锈钢铰链，碳钢或不锈钢销子。  
Remark:  
Zinc alloy or stainless steel hinge ,mild steel or stainless steel pin.

尺寸 Sizes	无光黑 Black Smooth Coated	镀亚光 Gray Chrome	不锈钢 Stainless Steel
大型 Large Type	2036-63-B <sub>1</sub>	2036-63-C <sub>2</sub>	2036-63-SS
小型 Small Type	2036-45-B <sub>1</sub>	2036-45-C <sub>2</sub>	2036-45-SS








产品系列：2037



宽度 Width	无光黑 Black Smooth Coated	镀亮铬 Bright Chrome	不锈钢 Stainless Steel
W=22	2037-22-B <sub>1</sub>	2037-22-C <sub>1</sub>	2037-22-SS
W=24	2037-24-B <sub>1</sub>	2037-24-C <sub>1</sub>	2037-24-SS
W=30	2037-30-B <sub>1</sub>	2037-30-C <sub>1</sub>	2037-30-SS

备注：  
锌合金或不锈钢铰链，碳钢或不锈钢销子。  
Remark:  
Zinc alloy or stainless steel hinge, mild steel or stainless steel pin.

产品系列：2038



宽度 Width	无光黑 Black Smooth Coated	镀亮铬 Bright Chrome
W=21.5	2038-21-B <sub>1</sub>	2038-21-C <sub>1</sub>
W=28.5	2038-28-B <sub>1</sub>	2038-28-C <sub>1</sub>
W=29.5	2038-29-B <sub>1</sub>	2038-29-C <sub>1</sub>


备注：  
锌合金铰链，碳钢销子，塑料垫片。  
Remark:  
Zinc alloy hinge, mild steel pin, zinc plated, PA washer.



NEW




备注：  
锌合金铰链，碳钢或不锈钢销子，塑料垫片。  
Remark:  
Zinc alloy hinge, mild steel or stainless steel pin, PA washer.



无光黑 Black Smooth Coated	喷蓝灰 RAL7012 Blue Grey
2039-21-B <sub>1</sub>	2039-RAL7012

产品系列：2041、2042



卵石灰 RAL 7032 Pebble Grey	浅灰色 RAL 7035 Light Grey
2041-RAL7032	2041-RAL7035


备注：  
锌合金静铰链，碳钢动铰链，不锈钢销子。  
Remark:  
Zinc alloy male hinge, steel female leaf, stainless steel pin.




RL



备注：  
锌合金铰链，不锈钢销子，塑料衬套。  
Remark:  
Zinc alloy hinge, stainless steel pin, PA bushing.



高度 Height	麻面黑 Black Textured Coated	镀亮铬 Bright Chrome
H=19.5 mm	2040-19-B <sub>1</sub>	2040-19-C <sub>1</sub>
H=25.5 mm	2040-25-B <sub>1</sub>	2040-25-C <sub>1</sub>



无光黑 Black Smooth Coated	镀亮铬 Bright Chrome
2042-B <sub>1</sub>	2042-C <sub>1</sub>

RL




备注：  
锌合金铰链，不锈钢销子。  
Remark:  
Zinc alloy hinge leaf, stainless steel pin.

RL 





备注：  
锌合金铰链，不锈钢转轴，塑料插销。  
Remark:  
Zinc alloy hinge, stainless steel shaft, PA clamping pin.

产品系列：2043、2044



类型 Type	麻面黑 Black Textured Coated	喷砂镀铬 Sandblasting Chrome
左装 LH Version	2043-L-B <sub>2</sub>	2043-L-S <sub>2</sub>
右装 RH Version	2043-R-B <sub>2</sub>	2043-R-S <sub>2</sub>

产品系列：2045



NEW




RL 




备注：  
尼龙铰链叶片，碳钢销子。  
Remark:  
PA66 GF 30% hinge leaf, mild steel pin.

铆接或螺丝固定  
Rivet on or screw-on



黑色PA	2044-PA
------	---------






开孔尺寸  
Panel Cutout

无光黑 Black Smooth Coated	镀亮铬 Bright Chrome	不锈钢 Stainless Steel
2045-B <sub>1</sub>	2045-C <sub>1</sub>	2045-SS

备注：  
锌合金或不锈钢铰链，不锈钢销子，塑料衬套。  
Remark:  
Zinc alloy or stainless steel hinge, stainless steel pin, PA bushing.


产品系列：2046



尺寸 Sizes	碳钢 Mild Steel	不锈钢 Stainless Steel
L=80	2046-80-C <sub>3</sub>	2046-80-SS
L=100	2046-100-C <sub>3</sub>	2046-100-SS
L=120	2046-120-C <sub>3</sub>	2046-120-SS

备注：  
碳钢或不锈钢铰链叶片，销子和垫片。  
Remark:  
Mild steel or stainless steel hinge leaf, pin and washer.



产品系列：2047、2048



类型 Type	碳钢 Mild Steel	不锈钢 Stainless Steel
左装 LH Version	2047-L-C <sub>3</sub>	2047-L-SS
右装 RH Version	2047-R-C <sub>3</sub>	2047-R-SS



备注：  
碳钢或不锈钢铰链叶片和销子。  
Remark:  
Mild steel or stainless steel hinge leaf and pin.



类型 Type	碳钢 Mild Steel	不锈钢 Stainless Steel
左装 LH Version	2048-L-C <sub>3</sub>	2048-L-SS
右装 RH Version	2048-R-C <sub>3</sub>	2048-R-SS




备注：  
碳钢或不锈钢铰链叶片和销子。  
Remark:  
Mild steel or stainless steel hinge leaf and pin.

产品系列：2049、2050、2051



备注：  
碳钢或不锈钢铰链叶片，扭簧和销子。  
Remark:  
Mild steel or stainless steel hinge leaf, spring and pin.




碳钢 Mild Steel	不锈钢 Stainless Steel
2049-C <sub>3</sub>	2049-SS

产品系列：2052、2053




备注：  
碳钢或不锈钢铰链叶片和销子。  
Remark:  
Mild steel or stainless steel hinge leaf and pin.





碳钢 Mild Steel	不锈钢 Stainless Steel
2050-C <sub>3</sub>	2050-SS





备注：  
铸钢  
Remark:  
Casting steel.



碳钢 Mild Steel	2051-C <sub>3</sub>



碳钢 Mild Steel	不锈钢 Stainless Steel
2052-C <sub>3</sub>	2052-SS




碳钢 Mild Steel	不锈钢 Stainless Steel
2053-C <sub>3</sub>	2053-SS



备注：  
碳钢或不锈钢铰链叶片和销子。  
Remark:  
Mild steel or stainless steel hinge leaf and pin.




备注：  
碳钢或不锈钢铰链叶片和销子。  
Remark:  
Mild steel or stainless steel hinge leaf and pin.



对称扭矩 Symmetric Torque	无光黑 Black Smooth Coated	麻面黑 Black Textured Coated
Free operating	2100-200-B <sub>1</sub>	2100-200-B <sub>2</sub>
0.9 N.m	2100-208-B <sub>1</sub>	2100-208-B <sub>2</sub>
1.4 N.m	2100-212-B <sub>1</sub>	2100-212-B <sub>2</sub>
1.8 N.m	2100-216-B <sub>1</sub>	2100-216-B <sub>2</sub>
2.3 N.m	2100-220-B <sub>1</sub>	2100-220-B <sub>2</sub>

对称扭矩 Symmetric Torque		无光黑 Black Smooth Coated	麻面黑 Black Textured Coated
向前扭矩 Forward Torque	反向扭矩 Reversed Torque		
1.4 N.m	0.8 N.m	2100-212F-B <sub>1</sub>	2100-212F-B <sub>2</sub>
1.8 N.m	1.1 N.m	2100-216F-B <sub>1</sub>	2100-216F-B <sub>2</sub>
2.3 N.m	1.4 N.m	2100-220F-B <sub>1</sub>	2100-220F-B <sub>2</sub>
2.7 N.m	1.6 N.m	2100-224F-B <sub>1</sub>	2100-224F-B <sub>2</sub>
0.8 N.m	1.4 N.m	2100-212R-B <sub>1</sub>	2100-212R-B <sub>2</sub>
1.1 N.m	1.8 N.m	2100-216R-B <sub>1</sub>	2100-216R-B <sub>2</sub>
1.4 N.m	2.3 N.m	2100-220R-B <sub>1</sub>	2100-220R-B <sub>2</sub>
2.7 N.m	1.6 N.m	2100-224R-B <sub>1</sub>	2100-224R-B <sub>2</sub>

备注：  
1. 锌合金铰链叶片，不锈钢销子。  
2. 在静扭矩规格± 20% 范围内可循环 20,000 次。  
Remark:  
1. Zinc alloy hinge leaf, stainless steel pin.  
2. 20,000 cycles within ± 20% of static torque.



对称扭矩 Symmetric Torque	无光黑 Black Smooth Coated	麻面黑 Black Textured Coated
Free operating	2100-400-B <sub>1</sub>	2100-400-B <sub>2</sub>
1.8 N.m	2100-416-B <sub>1</sub>	2100-416-B <sub>2</sub>
2.3 N.m	2100-420-B <sub>1</sub>	2100-420-B <sub>2</sub>
3.4 N.m	2100-430-B <sub>1</sub>	2100-430-B <sub>2</sub>

对称扭矩 Symmetric Torque		无光黑 Black Smooth Coated	麻面黑 Black Textured Coated
向前扭矩 Forward Torque	反向扭矩 Reversed Torque		
2.3 N.m	1.4 N.m	2100-420F-B <sub>1</sub>	2100-420F-B <sub>2</sub>
3.4 N.m	2.0 N.m	2100-430F-B <sub>1</sub>	2100-430F-B <sub>2</sub>
4.5 N.m	2.7 N.m	2100-440F-B <sub>1</sub>	2100-440F-B <sub>2</sub>
1.4 N.m	2.3 N.m	2100-420R-B <sub>1</sub>	2100-420R-B <sub>2</sub>
2.0 N.m	3.4 N.m	2100-430R-B <sub>1</sub>	2100-430R-B <sub>2</sub>
2.7 N.m	4.5 N.m	2100-440R-B <sub>1</sub>	2100-440R-B <sub>2</sub>




备注：  
1. 锌合金铰链叶片，不锈钢销子。  
2. 在静扭矩规格± 20% 范围内可循环 20,000 次。  
Remark:  
1. Zinc alloy hinge leaf, stainless steel pin.  
2. 20,000 cycles within ± 20% of static torque.






备注：  
乙缩醛和尼龙铰链，不锈钢内部组件。  
Remark:  
Acetal hinge, stainless steel internal components.

产品系列：2101、2102




止动扭矩 Detent Torque	自由摆动 Free-Swinging	20°-170° 止动 120°-170° Detent
Free operating	2101-0-PA	/
1.1 N.m	/	2101-1217-PA

产品系列：2103



备注：  
乙缩醛和尼龙铰链，不锈钢内部组件。  
Remark:  
Acetal hinge, stainless steel internal components.



止动扭矩 Detent Torque	自由摆动 Free-Swinging	80° 止动 80° Detent	115° 止动 115° Detent	150° 止动 150° Detent
Free operating	2102-0-PA	/	/	/
0.7 N.m	/	2102-8007-PA	2102-1107-PA	2102-1507-PA
1.1 N.m	/	2102-8011-PA	2102-1111-PA	2102-1511-PA
1.7 N.m	/	2102-8017-PA	2102-1117-PA	2102-1517-PA

不对称扭矩 Asymmetric Torque		无光黑 Black Smooth Coated
向前扭矩 Forward Torque	反向扭矩 Reversed Torque	
2.3 N.m	1.7 N.m	2103-620F-B <sub>1</sub>
3.9 N.m	3.0 N.m	2103-635F-B <sub>1</sub>
5.7 N.m	4.0 N.m	2103-650F-B <sub>1</sub>
7.3 N.m	5.4 N.m	2103-665F-B <sub>1</sub>
9.0 N.m	6.7 N.m	2103-680F-B <sub>1</sub>
10.7 N.m	7.8 N.m	2103-685F-B <sub>1</sub>
12.4 N.m	9.0 N.m	2103-6110F-B <sub>1</sub>
1.7 N.m	2.3 N.m	2103-620R-B <sub>1</sub>
3.0 N.m	3.9 N.m	2103-635R-B <sub>1</sub>
4.0 N.m	5.7 N.m	2103-650R-B <sub>1</sub>
5.4 N.m	7.3 N.m	2103-665R-B <sub>1</sub>
6.7 N.m	9.0 N.m	2103-680R-B <sub>1</sub>
7.8 N.m	10.7 N.m	2103-685R-B <sub>1</sub>
9.0 N.m	12.4 N.m	2103-6110R-B <sub>1</sub>

对称扭矩 Symmetric Torque	无光黑 Black Smooth Coated
2.3 N.m	2103-620S-B <sub>1</sub>
3.9 N.m	2103-635S-B <sub>1</sub>
5.7 N.m	2103-650S-B <sub>1</sub>
7.3 N.m	2103-665S-B <sub>1</sub>
9.0 N.m	2103-680S-B <sub>1</sub>



备注：  
1. 锌合金铰链叶片，轴承钢销子。  
2. 在静扭矩规格± 20% 范围内可循环 20,000 次。  
Remark:  
1. Zinc alloy hinge leaf, bearing steel pin.  
2. 20,000 cycles within ± 20% of static torque.



产品系列：2104



产品系列：2105

M5 沉头螺钉固定 Countersunk Screw M5





不对称扭矩 Asymmetric Torque		无光黑 Black Smooth Coated
向前扭矩 Forward Torque	反向扭矩 Reversed Torque	
2.3 N.m	0.3 N.m	2104-20F-B <sub>1</sub>
0.3 N.m	2.3 N.m	2104-20R-B <sub>1</sub>

备注：  
1. PA6 +30%GF 铰链叶片，轴承钢销子。  
2. 在静扭矩规格±20% 范围内可循环 20,000 次。  
Remark:  
1. PA6 +30%GF hinge leaf, bearing steel pin.  
2. 20,000 cycles within ±20% of static torque.



M5 镶嵌螺柱 With Threaded Studs M5




对称扭矩 Symmetric Torque	M5 沉孔 W/ Countersunk Holes	M5 镶嵌螺柱 W/ Threaded Studs
Free operating	2105-4000-B <sub>2</sub>	2105-4100-B <sub>2</sub>
0.9 N.m	2105-4008-B <sub>2</sub>	2105-4108-B <sub>2</sub>
1.4 N.m	2105-4012-B <sub>2</sub>	2105-4112-B <sub>2</sub>
1.8 N.m	2105-4016-B <sub>2</sub>	2105-4116-B <sub>2</sub>
2.3 N.m	2105-4020-B <sub>2</sub>	2105-4120-B <sub>2</sub>




备注：  
1. 锌合金铰链叶片，不锈钢销子和螺柱。  
2. 在静扭矩规格±20% 范围内可循环 25,000 次。  
Remark:  
1. Zinc alloy hinge leaf, stainless steel pin and threaded studs.  
2. 25,000 cycles within ±20% of static torque.





M6 沉头螺钉固定 Countersunk Screw M6



产品系列：2105



M6 镶嵌螺柱 With Threaded Studs M6





对称扭矩 Symmetric Torque	M6 沉孔 W/ Countersunk Holes	M6 镶嵌螺柱 W/ Threaded Studs
Free operating	2105-5000-B <sub>2</sub>	2105-5100-B <sub>2</sub>
1.8 N.m	2105-5016-B <sub>2</sub>	2105-5116-B <sub>2</sub>
2.3 N.m	2105-5020-B <sub>2</sub>	2105-5120-B <sub>2</sub>
3.4 N.m	2105-5030-B <sub>2</sub>	2105-5130-B <sub>2</sub>

不对称扭矩 Asymmetric Torque		M6 沉孔 W/ Countersunk Holes	M6 镶嵌螺柱 W/ Threaded Studs
向前扭矩 Forward Torque	反向扭矩 Reversed Torque		
2.3 N.m	1.4 N.m	2105-5020F-B <sub>2</sub>	2105-5120F-B <sub>2</sub>
3.4 N.m	2.0 N.m	2105-5030F-B <sub>2</sub>	2105-5130F-B <sub>2</sub>
4.5 N.m	2.7 N.m	2105-5040F-B <sub>2</sub>	2105-5140F-B <sub>2</sub>
1.4 N.m	2.3 N.m	2105-5020R-B <sub>2</sub>	2105-5120R-B <sub>2</sub>
2.0 N.m	3.4 N.m	2105-5030R-B <sub>2</sub>	2105-5130R-B <sub>2</sub>
2.7 N.m	4.5 N.m	2105-5040R-B <sub>2</sub>	2105-5140R-B <sub>2</sub>



备注：  
1. 锌合金铰链叶片，不锈钢销子和螺栓。  
2. 在静扭矩规格±20%范围内可循环25,000次。  
Remark:  
1.Zinc alloy hinge leaf, stainless steel pin and threaded studs.  
2.25,000 cycles within ±20% of static torque.

产品系列：2105

M8 沉头螺钉固定 Countersunk Screw M8



M8 镶嵌螺柱 With Threaded Studs M8



对称扭矩 Symmetric Torque	M6 沉孔 W/ Countersunk Holes	M6 镶嵌螺柱 W/ Threaded Studs
Free operating	2105-6000-B <sub>2</sub>	2105-6100-B <sub>2</sub>
1.8 N.m	2105-6016-B <sub>2</sub>	2105-6116-B <sub>2</sub>
2.3 N.m	2105-6020-B <sub>2</sub>	2105-6120-B <sub>2</sub>
3.4 N.m	2105-6030-B <sub>2</sub>	2105-6130-B <sub>2</sub>





不对称扭矩 Asymmetric Torque		M6 沉孔 W/ Countersunk Holes	M6 镶嵌螺柱 W/ Threaded Studs
向前扭矩 Forward Torque	反向扭矩 Reversed Torque		
2.3 N.m	1.4 N.m	2105-6020F-B <sub>2</sub>	2105-6120F-B <sub>2</sub>
3.4 N.m	2.0 N.m	2105-6030F-B <sub>2</sub>	2105-6130F-B <sub>2</sub>
4.5 N.m	2.7 N.m	2105-6040F-B <sub>2</sub>	2105-6140F-B <sub>2</sub>
1.4 N.m	2.3 N.m	2105-6020R-B <sub>2</sub>	2105-6120R-B <sub>2</sub>
2.0 N.m	3.4 N.m	2105-6030R-B <sub>2</sub>	2105-6130R-B <sub>2</sub>
2.7 N.m	4.5 N.m	2105-6040R-B <sub>2</sub>	2105-6140R-B <sub>2</sub>



备注：  
1. 锌合金铰链叶片，不锈钢销子和螺栓。  
2. 在静扭矩规格±20%范围内可循环25,000次。  
Remark:  
1.Zinc alloy hinge leaf, stainless steel pin and threaded studs.  
2.25,000 cycles within ±20% of static torque.






产品系列：2106



对称扭矩 Symmetric Torque	M5 沉孔 W/ Countersunk Holes	M5 镶嵌螺柱 W/ Threaded Studs
1.8 N.m	2106-5016-B <sub>2</sub>	2106-5116-B <sub>2</sub>
2.3 N.m	2106-5020-B <sub>2</sub>	2106-5120-B <sub>2</sub>
3.4 N.m	2106-5030-B <sub>2</sub>	2106-5130-B <sub>2</sub>

备注：  
1. 锌合金铰链叶片，不锈钢销子和螺栓。  
2. 在静扭矩规格±20%范围内可循环25,000次。  
Remark:  
1. Zinc alloy hinge leaf, stainless steel pin and threaded studs.  
2. 25,000 cycles within ±20% of static torque.

产品系列：2107



开孔尺寸  
Panel cutout

对称扭矩 Symmetric Torque	麻面黑 Black Textured Coated	镀亚光 Gray Chrome
Free operating	2107-6000-B <sub>2</sub>	2107-6000-C <sub>2</sub>
1.36 N.m	2107-6012-B <sub>2</sub>	2107-6012-C <sub>2</sub>
2.26 N.m	2107-6020-B <sub>2</sub>	2107-6020-C <sub>2</sub>
3.16 N.m	2107-6028-B <sub>2</sub>	2107-6028-C <sub>2</sub>
4.07 N.m	2107-6036-B <sub>2</sub>	2107-6036-C <sub>2</sub>

不对称扭矩 Asymmetric Torque		麻面黑 Black Textured Coated	镀亚光 Gray Chrome
向前扭矩 Forward Torque	反向扭矩 Reversed Torque		
2.3 N.m	1.4 N.m	2107-6020F-B <sub>2</sub>	2107-6020F-C <sub>2</sub>
3.2 N.m	1.9 N.m	2107-6028F-B <sub>2</sub>	2107-6028F-C <sub>2</sub>
4.1 N.m	2.4 N.m	2107-6036F-B <sub>2</sub>	2107-6036F-C <sub>2</sub>
5.0 N.m	3.0 N.m	2107-6044F-B <sub>2</sub>	2107-6044F-C <sub>2</sub>
1.4 N.m	2.3 N.m	2107-6020R-B <sub>2</sub>	2107-6020R-C <sub>2</sub>
1.9 N.m	3.2 N.m	2107-6028R-B <sub>2</sub>	2107-6028R-C <sub>2</sub>
2.4 N.m	4.1 N.m	2107-6036R-B <sub>2</sub>	2107-6036R-C <sub>2</sub>
3.0 N.m	5.0 N.m	2107-6044R-B <sub>2</sub>	2107-6044R-C <sub>2</sub>




备注：  
1. 锌合金铰链叶片，不锈钢销子。  
2. 在静扭矩规格±20%范围内可循环25,000次。  
Remark:  
1. Zinc alloy hinge leaf, stainless steel pin.  
2. 25,000 cycles within ±20% of static torque.





产品系列：2108

大型Large Size




小型Small Size




尺寸 Sizes	圆形沉孔 Round Screw Hole	内六角沉孔 Hex Screw Hole
大型 Large Type	2108-63R-PA	2108-63H-PA
中型 Medium Type	2108-42R-PA	2108-42H-PA

备注：  
乙缩醛铰链叶片，聚碳酸酯销子，不锈钢调节螺丝和螺母。  
Remark:  
Acetal hinge leaf, Polycarbonate shaft, stainless steel adjusting screw and nut.

产品系列：2109、2110



额定扭矩 Torque Range	无光黑 Black Smooth Coated	镀亚光 Gray Chrome
0-2.0 N.m	2109-6555-B <sub>1</sub>	2109-6555-C <sub>2</sub>



额定扭矩 Torque Range	阳极氧化 黑色 Black Anodizing	阳极氧化 银色 Silver Anodizing
0-4.9 N.m	2110-6059-AzB	2110-6059-AzS




备注：  
锌合金铰链叶片和转轴，聚甲醛衬套。  
Remark:  
Zinc alloy hinge leaf and shaft, POM bushing.



备注：  
1. 铝合金铰链叶片，不锈钢转轴，塑料衬套。  
2. 使用六角扳手拧紧时，如果扭矩超过 1.5N.m，可能会导致铰链损坏。  
Remark:  
1. Aluminum alloy hinge leaf, stainless steel hex shaft, POM bushing.  
2. Hinge may be damaged when the tightening torque by allen key exceeds 1.5N.m.


产品系列：2111、2112

产品系列：2113、2114




尺寸 Sizes	L <sub>1</sub>	L <sub>2</sub>	A	B	T	D	H	额定扭矩 Torque	不锈钢 Stainless Steel
大型 Large Type	50	48	36	32	2.0	4.3	12.5	0.35 N.m	2111-5048-SS
中型 Medium Type	40	48	26	32	1.2	4.3	9	0.7 N.m	2111-4048-SS
小型 Small Type	32	36	18	21	1.2	4.3	8	1.5 N.m	2111-3236-SS



备注：  
不锈钢铰链叶片，聚甲醛衬套。  
Remark:  
Stainless steel hinge leaf, POM bushing.



额定扭矩 Torque	不锈钢 Stainless Steel
0.35 N.m	2113-03-SS
0.7 N.m	2113-06-SS




备注：  
不锈钢铰链，销子和铆钉，聚甲醛衬套。  
Remark:  
Stainless steel hinge leaf, shaft and rivet. POM bushing.



尺寸 Sizes	可调扭矩 Torque Range	不锈钢 Stainless Steel
大型 Large Type	0-6 N.m	2112-9082-SS
中型 Medium Type	0-2 N.m	2112-4540-SS

备注：  
不锈钢铰链叶片，销子和螺母，聚甲醛衬套。  
Remark:  
Stainless steel hinge leaf, POM bushing.



尺寸 Sizes	额定扭矩 Torque	左装 LH Version	右装 RH Version
大型 Large Type	4.5 N.m	2114-804L-SS	2114-804R-SS
中型 Medium Type	2.0 N.m	2114-662L-SS	2114-662R-SS
	3.0 N.m	2114-663L-SS	2114-663R-SS




备注：  
不锈钢铰链和铆钉，铜垫片，聚甲醛衬套。  
Remark:  
Stainless steel hinge leaf and rivet, brass washer, POM bushing.

产品系列：2300、2301


产品系列：2302、2303



备注：  
锌合金铰链，碳钢销子。  
Remark:  
Zinc alloy hinge, mild steel pin.



门板厚度 Panel Thickness TS	A	B	无光黑 Black Smooth Coated	镀亮铬 Bright Chrome
TS=1.5 MM	4.6 MM	15 MM	2300-1515-B <sub>1</sub>	2300-1515-C <sub>1</sub>
TS=2.0 MM	5.1 MM	15 MM	2300-1520-B <sub>1</sub>	2300-1520-C <sub>1</sub>
TS=1.5 MM	4.6 MM	17 MM	2300-1715-B <sub>1</sub>	2300-1715-C <sub>1</sub>
TS=2.0 MM	5.1 MM	17 MM	2300-1720-B <sub>1</sub>	2300-1720-C <sub>1</sub>
TS=1.5 MM	4.6 MM	19 MM	2300-1915-B <sub>1</sub>	2300-1915-C <sub>1</sub>
TS=2.0 MM	5.1 MM	19 MM	2300-1920-B <sub>1</sub>	2300-1920-C <sub>1</sub>




无光黑 Black Smooth Coated	喷蓝灰 RAL7012 Blue Grey
2302-B <sub>1</sub>	2302-RAL7012




备注：  
锌合金铰链，碳钢销子和卡片。  
Remark:  
Zinc alloy hinge, mild steel pin and clip.



备注：  
316 不锈钢铰链和销子。  
Remark:  
316 stainless steel hinge and pin.



门板厚度 Panel Thickness TS	不锈钢 Stainless Steel
TS=1.5 MM	2301-15-SS
TS=2.0 MM	2301-20-SS



门板厚度 Panel Thickness TS	无光黑 Black Smooth Coated	镀亮铬 Bright Chrome	不锈钢 Stainless Steel
TS=1.5 MM	2303-15-B <sub>1</sub>	2303-15-C <sub>1</sub>	/
TS=2.0 MM	2303-20-B <sub>1</sub>	2303-20-C <sub>1</sub>	2303-20-SS



备注：  
锌合金或不锈钢铰链，碳钢或不锈钢销子。  
Remark:  
Zinc alloy or stainless steel hinge, mild steel or stainless steel pin.



A+E型




C+E型



C+F型


备注：  
锌合金或不锈钢铰链，不锈钢转轴，铜垫片，塑料插销。  
Remark:  
Zinc alloy or stainless steel hinge, stainless steel shaft,  
brass washer, PA clamping pin.

产品系列：2304




类型 Type	锌合金 Zinc Alloy frame leaf and door leaf		铁框件，锌合金门件 Steel frame leaf, zinc die door leaf		不锈钢 Stainless Steel	
	左装 LH Version	右装 RH Version	左装 LH Version	右装 RH Version	左装 LH Version	右装 RH Version
A+E	2304-10L-B <sub>2</sub>	2304-10R-B <sub>2</sub>	/	/	/	/
C+E	2304-20L-B <sub>2</sub>	2304-20R-B <sub>2</sub>	2304-21L-B <sub>2</sub>	2304-21R-B <sub>2</sub>	/	/
C+F	2304-30L-B <sub>2</sub>	2304-30R-B <sub>2</sub>	2304-31L-B <sub>2</sub>	2304-31R-B <sub>2</sub>	2304-30L-SS	2304-30R-SS

产品系列：2305



类型 Type	螺丝孔 Screw Hole M4	螺丝孔 Screw Hole 6-32
左装 LH Version	2305-254L-B <sub>1</sub>	2305-251L-B <sub>1</sub>
右装 RH Version	2305-254R-B <sub>1</sub>	2305-251R-B <sub>1</sub>



类型 Type	螺丝孔 Screw Hole M5		螺丝孔 Screw Hole 10-32	
	无光黑 Black Smooth Coated	镀亮铬 Bright Chrome	无光黑 Black Smooth Coated	镀亮铬 Bright Chrome
左装 LH Version	2305-635L-B <sub>1</sub>	2305-635L-C <sub>1</sub>	2305-631L-B <sub>1</sub>	2305-631L-C <sub>1</sub>
右装 RH Version	2305-635R-B <sub>1</sub>	2305-635R-C <sub>1</sub>	2305-631R-B <sub>1</sub>	2305-631R-C <sub>1</sub>



备注：  
锌合金铰链。  
Remark:  
Zinc alloy hinge. Tapped hole size as request.



备注：  
锌合金铰链，塑料垫片。  
Remark:  
Zinc alloy hinge, PA washer. Tapped hole size as request.




备注：  
锌合金铰链，塑料垫片。  
Remark:  
Zinc alloy hinge, PA washer.




备注：  
锌合金铰链。  
Remark:  
Zinc alloy hinge. Tapped hole size as request.

产品系列：2306、2307

A型 Version A




B型 Version B



类型 Type	无光黑 Black Smooth Coated	镀亮铬 Bright Chrome
Version A	2306-630-B <sub>1</sub>	2306-630-C <sub>1</sub>
Version B	2306-631-B <sub>1</sub>	2306-631-C <sub>1</sub>

产品系列：2308、2309




尺寸 Sizes	安装方式 Mounting Type	类型 Version	碳钢 Mild Steel	不锈钢 Stainless Steel
L=55 MM	Screw-on	W/ SUS Cap	2308-5500-C <sub>3</sub>	2308-5500-SS
L=95 MM	Screw-on	W/ SUS Cap	2308-9500-C <sub>3</sub>	2308-9500-SS
	Screw-on	W/ M5 Tapped Hole	2308-9501-C <sub>3</sub>	2308-9501-SS
	Weld-on	W/ M5*12 Threaded Bolt	2308-9511-C <sub>3</sub>	2308-9511-SS




备注：  
碳钢或不锈钢铰链，不锈钢盖子。  
Remark:  
Mild steel or stainless steel hinge, stainless steel cap.



备注：  
锌合金铰链，碳钢或不锈钢销子。  
Remark:  
Zinc alloy hinge, mild steel or stainless steel pin.




安装方式 Mounting Type	螺纹孔 Tapped Hole	无光黑 Black Smooth Coated	镀亮铬 Bright Chrome
正面固定 Front Mount	通孔 Thru hole	2307-570-B <sub>1</sub>	2307-570-C <sub>1</sub>
隐藏式固定 Concealed Mount	英制 10-32 UNF	2307-571-B <sub>1</sub>	2307-571-C <sub>1</sub>
	公制 M5X0.8	2307-575-B <sub>1</sub>	2307-575-C <sub>1</sub>




无光黑 Black Smooth Coated	镀亮铬 Bright Chrome
2309-90-B <sub>1</sub>	2309-90-C <sub>1</sub>



小型 Small size




两节  
Two Joints




三节  
Three Joints

尺寸 Size	类型 Type	长度 Length	碳钢 Mild Steel	不锈钢 Stainless Steel
小型 Small Size	两节 Two Joints	L=25.6 MM	2310-S25-C <sub>3</sub>	2310-S25-SS
	三节 Three Joints	L=39.2 MM	2310-S39-C <sub>3</sub>	2310-S39-SS

大型 Large size



两节  
Two Joints




三节  
Three Joints

尺寸 Size	类型 Type	长度 Length	碳钢 Mild Steel	不锈钢 Stainless Steel
大型 Large Size	两节 Two Joints	L=32.5 MM	2310-L32-C <sub>3</sub>	2310-L32-SS
	三节 Three Joints	L=49 MM	2310-L49-C <sub>3</sub>	2310-L49-SS


产品系列：2310

产品系列：2310

小型 Small size



大型 Large size



尺寸 Sizes	长度 Length	A	碳钢 Mild Steel	不锈钢 Stainless Steel
小型 Small size	L=45 MM	30 MM	2310-S4530-C <sub>3</sub>	2310-S4530-SS
	L=53 MM	38 MM	2310-S5338-C <sub>3</sub>	2310-S5338-SS
大型 Large Size	L=50 MM	29 MM	2310-L5029-C <sub>3</sub>	2310-L5029-SS
	L=61 MM	40 MM	2310-L6140-C <sub>3</sub>	2310-L6140-SS




备注：  
碳钢或不锈钢铰链，销子和垫片。  
Remark:  
Mild steel or stainless steel hinge, pin and washer.

备注：  
碳钢或不锈钢铰链，销子和垫片。  
Remark:  
Mild steel or stainless steel hinge, pin and washer.




备注：  
锌合金或尼龙铰链，碳钢或不锈钢销子。  
Remark:  
Zinc alloy hinge, mild steel or stainless steel pin.

产品系列：2311



无光黑 Black Smooth Coated	镀亮铬 Bright Chrome	尼龙 PA66
2311-93-B <sub>1</sub>	2311-93-C <sub>1</sub>	2311-93-PA

产品系列：2312




尺寸 Sizes	A	B	B <sub>1</sub>	H	t	L	L <sub>1</sub>	d	D	d <sub>1</sub>	镀亮铬 Bright Chrome
L=60 MM	13	60	48	9.5	3	18	18	4.2	8	5	2312-60-C <sub>1</sub>
L=80 MM	14.5	80	68	11.5	4	27	20	4.5	9.4	6	2312-80-C <sub>1</sub>



备注：  
锌合金铰链，碳钢或不锈钢销子，铜垫片。  
Remark:  
Zinc alloy hinge, mild steel or stainless steel pin, brass washer.



备注：  
不锈钢铰链和销子。  
Remark:  
Stainless steel hinge and pin.




尺寸 Sizes	A	B	B <sub>1</sub>	H	t	L	L <sub>1</sub>	d	D	d <sub>1</sub>	不锈钢 Stainless Steel
L=35 MM	8	35	27	6	2	9	8	3.2	6.2	3	2312-35-SS
L=51 MM	11	51	40	8	2.5	15	14.4			4	2312-51-SS
L=60 MM	13	60	48	9.5	3	18	18	4.2	8.2	5	2312-60-SS
L=80 MM	14.5	80	68	11.5	4.5	27	27			6	2312-80-SS



备注：  
不锈钢铰链和销子。  
Remark:  
Stainless steel hinge and pin.

产品系列：2313、2314




不锈钢 Stainless Steel      2313-82-SS

产品系列：2315、2316




备注：  
不锈钢铰链和销子。  
Remark:  
316 Stainless steel hinge and pin.




不锈钢 Stainless Steel      2315-80-SS



备注：  
不锈钢铰链和销子。  
Remark:  
316 Stainless steel hinge and pin.



不锈钢 Stainless Steel      2314-80-SS



不锈钢 Stainless Steel      2316-76-SS



NEW



备注：  
不锈钢铰链和销子。  
Remark:  
316 Stainless steel hinge and pin.





产品系列：2317



类型 Type	无光黑 Black Smooth Coated	镀亮铬 Bright Chrome
Version A	2317-8901-B <sub>1</sub>	2317-8901-C <sub>1</sub>
Version B	2317-8902-B <sub>1</sub>	2317-8902-C <sub>1</sub>
Version C	2317-8903-B <sub>1</sub>	2317-8903-C <sub>1</sub>

备注：  
锌合金铰链，碳钢销子。  
Remark:  
Zinc alloy hinge, mild steel pin.

产品系列：2317



尺寸 Sizes	无光黑 Black Smooth Coated	镀亮铬 Bright Chrome	不锈钢 Stainless Steel
L=50 MM	2317-50-B <sub>1</sub>	2317-50-C <sub>1</sub>	2317-50-SS
L=80 MM	2317-80-B <sub>1</sub>	2317-80-C <sub>1</sub>	2317-80-SS

NEW




备注：  
锌合金或不锈钢铰链，碳钢或者不锈钢销子。  
Remark:  
Zinc alloy or stainless steel hinge, mild steel or stainless steel pin.




产品系列：2318

大型  
Large size




小型  
Small size



类型 Type	安装方式 Mounting Type	螺丝固定型 Screw-on Type		焊接固定型 Weld-on Type	
		碳钢 Mild Steel	不锈钢 Stainless Steel	碳钢 Mild Steel	不锈钢 Stainless Steel
Version A	左装 LH Version	2318-10L-C <sub>s</sub>	2318-10L-SS	2318-11L-C <sub>s</sub>	2318-11L-SS
	右装 RH Version	2318-10R-C <sub>s</sub>	2318-10R-SS	2318-11R-C <sub>s</sub>	2318-11R-SS
Version B	左装 LH Version	2318-20L-C <sub>s</sub>	2318-20L-SS	2318-21L-C <sub>s</sub>	2318-21L-SS
	右装 RH Version	2318-20R-C <sub>s</sub>	2318-20R-SS	2318-21R-C <sub>s</sub>	2318-21R-SS
Version C	左装 LH Version	2318-30L-C <sub>s</sub>	2318-30L-SS	2318-31L-C <sub>s</sub>	2318-31L-SS
	右装 RH Version	2318-30R-C <sub>s</sub>	2318-30R-SS	2318-31R-C <sub>s</sub>	2318-31R-SS

备注：  
碳钢或不锈钢铰链，销子和弹簧。  
Remark:  
Mild steel or stainless steel hinge, pin and spring.

产品系列：2318、2319




类型 Type	安装方式 Mounting Type	螺丝固定型 Screw-on Type		焊接固定型 Weld-on Type	
		碳钢 Mild Steel	不锈钢 Stainless Steel	碳钢 Mild Steel	不锈钢 Stainless Steel
Version D	左装 LH Version	2318-40L-C <sub>s</sub>	2318-40L-SS	2318-41L-C <sub>s</sub>	2318-41L-SS
	右装 RH Version	2318-40R-C <sub>s</sub>	2318-40R-SS	2318-41R-C <sub>s</sub>	2318-41R-SS



备注：  
碳钢或不锈钢铰链，销子和弹簧。  
Remark:  
Mild steel or stainless steel hinge, pin and spring.





备注：  
碳钢或不锈钢铰链，销子和螺栓。  
Remark:  
Mild steel or stainless steel hinge, pin and studs.



碳钢 Mild Steel	不锈钢 Stainless Steel
2319-11-C <sub>s</sub>	2319-11-SS


产品系列：2320




类型 Type	碳钢 Mild Steel	不锈钢 Stainless Steel
Version A	2320-10-C <sub>3</sub>	2320-10-SS
Version B	2320-20-C <sub>3</sub>	2320-20-SS

备注：  
碳钢或不锈钢铰链，销子和焊接件。  
Remark:  
Mild steel or stainless steel hinge, pin and welding part.

产品系列：2321、2322



类型 Type	碳钢 Mild Steel	不锈钢 Stainless Steel
单孔 Single Hole	2321-10-C <sub>3</sub>	2321-10-SS
双孔 Double Hole	2321-20-C <sub>3</sub>	2321-20-SS



碳钢 Mild Steel	不锈钢 Stainless Steel
2322-C <sub>3</sub>	2322-SS




备注：  
碳钢或不锈钢铰链，销子和焊接件。塑料卡扣。  
Remark:  
Mild steel or stainless steel hinge, pin and studs. PA clip.






注：  
碳钢或不锈钢铰链和销子。  
Remark:  
Mild steel or stainless steel hinge and pin.



产品系列：2323

高度 Height	碳钢 Mild Steel	不锈钢 Stainless Steel
H=22 MM	2323-101-C <sub>s</sub>	2323-101-SS
H=25 MM	2323-102-C <sub>s</sub>	2323-102-SS

产品系列：2323




高度 Height	碳钢 Mild Steel	不锈钢 Stainless Steel
H=20MM	2323-301-C <sub>s</sub>	2323-301-SS
H=24.5 MM	2323-302-C <sub>s</sub>	2323-302-SS




备注：  
碳钢或不锈钢铰链和销子。  
Remark:  
Mild steel or stainless steel hinge and pin.



备注：  
碳钢或不锈钢铰链和销子。  
Remark:  
Mild steel or stainless steel hinge and pin.



高度 Height	碳钢 Mild Steel	不锈钢 Stainless Steel
H=20.3 MM	2323-201-C <sub>s</sub>	2323-201-SS
H=21.5 MM	2323-202-C <sub>s</sub>	2323-202-SS




高度 Height	碳钢 Mild Steel	不锈钢 Stainless Steel
H=20MM	2323-401-C <sub>s</sub>	2323-401-SS
H=24.5 MM	2323-402-C <sub>s</sub>	2323-402-SS



备注：  
碳钢或不锈钢铰链和销子。  
Remark:  
Mild steel or stainless steel hinge and pin.




备注：  
碳钢或不锈钢铰链，塑料销子。  
Remark:  
Mild steel or stainless steel hinge, plastic pin.



碳钢 Mild Steel	不锈钢 Stainless Steel
2324-10-C <sub>3</sub>	2324-10-SS

产品系列：2324、2325

产品系列：2326




类型 Type	碳钢 Mild Steel	不锈钢 Stainless Steel
左装 LH Version	2326-60L-C <sub>3</sub>	2326-60L-SS
右装 RH Version	2326-60R-C <sub>3</sub>	2326-60R-SS




备注：  
碳钢或不锈钢铰链和销子，塑料卡扣。  
Remark:  
Mild steel or stainless steel hinge and pin, PA clip.



备注：  
碳钢或不锈钢铰链，销子和焊接件。  
Remark:  
Mild steel or stainless steel hinge, pin and welding part.



安装方式 Mounting Type	碳钢 Mild Steel	不锈钢 Stainless Steel
螺丝固定型 Screw-on Type	2325-10-C <sub>3</sub>	2325-10-SS
焊接固定型 Weld-on Type	2325-11-C <sub>3</sub>	2325-11-SS



碳钢 Mild Steel	不锈钢 Stainless Steel
2326-80-C <sub>3</sub>	2326-80-SS




备注：  
碳钢或不锈钢铰链和销子，塑料卡扣。  
Remark:  
Mild steel or stainless steel hinge and pin, PA clip.






备注：  
碳钢或不锈钢铰链，销子和弹簧。  
Remark:  
Mild steel or stainless steel hinge, pin and spring.



高度 Height	碳钢 Mild Steel	不锈钢 Stainless Steel
H=17 MM	2330-10-C <sub>3</sub>	2330-10-SS
H=20 MM	2330-20-C <sub>3</sub>	2330-20-SS
H=23.4 MM	2330-30-C <sub>3</sub>	2330-30-SS

产品系列：2330、2331

产品系列：2332、2333




碳钢 Mild Steel	不锈钢 Stainless Steel
2332-60-C <sub>3</sub>	2332-60-SS
2332-80-C <sub>3</sub>	2332-80-SS




备注：  
碳钢或不锈钢铰链和销子。  
Remark:  
Mild steel or stainless steel hinge and pin.



备注：  
塑料铰链，锌合金销子。  
Remark:  
PA hinge body, zinc alloy pin.



黑色PA	2331-PZ
------	---------





焊接件 Welding Part	镀锌 Zinc Plated	无光黑 Black Smooth Coated
通孔 Through Hole	2333-10-C <sub>3</sub>	2333-10-B <sub>1</sub>
螺纹孔 Threaded Hole M6	2333-11-C <sub>3</sub>	2333-11-B <sub>1</sub>



备注：  
碳钢铰链和销子。  
Remark:  
Mild steel hinge and pin.

产品系列：2334、2335

产品系列：2336





备注：  
碳钢或不锈钢铰链和销子。PA 销子套  
Remark:  
Mild steel or stainless steel hinge and pin. PA pin sleeve.

备注：  
不锈钢铰链和销子。  
Remark:  
Stainless steel hinge and pin.

碳钢 Mild Steel	不锈钢 Stainless Steel
2334-35-C <sub>3</sub>	2334-35-SS

碳钢 Mild Steel	不锈钢 Stainless Steel
2336-48-C <sub>3</sub>	2336-48-SS

RL NEW




备注：  
不锈钢铰链和销子。  
Remark:  
Stainless steel hinge and pin.

备注：  
锌合金静铰链，碳钢动铰链和销子。  
Remark:  
Zinc alloy door leaf, mild steel frame hinge and pin.

不锈钢 Stainless Steel	2335-80-SS

喷砂镀镍 Sandblasting Nickel Plated	麻面黑 Black Textured Coated
2336-48-S <sub>3</sub>	2336-48-B <sub>2</sub>


产品系列：2337



焊接件 Welding Part	喷砂 Sandblasting	无光黑 Black Smooth Coated	不锈钢 Stainless Steel
Version A	2337-10-S <sub>1</sub>	2337-10-B <sub>1</sub>	2337-10-SS
Version B	2337-11-S <sub>1</sub>	2337-11-B <sub>1</sub>	2337-11-SS

备注：  
锌合金或不锈钢铰链和焊接件，碳钢或不锈钢销子。  
Remark:  
Zinc alloy or stainless steel hinge and welding part,  
mild steel or stainless steel pin.


产品系列：2338、2339



碳钢 Mild Steel	不锈钢 Stainless Steel
2338-C <sub>3</sub>	2338-SS




备注：  
锌合金铰链，碳钢销子和焊接件。  
Remark:  
Zinc alloy hinge, mild steel pin and welding part.



喷砂 Sandblasting	麻面黑 Black Textured Coated
2337-20-S <sub>1</sub>	2337-20-B <sub>2</sub>

备注：  
锌合金铰链，碳钢销子和焊接件。  
Remark:  
Zinc alloy hinge, mild steel pin and welding part.



锌合金 Zinc Alloy	2339-C <sub>3</sub>




备注：  
锌合金铰链，碳钢销子和安装板。  
Remark:  
Zinc alloy frame-part and door-part, mild steel brack and pin.




备注：  
全不锈钢。  
Remark:  
Stainless steel for all parts.

产品系列：2340




类型 Type	不锈钢 Stainless Steel
A型 Version A	2340-10-SS
B型 Version B	2340-11-SS

产品系列：2350




备注：  
铰链材质可为碳钢，不锈钢或铝合金。  
销子和垫片材质可为碳钢，不锈钢或铜。  
Remark:  
Hinge body material can be mild steel, stainless steel or aluminum alloy.  
Hinge pin and washer material can be mild steel, stainless steel or brass.


L	D	d	S	铁铰链 + 铁销子 Steel Hinge & Pin		铁铰链 + 铜销子 Steel Hinge + Brass Pin		铝合金铰链 + 不锈钢销子 Aluminum Hinge + Stainless Steel Pin		全不锈钢 Stainless Steel Hinge & Pin	
				带油脂嘴 W/ Grease Nipple	不带油脂嘴 W/O Grease Nipple	带油脂嘴 W/ Grease Nipple	不带油脂嘴 W/O Grease Nipple	带油脂嘴 W/ Grease Nipple	不带油脂嘴 W/O Grease Nipple	带油脂嘴 W/ Grease Nipple	不带油脂嘴 W/O Grease Nipple
40	∅8	∅5	9.5	2350-401-MS	2350-400-MS	2350-401-MB	2350-400-MB	2350-401-AS	2350-400-AS	2350-401-SS	2350-400-SS
50	∅8	∅5	9.5	2350-501-MS	2350-500-MS	2350-501-MB	2350-500-MB	2350-501-AS	2350-500-AS	2350-501-SS	2350-500-SS
60	∅10	∅6	12.0	2350-601-MS	2350-600-MS	2350-601-MB	2350-600-MB	2350-601-AS	2350-600-AS	2350-601-SS	2350-600-SS
70	∅11.5	∅7	13.5	2350-701-MS	2350-700-MS	2350-701-MB	2350-700-MB	2350-701-AS	2350-700-AS	2350-701-SS	2350-700-SS
80	∅13	∅8	15.5	2350-801-MS	2350-800-MS	2350-801-MB	2350-800-MB	2350-801-AS	2350-800-AS	2350-801-SS	2350-800-SS
100	∅16	∅10	20.0	2350-101-MS	2350-100-MS	2350-101-MB	2350-100-MB	2350-101-AS	2350-100-AS	2350-101-SS	2350-100-SS
120	∅16	∅11	20.0	2350-121-MS	2350-120-MS	2350-121-MB	2350-120-MB	2350-121-AS	2350-120-AS	2350-121-SS	2350-120-SS
135	∅18	∅12	22.0	2350-136-MS	2350-135-MS	2350-136-MB	2350-135-MB	2350-136-AS	2350-135-AS	2350-136-SS	2350-135-SS
150	∅20	∅13	25.0	2350-151-MS	2350-150-MS	2350-151-MB	2350-150-MB	2350-151-AS	2350-150-AS	2350-151-SS	2350-150-SS
180	∅20	∅14	25.0	2350-181-MS	2350-180-MS	2350-181-MB	2350-180-MB	2350-181-AS	2350-180-AS	2350-181-SS	2350-180-SS
200	∅23	∅16	28.5	2350-201-MS	2350-200-MS	2350-201-MB	2350-200-MB	2350-201-AS	2350-200-AS	2350-201-SS	2350-200-SS



产品系列：3000



D	D <sub>1</sub>	d	H	h	内螺纹 Female Threaded	
					内嵌碳钢螺纹 Mild Steel Thread	内嵌铜螺纹 Brass Thread
32	15	M6	23	12	3000-3206-MS	3000-3206-BR
40	17.5	M8	27	20	3000-4008-MS	3000-4008-BR
50	20	M10	32	24	3000-5010-MS	3000-5010-BR
63	22	M12	38	25	3000-6312-MS	3000-6312-BR




D	D <sub>1</sub>	d	H	L	外螺纹 Male Threaded Bolt	
					碳钢螺栓 Mild Steel Bolt	不锈钢螺栓 Stainless Steel Bolt
32	15	M6	23	20/25/30/35/40/45	3000-3206*1-MS	3000-3206*1-SS
40	17.5	M8	27	15/20/25/30/35/40/45/50	3000-4008*1-MS	3000-4008*1-SS
50	20	M10	32	15/20/25/30/35/40/45/50/55	3000-5010*1-MS	3000-5010*1-SS
63	22	M12	38	20/25/30/35/40/45/50/55/60/65	3000-6312*1-MS	3000-6312*1-SS




备注：  
增强尼龙含 30% 纤维，内嵌铜或碳钢螺纹，  
碳钢或不锈钢螺栓，螺栓长度可根据客户要求提供。  
Remark:  
PA66,30%GF knob, brass or steel female thread;  
steel or stainless steel male threaded bolt. Bolt length as request.

机械配件  
Machinery Parts

产品系列：3001



D	D <sub>1</sub>	d	H	h	h <sub>1</sub>	内螺纹 Female Threaded	
						内嵌碳钢螺纹 Mild Steel Thread	内嵌铜螺纹 Brass Thread
32	15	M6	23	12	12	3001-3206-MS	3001-3206-BR
40	17.5	M8	27	20	14	3001-4008-MS	3001-4008-BR
50	20	M10	32	24	15	3001-5010-MS	3001-5010-BR
63	22	M16	38	25	17	3001-6316-MS	3001-6316-BR




D	D <sub>1</sub>	d	H	h <sub>1</sub>	L	外螺纹 Male Threaded Bolt	
						碳钢螺栓 Mild Steel Bolt	不锈钢螺栓 Stainless Steel Bolt
32	15	M6	23	12	20/25/30/35/40/45	3001-3206*1-MS	3001-3206*1-SS
40	17.5	M8	27	14	15/20/25/30/35/40/45/50	3001-4008*1-MS	3001-4008*1-SS
50	20	M10	32	15	15/20/25/30/35/40/45/50/55	3001-5010*1-MS	3001-5010*1-SS
63	22	M16	38	17	20/25/30/35/40/45/50/55/60/65	3001-6316*1-MS	3001-6316*1-SS


备注：  
增强尼龙含 30% 纤维，内嵌铜或碳钢螺纹，  
碳钢或不锈钢螺栓，螺栓长度可根据客户要求提供。  
Remark:  
PA66,30%GF knob, brass or steel female thread;  
steel or stainless steel male threaded bolt. Bolt length as request.

机械配件  
Machinery Parts

产品系列：3002



D	D <sub>1</sub>	d	H	h	h <sub>1</sub>	内螺纹 Female Threaded	
						内嵌碳钢螺纹 Mild Steel Thread	内嵌铜螺纹 Brass Thread
25	15	M6	20	12	9	3002-2506-MS	3002-2506-BR
32	18	M8	26	20	13	3002-3208-MS	3002-3208-BR
40	22	M8	30	20	15	3002-4008-MS	3002-4008-BR
50	29	M10	32	25	16	3002-5010-MS	3002-5010-BR
63	31	M16	38	28	18	3002-6316-MS	3002-6316-BR




D	D <sub>1</sub>	d	H	h <sub>1</sub>	L	外螺纹 Male Threaded Bolt	
						碳钢螺栓 Mild Steel Bolt	不锈钢螺栓 Stainless Steel Bolt
25	15	M6	20	9	10/15/20/25/30/35/40	3002-2506*1-MS	3002-2506*1-SS
32	18	M8	26	13	15/20/25/30/35/40/45/50	3002-3208*1-MS	3002-3208*1-SS
40	22	M8	30	15	15/20/25/30/35/40/45/50	3002-4008*1-MS	3002-4008*1-SS
50	29	M10	32	16	15/20/25/30/35/40/45/50/55	3002-5010*1-MS	3002-5010*1-SS
63	31	M16	38	18	20/25/30/35/40/45/50/55/60/65	3002-6316*1-MS	3002-6316*1-SS


备注：  
增强尼龙含 30% 纤维，内嵌铜或碳钢螺纹，  
碳钢或不锈钢螺栓，螺栓长度可根据客户要求提供。  
Remark:  
PA66,30%GF knob, brass or steel female thread;  
steel or stainless steel male threaded bolt. Bolt length as request.

机械配件  
Machinery Parts

产品系列：3003



D	D <sub>1</sub>	d	H	h	h <sub>1</sub>	内螺纹 Female Threaded	
						内嵌碳钢螺纹 Mild Steel Thread	内嵌铜螺纹 Brass Thread
25	15	M6	20	12	9	3003-2506-MS	3003-2506-BR
32	18	M8	26	16	13	3003-3208-MS	3003-3208-BR
40	22	M10	28	18	14	3003-4010-MS	3003-4010-BR
50	29	M12	32	25	15	3003-5012-MS	3003-5012-BR
63	31	M16	38	28	17	3003-6316-MS	3003-6316-BR
80	35	M16	55	28	28	3003-8016-MS	3003-8016-BR




D	D <sub>1</sub>	d	H	h <sub>1</sub>	l	外螺纹 Male Threaded Bolt	
						碳钢螺栓 Mild Steel Bolt	不锈钢螺栓 Stainless Steel Bolt
25	15	M6	20	9	10/15/20/25/30/35/40	3003-2506* <i>l</i> -MS	3003-2506* <i>l</i> -SS
32	18	M8	26	13	15/20/25/30/35/40/45/50	3003-3208* <i>l</i> -MS	3003-3208* <i>l</i> -SS
40	22	M10	28	14	15/20/25/30/35/40/45/50	3003-4010* <i>l</i> -MS	3003-4010* <i>l</i> -SS
50	29	M12	32	15	15/20/25/30/35/40/45/50/55	3003-5012* <i>l</i> -MS	3003-5012* <i>l</i> -SS
63	31	M16	38	17	20/25/30/35/40/45/50/55/60/65	3003-6316* <i>l</i> -MS	3003-6316* <i>l</i> -SS
80	35	M16	55	28	20/25/30/35/40/45/50/55/60/65	3003-8016* <i>l</i> -MS	3003-8016* <i>l</i> -SS


备注：  
胶木手柄，内嵌铜或碳钢螺纹，碳钢或不锈钢螺栓，  
螺栓长度可根据客户要求提供。  
Remark:  
Bakelite knob, brass or steel female thread;  
steel or stainless steel male threaded bolt. Bolt length as request.

机械配件  
Machinery Parts

产品系列：3010




D	D <sub>1</sub>	d	H	h	h <sub>1</sub>	内螺纹 Female Threaded
32	12	M6	21	12	12	3010-3206-SS
40	14	M8	25	15	13.6	3010-4008-SS
50	18	M10	31	18	17	3010-5010-SS
60	20	M12	37.5	22	20	3010-6012-SS




D	D <sub>1</sub>	d	H	h <sub>1</sub>	l	外螺纹 Male Threaded Bolt
32	12	M6	21	12	20/30/40	3010-3206* <i>l</i> -SS
40	14	M8	25	13.6	20/30/40	3010-4008* <i>l</i> -SS
50	18	M10	31	17	20/30/40	3010-5010* <i>l</i> -SS
60	20	M12	37.5	20	20/30/40/50	3010-6012* <i>l</i> -SS

备注：  
1. 不锈钢手柄和螺栓，螺栓长度可根据客户要求提供。  
2. 表面处理：喷砂或镜面抛光。  
3. 可定制 带螺纹通孔和带 H7 普通盲孔  
Remark:  
1. Stainless steel precision casting knob and threaded bolt.  
Bolt length as request.  
2. Surface finish can be matt shot-blasted or mirror polished.  
3. Threaded through hole and standard H7 hinge blind hole as request.

产品系列：3011




D	D <sub>1</sub>	d	H	h	h <sub>1</sub>	内螺纹 Female Threaded
40	14	M8	25	15	14	3011-4008-SS
50	18	M10	29	18	15	3011-5010-SS
63	20	M12	35	22	18	3011-6312-SS
80	25	M16	44	28	22	3011-8016-SS




D	D <sub>1</sub>	d	H	h <sub>1</sub>	l	外螺纹 Male Threaded Bolt
40	14	M8	25	14	20/30/40	3011-3208*1-SS
50	18	M10	29	15	20/30/40	3011-5010*1-SS
63	20	M12	35	18	30/40/50	3011-6312*1-SS
80	25	M16	44	22	30/40/50/60	3011-8016*1-SS

备注：  
1. 不锈钢手柄和螺杆，螺杆长度可根据客户要求提供。  
2. 表面处理：喷砂或镜面抛光。  
3. 可定制 带螺纹通孔和带 H7 普通盲孔  
Remark:  
1. Stainless steel knob and threaded bolt. Bolt length as request.  
2. Surface finish can be matt shot-blasted or mirror polished.  
3. Threaded through hole and standard H7 hinge blind hole as request.

产品系列：3012




D	D <sub>1</sub>	d	H	h	h <sub>1</sub>	内螺纹 Female Threaded
40	14	M8	24	15	12	3012-4008-SS
50	18	M10	30	18	16.5	3012-5010-SS
60	20	M12	37.5	22	20	3012-6012-SS




D	D <sub>1</sub>	d	H	h <sub>1</sub>	l	外螺纹 Male Threaded Bolt
40	14	M8	24	12	20/30/40	3012-3208*1-SS
50	18	M10	30	16.5	20/30/40	3012-5010*1-SS
60	20	M12	37.5	20	30/40/50	3012-6012*1-SS

备注：  
1. 不锈钢手柄和螺杆，螺杆长度可根据客户要求提供。  
2. 表面处理：喷砂或镜面抛光。  
3. 可定制 带螺纹通孔和带 H7 普通盲孔  
Remark:  
1. Stainless steel knob and threaded bolt. Bolt length as request.  
2. Surface finish can be matt shot-blasted or mirror polished.  
3. Threaded through hole and standard H7 hinge blind hole as request.

产品系列：3013





D	D <sub>1</sub>	d	H	h	h <sub>1</sub>	内螺纹 Female Threaded	
						铝合金手柄 Aluminum Alloy Knob	不锈钢手柄 Stainless Steel Knob
32	14.4	M6	24.4	15	12.5	3013-3206-AL	3013-3206-SS
40	18	M8	30.5	15	16	3013-4008-AL	3013-4008-SS
50	22.5	M10	38	20	20	3013-5010-AL	3013-5010-SS
60	27	M12	45.5	24	24	3013-6012-AL	3013-6012-SS





D	D <sub>1</sub>	d	H	h <sub>1</sub>	l	外螺纹 Male Threaded Bolt	
						铝合金手柄 Aluminum Alloy Knob	不锈钢手柄 Stainless Steel Knob
32	14.4	M6	24.4	12.5	10/20/30	3013-3206*1-AL	3013-3206*1-SS
40	18	M8	30.5	16	20/30/40	3013-4008*1-AL	3013-4008*1-SS
50	22.5	M10	38	20	20/30/40/50	3013-5010*1-AL	3013-5010*1-SS
60	27	M12	45.5	24	20/30/40/50	3013-6012*1-AL	3013-6012*1-SS

备注：  
1. 手柄材质可为不锈钢或铝合金，不锈钢螺栓，螺栓长度可根据客户要求提供。  
2. 表面处理：喷砂或镜面抛光，铝合金氧化处理。  
3. 可定制 带螺纹通孔和带 H7 普通盲孔。  
Remark:  
1. Stainless steel or aluminum alloy for knob, stainless steel threaded bolt. Bolt length as request.  
2. Surface finish can be matt shot-blasted or mirror polished or anodized.  
3. Threaded through hole and standard H7 hinge blind hole as request.

产品系列：3014



D	D <sub>1</sub>	d	H	h	h <sub>1</sub>	T	内螺纹 Female Threaded
44	13	M5	23	11	5	6	3014-4405-SS
44	13	M6	23	11	5	6	3014-4406-SS
44	13	M8	23	11	5	6	3014-4408-SS
60	17	M8	31	11	7	8	3014-6008-SS
60	17	M10	31	11	7	8	3014-6010-SS




D	D <sub>1</sub>	d	H	h <sub>1</sub>	T	l	外螺纹 Male Threaded Bolt
44	13	M5	23	5	6	20	3014-4405*1-SS
44	13	M6	23	5	6	20/30	3014-4406*1-SS
44	13	M8	23	5	6	20/30	3014-4408*1-SS
60	17	M8	31	7	8	30/40	3014-6008*1-SS
60	17	M10	31	7	8	30/40	3014-6010*1-SS

备注：  
1. 不锈钢手柄和螺栓，螺栓长度可根据客户要求提供。  
2. 可定制 带螺纹通孔。  
Remark:  
1. Stainless steel knob and threaded bolt. Bolt length as request.  
2. Threaded through hole as request.




机械配件  
Machinery Parts

产品系列：3021



L	D <sub>1</sub>	d	H	h	W	内螺纹 Female Threaded	
						内嵌碳钢螺纹 Mild Steel Thread	内嵌铜螺纹 Brass Thread
66	16	M8	38	16	17	3021-6608-MS	3021-6608-BR
80	20	M10	42	20	21	3021-8010-MS	3021-8010-BR
94	21	M10	46	20	21	3021-9410-MS	3021-9410-BR




L	D <sub>1</sub>	d	H	W	l	外螺纹 Male Threaded Bolt	
						碳钢螺栓 Mild Steel Bolt	不锈钢螺栓 Stainless Steel Bolt
66	16	M8	38	17	25	3021-6608*1-MS	3021-6608*1-SS
80	20	M10	42	21	20/25	3021-8010*1-MS	3021-8010*1-SS
94	21	M10	46	21	20/25/30	3021-9410*1-MS	3021-9410*1-SS


备注：  
增强尼龙含 30% 纤维，内嵌铜或碳钢螺纹，  
碳钢或不锈钢螺栓，螺栓长度可根据客户要求提供。  
Remark:  
PA66,30%GF knob, brass or steel female thread;  
steel or stainless steel male threaded bolt. Bolt length as request.

机械配件  
Machinery Parts

产品系列：3022



R	D <sub>1</sub>	d	H	h	h <sub>1</sub>	内螺纹 Female Threaded	
						内嵌碳钢螺纹 Mild Steel Thread	内嵌铜螺纹 Brass Thread
45	11.5	M5	34	9	6	3022-4505-MS	3022-4505-BR
45	11.5	M6	34	9	6	3022-4506-MS	3022-4506-BR
65	15.5	M8	46	13	9	3022-6508-MS	3022-6508-BR
80	18.5	M10	55	17	10	3022-8010-MS	3022-8010-BR
95	21.5	M12	64	22	12	3022-9512-MS	3022-9512-BR




R	D <sub>1</sub>	d	H	h <sub>1</sub>	l	外螺纹 Male Threaded Bolt	
						碳钢螺栓 Mild Steel Bolt	不锈钢螺栓 Stainless Steel Bolt
45	11.5	M5	34	6	15/20/25/30	3022-4505*1-MS	3022-4505*1-SS
45	11.5	M6	34	6	15/20/25/30	3022-4506*1-MS	3022-4506*1-SS
65	15.5	M8	46	9	20/25/30/40/50	3022-6508*1-MS	3022-6508*1-SS
80	18.5	M10	55	10	20/25/30/40/50	3022-8010*1-MS	3022-8010*1-SS
95	21.5	M12	64	12	25/30/40/50/60	3022-9512*1-MS	3022-9512*1-SS


备注：  
增强尼龙含 30% 纤维，内嵌铜或碳钢螺纹，  
碳钢或不锈钢螺栓，螺栓长度可根据客户要求提供。  
Remark:  
PA66,30%GF knob, brass or steel female thread;  
steel or stainless steel male threaded bolt. Bolt length as request.

机械配件  
Machinery Parts

产品系列：3023



R	d	d <sub>1</sub>	H	h	h <sub>1</sub>	内螺纹 Female Threaded
50	M6	10	35	9	8	3023-5006-MS
63	M8	13	44	11	10	3023-6308-MS
80	M10	16	54	15	11	3023-8010-MS
95	M12	19	61	18	11	3023-9512-MS
114	M16	22	69	20	18	3023-11416-MS





R	d	d <sub>1</sub>	H	h <sub>1</sub>	l	外螺纹 Male Threaded Bolt
50	M6	10	35	6	16/20/25/30	3023-5006*1-MS
63	M8	13	44	10	16/20/25/32/40	3023-6308*1-MS
80	M10	16	54	11	25/32/40/50	3023-8010*1-MS
95	M12	19	61	11	25/32/40/50/63	3023-9512*1-MS
114	M16	22	69	14	40/50/63	3023-11416*1-MS

备注：  
锌合金手柄，碳钢螺纹衬套，固定螺钉和螺杆。  
螺杆长度可根据客户要求提供。  
Remark:  
Zinc alloy handle, steel threaded bush and retaining screw.  
Bolt length as request.

机械配件  
Machinery Parts

产品系列：3031




D	d	h	内螺纹 Female Threaded			H	l	外螺纹 Male Threaded Bolt
			无嵌件螺纹 Tapped Hole W/O Bushing	内嵌碳钢螺纹 Mild Steel Thread	内嵌铜螺纹 Brass Thread			
16	M3	6	3031-1603-PF	3031-1603-MS	3031-1603-BR	15	as request	3031-1603*1-MS
16	M4	8	3031-1604-PF	3031-1604-MS	3031-1604-BR	15		3031-1604*1-MS
16	M5	10	3031-1605-PF	3031-1605-MS	3031-1605-BR	15		3031-1605*1-MS
20	M5	10	3031-2005-PF	3031-2005-MS	3031-2005-BR	18.5		3031-2005*1-MS
20	M6	12	3031-2006-PF	3031-2006-MS	3031-2006-BR	18.5		3031-2006*1-MS
25	M6	12	3031-2506-PF	3031-2506-MS	3031-2506-BR	22.5		3031-2506*1-MS
25	M8	16	3031-2508-PF	3031-2508-MS	3031-2508-BR	22.5		3031-2508*1-MS
30	M8	16	3031-3008-PF	3031-3008-MS	3031-3008-BR	28		3031-3008*1-MS
32	M8	20	3031-3208-PF	3031-3208-MS	3031-3208-BR	29		3031-3208*1-MS
32	M10	20	3031-3210-PF	3031-3210-MS	3031-3210-BR	29		3031-3210*1-MS
35	M10	20	3031-3510-PF	3031-3510-MS	3031-3510-BR	31.5		3031-3510*1-MS
40	M10	20	3031-4010-PF	3031-4010-MS	3031-4010-BR	36.5		3031-4010*1-MS
40	M12	25	3031-4012-PF	3031-4012-MS	3031-4012-BR	36.5		3031-4012*1-MS
50	M12	25	3031-5012-PF	3031-5012-MS	3031-5012-BR	46		3031-5012*1-MS
50	M14	25	3031-5014-PF	3031-5014-MS	3031-5014-BR	46		3031-5014*1-MS
50	M16	28	3031-5016-PF	3031-5016-MS	3031-5016-BR	46	3031-5016*1-MS	

备注：  
1. 胶木手柄，内嵌铜或碳钢螺纹，碳钢或不锈钢螺杆，  
螺杆长度可根据客户要求提供。  
2. 颜色可选红色，橙色和黑色。  
Remark:  
1. Bakelite(PF) knob, tapped hole without bushing or with brass or  
mild steel bushing; steel male threaded bolt. Bolt length as request.  
2. Default color black, red and orange as request.


机械配件  
Machinery Parts

产品系列：3032、3033



L	D	d	d <sub>1</sub>	H	h	S	胶木手柄 Bakelite Knob
50	22	16	3	66	16	M4	3032-5004-PF
50	22	16	3	66	16	M5	3032-5005-PF
63	25	20	3	84	20	M6	3032-6306-PF
80	26	20	3	100	20	M6	3032-8006-PF
100	28	20	3	120	20	M6	3032-1006-PF

备注：  
胶木手柄，碳钢折叠机构组件。  
Remark:  
Bakelite(PF) knob, steel retractable mechanism.



D	D <sub>1</sub>	d	H	h <sub>1</sub>	l	外螺纹 Male Threaded Bolt	
						碳钢螺栓 Mild Steel Bolt	不锈钢螺栓 Stainless Steel Bolt
16	12	M4	11	3	10/15	3033-1604*1-MS	3033-1604*1-SS
20	14	M5	14	4	10/15/20/25	3033-2005*1-MS	3033-2005*1-SS
25	17	M6	17	5	10/15/20/25/30	3033-2506*1-MS	3033-2506*1-SS
25	17	M8	17	5	10/15/20/25/30	3033-2508*1-MS	3033-2508*1-SS
32	23	M8	21	6	15/20/25/30/35/40	3033-3208*1-MS	3033-3208*1-SS
40	30	M10	23	7	15/20/25/30/35/40	3033-4010*1-MS	3033-4010*1-SS


备注：  
胶木手柄，内嵌铜或碳钢螺纹，碳钢或不锈钢螺栓，  
螺栓长度可根据客户要求提供。  
Remark:  
Bakelite knob, brass or steel female thread;  
steel or stainless steel male threaded bolt. Bolt length as request.

拉手系列  
Pull Handles Series




# 拉手 Pull Handles

产品系列：5000、5001



中型 Middle size L=122 mm	5000-122-PA
长型 Long size L=150 mm	5000-150-PA

备注：  
增强尼龙含 30% 玻璃纤维。  
Remark:  
PA6 GF30% reinforced.




A	B	H	h	h <sub>1</sub>	h <sub>2</sub>	d	d <sub>1</sub>	d <sub>2</sub>	铝合金 AL Alloy
90	20	36	6	7	12	M6	6.5	12	5001-9006-AL
120	26	40	7	9	15	M8	8.5	15	5001-1208-AL
180	28	50	8	9	18	M8	8.5	15	5001-1808-AL

备注：  
铝合金拉手，表面喷塑。  
Remark:  
Aluminum alloy handle, black powder coated.

# 拉手 Pull Handles



产品系列：5002、5003



黑色 PA Black	5002-185-PAB
深灰色 Dark Grey	5002-185-PAG



备注：  
增强尼龙含 30% 玻璃纤维。  
Remark:  
PA6 GF30% reinforced.



黑色 PA Black	5003-132-PA
-------------	-------------




备注：  
ABS 拉手，内嵌铜螺纹。  
Remark:  
ABS handle, with brass female thread.

拉手  
Pull Handles

产品系列：5004、5005




备注：  
胶木把手，内嵌铜螺纹。  
Remark:  
Bakelite(PF) handle,tapped hole with brass bushing.



A	B	H	d	h	h <sub>1</sub>	黑色 Black	红色 Red
90	23	44	M6	16	13	5004-9006-B	5004-9006-R
100	24	55	M6	18	13	5004-1006-B	5004-1006-R
120	30	60	M8	20	17	5004-1208-B	5004-1208-R
180	29	60	M8	20	19	5004-1808-B	5004-1808-R
240	29	62	M8	22	20	5004-2408-B	5004-2408-R

拉手  
Pull Handles

产品系列：5006、5007




喷塑 Black Powder Coated 5006-239-B<sub>1</sub>





备注：  
锌合金把手，表面喷塑。  
Remark:  
Zinc alloy handle,black powder coated.



备注：  
麻面黑色涂层钢管，尼龙端件。  
Remark:  
Steel tube,black textured finish, PA6 GF30% reinforced base.



中间件 Middle Base	5005-01				
端件 Ending Base	5005-02				
L	A	直径 30mm 钢管 Steel Tube Dia 30mm	L	A	直径 30mm 钢管 Steel Tube Dia 30mm
266	300	5005-03-300	366	400	5005-03-400
466	500	5005-03-500	566	600	5005-03-600
666	700	5005-03-700	766	800	5005-03-800






黑色 PA Black 5007-178-PA



备注：  
ABS 拉手和盖子。  
Remark:  
ABS handle.

# 拉手 Pull Handles

产品系列：5008



门板开孔  
Panel cutout


黑色 PA Black	5008-81-PA
-------------	------------

备注：  
尼龙拉手，不锈钢螺丝和销子。  
Remark:  
PA handle, stainless steel screw and pin.

# 拉手 Pull Handles

产品系列：5009


大型 Large size



开孔尺寸 Panel cutout

门板厚度 Ts(mm)	X	Y
1.5~2	49.8 +0.2	99.5
2~3	50 +0.3	99.5

小型 Small size



开孔尺寸 Panel cutout

门板厚度 Ts(mm)	X	Y
0.75~1	35 +0.2	85 +0.3
1~2	36 +0.2	85 +0.3

长款 Long Type		短款 Short Type	
门板厚度 Panel Thickness	黑色 PA	门板厚度 Panel Thickness	黑色 PA
1.5-2.0 MM	5009-1101-PA	0.75-1.0 MM	5009-9401-PA
2.0-3.0 MM	5009-1102-PA	1.0-2.0 MM	5009-9402-PA


备注：  
增强尼龙含 30% 玻璃纤维。  
Remark:  
PA6 GF30% reinforced.




拉手  
Pull Handles

产品系列：5010

大型 Large size



小型 Small size




门板厚度 Panel Thickness	黑色 PA	
	长款 Long Type	短款 Short Type
1.0-1.4 MM	5010-1361-PA	5010-931-PA
1.4-1.8 MM	5010-1362-PA	5010-932-PA
1.8-2.1 MM	5010-1363-PA	5010-933-PA
2.1-2.5 MM	5010-1364-PA	5010-934-PA

备注：  
ABS 拉手。  
Remark:  
ABS handle.


拉手  
Pull Handles

产品系列：5011、5012




门板厚度 Panel Thickness	黑色 PA	门板厚度 Panel Thickness	黑色 PA
1.0-1.8 MM	5011-1231-PA	3.3-4.8 MM	5011-1233-PA
1.8-3.3 MM	5011-1232-PA	4.8-6.3 MM	5011-1234-PA

备注：  
ABS 拉手。  
Remark:  
ABS handle.



标志区，客户可打印自己的标志  
Customer special logo can be here.  
标志尺寸：50X80 Logo size: 50X80



门板厚度 Panel Thickness	黑色 PA
0.8-1.2 MM	5012-1131-PA
1.2-1.6 MM	5012-1132-PA
1.75-2.2 MM	5012-1133-PA

备注：  
增强尼龙含 30% 玻璃纤维。  
Remark:  
PA6 GF30% reinforced.


# 拉手 Pull Handles

产品系列：5013、5014、5015

STAINLESS SERIES




备注：  
不锈钢拉手，表面拉丝。  
Remark:  
Stainless steel handle, satin finish.



不锈钢 Stainless Steel	5013-110-SS
---------------------	-------------



备注：  
锌合金拉手，表面喷塑或喷砂镀铬。  
Remark:  
Zinc alloy handle, black powder coated or sandblasting chrome.




无光黑 Black Coated	5014-130-B <sub>1</sub>
喷沙镀铬 Sandblasted Chrome	5014-130-S <sub>2</sub>

NEW



备注：  
锌合金拉手，麻面黑。  
Remark:  
Zinc alloy handle, black textured coated.




麻面黑 Black Textured Coated	5015-133-B <sub>2</sub>
---------------------------	-------------------------

# 拉手 Pull Handles

产品系列：5016、5017

可折叠式拉手 Folding Handles




长度 Length	H=41.5 Ø 9.0		H=51.5 Ø 9.0	
	碳钢 Mild Steel	不锈钢 Stainless Steel	碳钢 Mild Steel	不锈钢 Stainless Steel
L=90 MM	5016-9041-MS	5016-9041-SS	5016-9051-MS	5016-9051-SS
L=100 MM	5016-1041-MS	5016-1041-SS	5016-1051-MS	5016-1051-SS
L=120 MM	5016-1241-MS	5016-1241-SS	5016-1251-MS	5016-1251-SS
L=135 MM	5016-1341-MS	5016-1341-SS	5016-1351-MS	5016-1351-SS
L=150 MM	5016-1541-MS	5016-1541-SS	5016-1551-MS	5016-1551-SS

STAINLESS SERIES



备注：  
碳钢或不锈钢拉手，镀铬表面处理。  
Remark:  
Mild steel or stainless steel handle. Chrome plated.




L	A	H	D	d	碳钢 Mild Steel	不锈钢 Stainless Steel
L=90 MM	Ø9	32	2-Ø6	2-M5	5017-90-MS	5017-90-SS
L=100 MM	Ø9	32	2-Ø6	2-M5	5017-100-MS	5017-100-SS
L=120 MM	Ø9	40	2-Ø6	2-M5	5017-120-MS	5017-120-SS
L=135 MM	Ø9	32	2-Ø6	2-M5	5017-135-MS	5017-135-SS
L=150 MM	Ø9	40	2-Ø6	2-M5	5017-150-MS	5017-150-SS



备注：  
碳钢或不锈钢拉手，镀铬表面处理。  
Remark:  
Mild steel or stainless steel handle. Chrome plated.

# 拉手 Pull Handles

产品系列：5018、5019




开孔尺寸  
Panel Cutout

L	A	B	H	铝合金 Aluminum
L=100 MM	8	7	32	5018-100-Nm
L=125 MM	11	9.5	50	5018-125-Nm
L=130 MM	16	9.5	40	5018-130-Nm

备注：  
铝合金拉手，纳米亚光表面处理。  
Remark:  
Aluminum alloy handle, Nano spray painting.

# 拉手 Pull Handles


产品系列：5020、5021



碳钢电泳黑 Mild Steel	5020-155-MS
不锈钢 Stainless Steel	5020-155-SS




备注：  
碳钢或不锈钢拉手，电泳黑表面处理。  
Remark:  
Mild steel or stainless steel plate and rubber wrapped handle, stainless steel spring. Black Electrophoresis finish.



开孔尺寸  
Panel Cutout

锌合金 Zinc Alloy	5019-104-Nm
----------------	-------------

备注：  
锌合金拉手，纳米亚光表面处理。  
Remark:  
Zinc alloy handle, Nano spray painting.





碳钢喷塑 Mild Steel	5021-131-MS
不锈钢 Stainless Steel	5021-131-SS



备注：  
碳钢或不锈钢拉手，电泳黑表面处理。  
Remark:  
Mild steel or stainless steel plate and rubber wrapped handle, stainless steel spring. Chrome plated finish.

门限位与支撑杆系列  
Door Supporter & Stopper Series



M001



M002



M002



M003



M004



M005



M006



M007



# 门限位与支撑杆 Door Supporter & Stopper

产品系列：6000



RL



长型 Long size



短型 Short size




备注：  
碳钢，镀镍表面处理。  
Remark:  
Mild steel, nickel plated finish.

尺寸 Sizes	LH Version	RH Version
长款 Long Type	6000-L1-C <sub>4</sub>	6000-R1-C <sub>4</sub>
短款 Short Type	6000-L2-C <sub>4</sub>	6000-R2-C <sub>4</sub>

# 门限位与支撑杆 Door Supporter & Stopper


产品系列：6001、6002

RL



LH Version	RH Version
6001-L-C <sub>4</sub>	6001-R-C <sub>4</sub>

备注：  
碳钢，镀镍表面处理。  
Remark:  
Mild steel, nickel plated finish.




LH Version	RH Version
6002-L-C <sub>4</sub>	6002-R-C <sub>4</sub>

备注：  
碳钢，镀镍表面处理。  
Remark:  
Mild steel, nickel plated finish.




# 门限位与支撑杆 Door Supporter & Stopper

产品系列：6003



左开  
Left opening




右开  
Right opening

备注：  
碳钢或不锈钢，镀锌表面处理。  
Remark:  
Mild steel or stainless steel, nickel plated finish.


材质 Material	LH Version	RH Version
碳钢 Mild Steel	6003-L-C <sub>4</sub>	6003-R-C <sub>4</sub>
不锈钢 Stainless Steel	6003-L-SS	6003-R-SS

# 门限位与支撑杆 Door Supporter & Stopper

产品系列：6004



短型 Short size




尺寸 Sizes	碳钢 Mild Steel	不锈钢 Stainless Steel
长款 Long Type	6004-1-C <sub>4</sub>	6004-1-C <sub>4</sub>
短款 Short Type	6004-2-SS	6004-2-SS

# 门限位与支撑杆 Door Supporter & Stopper

产品系列：6005

RLS  
STAINLESS  
SERIES



W	X	Y	minimal door width
90°	140	180	403
105°	120	166	389
120°	110	150	373
135°	100	146	369


W	X	Y	碳钢 Mild Steel	不锈钢 Stainless Steel
90°	140	180	6005-90-C <sub>s</sub>	6005-90-SS
105°	120	166	6005-105-C <sub>s</sub>	6005-105-SS
120°	110	150	6005-120-C <sub>s</sub>	6005-120-SS
135°	100	146	6005-135-C <sub>s</sub>	6005-135-SS

备注：  
碳钢或不锈钢，镀锌表面处理。  
Remark:  
Mild steel or stainless steel, nickel plated finish.


# 门限位与支撑杆 Door Supporter & Stopper

产品系列：6006

长型 Long size



短型 Short size



尺寸 Sizes	碳钢 Mild Steel
长款 Long Type	6006-1-C <sub>s</sub>
短款 Short Type	6006-2-C <sub>s</sub>

RL




备注：  
碳钢，镀锌表面处理。  
Remark:  
Mild steel, zinc plated finish.


# 门限位与支撑杆 Door Supporter & Stopper

产品系列：6007

RL



止口 Stop	长型 Long size L 伸出 L Extended	短型 Short size L 伸出 L Extended
1.	234.5	164
2.	248	177
3.	261	189.5
4.	274.5	202
5.	288	214.5
6.	301	
7.	314.5	
8.	327	
9.	340.5	
10.	354	




Mounting bracket (screw and selflocking not include)  
Note: The cover stay is sold with mounting bracket and related accessories together as standard.


尺寸 Sizes	Stops Qty	碳钢 Mild Steel
长款 Long Type	10	6007-10-C <sub>3</sub>
短款 Short Type	5	6007-5-C <sub>3</sub>

备注：  
碳钢，镀锌表面处理。  
Remark:  
Mild steel, zinc plated finish.


# 锁配件系列 Lock Accessories Series



锁配件·锁片  
Lock Accessories·Cam




锁配件·锁片  
Lock Accessories·Cam



Notes:  
Optional GH size : 18mm,30mm,36mm,40mm,50mm,60mm.


The H dimension will be reduced by 2.4 mm  
when used with the pull tab PL01 series.





备注：  
碳钢或不锈钢材料，镀锌表面处理，厚度可选 3mm 或 4mm。  
Remark:  
Mild steel or stainless steel, zinc plated finish.  
Thickness available for 3mm and 4 mm.

折弯高度 BH	单点锁片 Single Point Cam				三点锁片带铆钉 Three-point Cam With Rivet	
	Mild Steel or Stainless Steel L=45 MM		Mild Steel or Stainless Steel L=35 MM		Mild Steel or Stainless Steel	L=45 MM
	带定位点 W/ Stoper	无定位点 W/O Stoper	带定位点 W/ Stoper	无定位点 W/O Stoper	带定位点 W/ Stoper	无定位点 W/O Stoper
-16	S1B45-16	S1B450-16	/	/		
-14	S1B45-14	S1B450-14	/	/	S3B45-14	S3B450-14
-12	S1B45-12	S1B450-12	S1B35-12	S1B350-12	S3B45-12	S3B450-12
-10	S1B45-10	S1B450-10	S1B35-10	S1B350-10	S3B45-10	S3B450-10
-8	S1B45-08	S1B450-08	S1B35-08	S1B350-08	S3B45-08	S3B450-08
-5	S1B45-05	S1B450-05	S1B35-05	S1B350-05	S3B45-05	S3B450-05
-4	S1B45-04	S1B450-04	S1B35-04	S1B350-04	S3B45-04	S3B450-04
-2	S1B45-02	S1B450-02	S1B35-02	S1B350-02	S3B45-02	S3B450-02
0	S1B45-00	S1B450-00	S1B35-00	S1B350-00	S3B45-00	S3B450-00
2	S1B45+02	S1B450+02	S1B35+02	S1B350+02	S3B45+02	S3B450+02
4	S1B45+04	S1B450+04	S1B35+04	S1B350+04	S3B45+04	S3B450+04
6	S1B45+06	S1B450+06	S1B35+06	S1B350+06	S3B45+06	S3B450+06
7	S1B45+07	S1B450+07	S1B35+07	S1B350+07	S3B45+07	S3B450+07
8	S1B45+08	S1B450+08	S1B35+08	S1B350+08	S3B45+08	S3B450+08
10	S1B45+10	S1B450+10	S1B35+10	S1B350+10	S3B45+10	S3B450+10
12	S1B45+12	S1B450+12	S1B35+12	S1B350+12	S3B45+12	S3B450+12
14	S1B45+14	S1B450+14	S1B35+14	S1B350+14	S3B45+14	S3B450+14
15	S1B45+15	S1B450+15	S1B35+15	S1B350+15	S3B45+15	S3B450+15
16	S1B45+16	S1B450+16	S1B35+16	S1B350+16	S3B45+16	S3B450+16
17	S1B45+17	S1B450+17	S1B35+17	S1B350+17	S3B45+17	S3B450+17
18	S1B45+18	S1B450+18	S1B35+18	S1B350+18	S3B45+18	S3B450+18
20	S1B45+20	S1B450+20	S1B35+20	S1B350+20	S3B45+20	S3B450+20
22	S1B45+22	S1B450+22	S1B35+22	S1B350+22	S3B45+22	S3B450+22
24	S1B45+24	S1B450+24	S1B35+24	S1B350+24	S3B45+24	S3B450+24
26	S1B45+26	S1B450+26	S1B35+26	S1B350+26	S3B45+26	S3B450+26
27	S1B45+27	S1B450+27	/	/	S3B45+27	S3B450+27
29	S1B45+29	S1B450+29	/	/	S3B45+29	S3B450+29
32	S1B45+32	S1B450+32	/	/	S3B45+32	S3B450+32
35	S1B45+35	S1B450+35	/	/	S3B45+35	S3B450+35
37	S1B45+37	S1B450+37	/	/	S3B45+37	S3B450+37


锁配件·锁片  
Lock Accessories·Cam




Offset Type




Reversed Type




折弯高度 BH	锁紧间距 Grip Range	锁片类型 Cam Type
/	/	/
/	/	/
-14	2	S1C45-14
-12	4	S1C45-12
-10	6	S1C45-10
-8	8	S1C45-08
-6	10	S1C45-06
-4	10	S1C45-04
-2	14	S1C45-02
0	16	S1C45-00
2	18	S1C45+02
4	20	S1C45+04
6	22	S1C45+06
8	24	S1C45+08
10	26	S1C45+10
12	28	S1C45+12
14	30	S1C45+14
16	32	S1C45+16
18	34	S1C45+18
20	36	S1C45+20



Offset Type




Reversed Type



折弯高度 BH	锁紧间距 Grip Range	锁片类型 Cam Type
-18	15	S1D45-18
-16	17	S1D45-16
-14	19	S1D45-14
-12	21	S1D45-12
-10	23	S1D45-10
-8	25	S1D45-08
-6	27	S1D45-06
-4	29	S1D45-04
-2	31	S1D45-02
0	33	S1D45-00
2	35	S1D45+02
4	37	S1D45+04
6	39	S1D45+06
8	41	S1D45+08
10	43	S1D45+10
12	45	S1D45+12
14	47	S1D45+14
16	49	S1D45+16
18	51	S1D45+18
20	53	S1D45+20


备注：  
碳钢或不锈钢材料，镀锌表面处理。  
Remark:  
Mild steel or stainless steel, zinc plated finish.

锁配件·锁片  
Lock Accessories·Cam




备注：  
碳钢或不锈钢材料，镀锌表面处理。  
Remark:  
Mild steel or stainless steel, zinc plated finish.

折弯高度 BH	中心距 L=25	中心距 L=20
0	S1B25-00	S1B20-00




备注：  
碳钢或不锈钢材料，镀锌表面处理。  
Remark:  
Mild steel or stainless steel, zinc plated finish.

折弯高度 BH	中心距 L=60	中心距 L=63	中心距 L=73
0	/	/	S1L73-00
2	S1L60+02	/	/
14	/	S1L63+14	/



备注：  
碳钢或不锈钢材料，镀锌表面处理。  
Remark:  
Mild steel or stainless steel, zinc plated finish.

折弯高度 BH	中心距 L=60	中心距 L=81	中心距 L=88
0	/	/	S1T88-00
12	S1T60+12	/	/
18	/	S1T81+18	/



备注：  
碳钢或不锈钢材料，镀锌表面处理。  
Remark:  
Mild steel or stainless steel, zinc plated finish.


折弯高度 BH	中心距 L=88
0	S2T88-00

锁配件·锁片  
Lock Accessories·Cam




备注：  
碳钢或不锈钢材料，镀锌表面处理。  
Remark:  
Mild steel or stainless steel, zinc plated finish.


行程 26mm  
stroke 26mm



折弯高度 BH	左装 LH Version	右装 RH Version
5	S3L45+05	S3R45+05
7	S3L45+07	S3R45+07
9	S3L45+09	S3R45+09
11	S3L45+11	S3R45+11
13	S3L45+13	S3R45+13




两点锁片 Two-point Cam S2B36-00



弯钩锁片 Hook Cam S1H22-00




备注：  
碳钢或不锈钢材料，镀锌表面处理。  
Remark:  
Mild steel or stainless steel, zinc plated finish.



弯钩锁片 Hook Cam S1H25-00


锁配件·钥匙  
Lock Accessories·Keys




钥匙类型 Key Code




四方 8mm  
Square 8mm







三角 8mm  
Triangular 8mm



双翅 5mm  
Double bit 5mm




钥匙类型 Key type	长度 Length 80mm		长度 Length 80mm	
	镀亮铬 Bright Chrome	镀锌 Zinc Plated	镀亮铬 Bright Chrome	镀锌 Zinc Plated
双翅 Double Bit 5mm	K80-D5-C <sub>1</sub>	K80-D5-C <sub>2</sub>	K55-D5-C <sub>1</sub>	K55-D5-C <sub>2</sub>
三角 8mm Triangle 8mm	K80-T8-C <sub>1</sub>	K80-T8-C <sub>2</sub>	K55-T8-C <sub>1</sub>	K55-T8-C <sub>2</sub>
四方 8mm Square 8mm	K80-S8-C <sub>1</sub>	K80-S8-C <sub>2</sub>	K55-S8-C <sub>1</sub>	K55-S8-C <sub>2</sub>




钥匙材质 Key Material	钥匙类型 Key Type	钥匙编号 Key Code
Brass	K333	K333-BR
PA Grip+Brass Key		K333-PA
Brass	CH751	K751
Brass	2233	K2233


NEW




A: 适用于四方八锁芯  
A For Square 8mm insert




B: 适用于四方六锁芯  
B For Square 6mm insert



C: 适用于三角八锁芯  
C For Triangular 8mm insert




D: 适用于双翅三, 四, 五锁芯  
D For Double Bit 3mm 4mm 5mm insert



喷砂镀铬 Sandblasting Chrome Plated	喷砂镀镍 Sandblasting Nickel Plated
K435-S <sub>2</sub>	K435-S <sub>3</sub>

备注:  
锌合金钥匙.  
Remark:  
Zinc alloy key.





长度 L	Type A	Type B	Type C	Type D	Type E	Type F	Type G
400 MM	LG400-A	LG400-B	LG400-C	LG400-D	LG400-E	LG400-F	LG400-G
500 MM	LG500-A	LG500-B	LG500-C	LG500-D	LG500-E	LG500-F	LG500-G
600 MM	LG600-A	LG600-B	LG600-C	LG600-D	LG600-E	LG600-F	LG600-G
700 MM	LG700-A	LG700-B	LG700-C	LG700-D	LG700-E	LG700-F	LG700-G
800 MM	LG800-A	LG800-B	LG800-C	LG800-D	LG800-E	LG800-F	LG800-G
900 MM	LG900-A	LG900-B	LG900-C	LG900-D	LG900-E	LG900-F	LG900-G
1000 MM	LG1000-A	LG1000-B	LG1000-C	LG1000-D	LG1000-E	LG1000-F	LG1000-G
1100 MM	LG1100-A	LG1100-B	LG1100-C	LG1100-D	LG1100-E	LG1100-F	LG1100-G



备注:  
碳钢镀锌拉杆, 长度可以根据要求定制.  
Remark:  
Zinc plated steel rod, length can be customized.


锁配件·拉杆  
Lock Accessories · Rods




门高度低于1600mm  
只含一个锁销  
Door Height less than 1600mm  
only have one copper rivet

门板高度 Door Height	可选尺寸 Optional Sizes		Type H
	X	Y	
800-1200 MM	/	126.5	LG126-H
1200-1600 MM	/	276.5	LG276-H
1600-1900 MM	101.5	526.5	LG526-H
1900-2200 MM	101.5	676.5	LG676-H


锁配件·拉杆附件  
Lock Accessories · Rod Parts



门板高度 Door Height	门类型 Door Type	
	Single Door	Double Door
1600 MM	LG650-K1	LG750-K1
1800 MM	LG750-K1	LG850-K1
2000 MM	LG850-K1	LG950-K1
2200 MM	LG950-K1	LG1050-K1




长度 L	A=18.5 MM	A=22.5 MM	A=27.5 MM
400 MM	LG400-18-J	LG400-22-J	LG400-27-J
500 MM	LG500-18-J	LG500-22-J	LG500-27-J
600 MM	LG600-18-J	LG600-22-J	LG600-27-J
700 MM	LG700-18-J	LG700-22-J	LG700-27-J
800 MM	LG800-18-J	LG800-22-J	LG800-27-J
900 MM	LG900-18-J	LG900-22-J	LG900-27-J
1000 MM	LG1000-18-J	LG1000-22-J	LG1000-27-J
1100 MM	LG1100-18-J	LG1100-22-J	LG1100-27-J



门板高度 Door Height	门类型 Door Type	
	Single Door	Double Door
1600 MM	LG680-K2	LG780-K2
1800 MM	LG780-K2	LG880-K2
2000 MM	LG880-K2	LG980-K2
2200 MM	LG980-K2	LG1080-K2




锁配件·拉杆  
Lock Accessories · Rods



门板高度 Door Height	X 型拉杆长度 X Rod Length	Y 型拉杆长度 Y Rod Length	碳钢 Mild Steel
1600 MM	530	510	LG510-XY
1800 MM	530	610	LG610-XY
2000 MM	530	710	LG710-XY
2200 MM	530	810	LG810-XY


Remark:  
1. Rods for single door : X+Y+Y  
2. Rods for double door : X+(Y-100)+(Y-100)



门板高度 Door Height	Z 型拉杆长度 Z Rod Length	碳钢 Mild Steel
600 MM	510	LG510-Z
800 MM	710	LG710-Z
1000 MM	910	LG910-Z
1200 MM	1110	LG1110-Z

Remark:  
1. Rods for single door : L=Z  
2. Rods for double door : L=Z-200


锁配件·拉杆附件  
Lock Accessories · Rod Parts




锌合金 Zinc Alloy	不锈钢 Stainless Steel
RG001-C <sub>3</sub>	RG001-SS




固定件 Rod catch



锌合金 Zinc Alloy	RG002-B <sub>2</sub>
----------------	----------------------




锌合金 Zinc Alloy	RG003-C <sub>1</sub>
----------------	----------------------



锁配件·拉杆附件  
Lock Accessories · Rod Parts




备注：  
锌合金。  
Remark:  
Zinc alloy.



锌合金 Zinc Alloy      RG004-C<sub>3</sub>


锁配件·导向件  
Lock Accessories · Rod Guide



L	A	尼龙 PA
44	30	RG007-44
38	25	RG007-38
32	20	RG007-32




备注：  
锌合金·喷塑。  
Remark:  
Zinc alloy. Black coated.




锌合金 Zinc Alloy      RG005-B<sub>2</sub>

A 型 Version A  
用 M6x16 或 6x20 焊接螺柱固定  
For weld stud M6x16 or M6x20




B 型 Version B  
用 M6x22 点焊螺柱固定  
For weld stud M6x22




固定件 Rod catch

C 型 Version C



A 型 Type A	RG008-1
B 型 Type B	RG008-2
C 型 Type C	RG008-3



锌合金 Zinc Alloy      RG006-B<sub>2</sub>



备注：  
锌合金·喷塑。  
Remark:  
Zinc alloy. Black coated.

附件  
Lock Accessories



锁配件·拉杆附件  
Lock Accessories · Rod Parts




适用于孔型 22.5x20.1  
For cutout 22.5x20.1



锁闭状态与锁舌方向垂直  
Pull tab perpendicular to cam




锁闭状态与锁舌方向平行  
Pull tab in-line with cam





适用开孔尺寸 22.5X20.1 For Cut Out 22.5X20.1	适用开孔尺寸 13.5X16 For Cut Out 13.5X16	
	锁闭状态与锁舌方向垂直 Pull tab perpendicular to cam	锁闭状态与锁舌方向平行 Pull tab in-line with cam
PL01-D222	PL01-D160	PL01-D161

备注：  
尼龙  
Remark:  
PA



使用这款防尘罩时，门板厚度增加2.3mm  
When using dust cover, the door thickness increases by 2.3mm





当盖子关闭时，总厚度为10mm  
When cover is closed, the total thickness is 10 mm

热塑性弹性体材料 TPE	PL03
--------------	------

备注：  
热塑性弹性体材料，配套 1125 系类锁。  
Remark:  
TPE, designed for lock 1125 series.



大型 Large size  
适用于孔型 22.5x20.1  
For cutout 22.5x20.1



小型 Small size  
适用于孔型 16x13.5  
For cutout 16x13.5


适用开孔尺寸 22.5X20.1 For Cut Out 22.5X20.1	适用开孔尺寸 13.5X16 For Cut Out 13.5X16
W02-D222	PL02-D16

备注：  
尼龙  
Remark:  
PA




产品系列：MFT-001-012


产品系列：MFT-013-024




**MFT-001**  
黑色三元乙丙钢带密封条  
Black EPDM sealing strip(with steel sheet)




**MFT-002**  
黑色三元乙丙钢带密封条  
Black EPDM sealing strip(with steel sheet)




**MFT-003**  
黑色三元乙丙钢带密封条  
Black EPDM sealing strip(with steel sheet)




**MFT-013**  
黑色三元乙丙钢带密封条  
Black EPDM sealing strip(with steel sheet)




**MFT-014**  
黑色三元乙丙钢带密封条  
Black EPDM sealing strip(with steel sheet)




**MFT-015**  
黑色三元乙丙钢带密封条  
Black EPDM sealing strip(with steel sheet)




**MFT-004**  
黑色三元乙丙无钢带密封条  
Black EPDM sealing strip(no steel sheet)




**MFT-005**  
黑色三元乙丙钢带密封条  
Black EPDM sealing strip(with steel sheet)




**MFT-006**  
黑色三元乙丙钢带密封条  
Black EPDM sealing strip(with steel sheet)




**MFT-016**  
黑色三元乙丙密实发泡密封条  
Black EPDM sealing strip




**MFT-017**  
黑色三元乙丙钢带密封条  
Black EPDM sealing strip(with steel sheet)




**MFT-018**  
黑色三元乙丙钢带密封条  
Black EPDM sealing strip(with steel sheet)




**MFT-007**  
黑色三元乙丙钢带密封条  
Black EPDM sealing strip(with steel sheet)



**MFT-008**  
黑色三元乙丙钢带密封条  
Black EPDM sealing strip(with steel sheet)




**MFT-009**  
黑色三元乙丙钢带密封条  
Black EPDM sealing strip(with steel sheet)




**MFT-019**  
黑色三元乙丙钢带密封条  
Black EPDM sealing strip(with steel sheet)




**MFT-020**  
黑色三元乙丙钢带密封条  
Black EPDM sealing strip(with steel sheet)




**MFT-021**  
黑色三元乙丙钢带密封条  
Black EPDM sealing strip(with steel sheet)




**MFT-010**  
黑色三元乙丙钢带密封条  
Black EPDM sealing strip(with steel sheet)




**MFT-011**  
黑色三元乙丙钢带密封条  
Black EPDM sealing strip(with steel sheet)




**MFT-012**  
黑色三元乙丙钢带密封条  
Black EPDM sealing strip(with steel sheet)



**MFT-022**  
黑色三元乙丙钢带密封条  
Black EPDM sealing strip(with steel sheet)




**MFT-023**  
黑色三元乙丙钢片密封条  
Black EPDM sealing strip(with steel sheet)




**MFT-024**  
黑色三元乙丙密封条  
Black EPDM sealing strip

产品系列：MFT-025-036


产品系列：MFT-037-048




**MFT-025**  
黑色三元乙丙海绵胶条  
Black EPDM Sponge Strip




**MFT-026**  
黑色三元乙丙海绵胶条  
Black EPDM Sponge Strip




**MFT-027**  
黑色三元乙丙海绵胶条  
Black EPDM Sponge Strip




**MFT-028**  
黑色三元乙丙海绵胶条  
Black EPDM Sponge Strip




**MFT-029**  
黑色三元乙丙海绵胶条  
Black EPDM Sponge Strip




**MFT-030**  
黑色三元乙丙海绵胶条  
Black EPDM Sponge Strip




**MFT-031**  
黑色三元乙丙海绵胶条  
Black EPDM Sponge Strip




**MFT-032**  
黑色三元乙丙海绵胶条  
Black EPDM Sponge Strip




**MFT-033**  
黑色三元乙丙海绵胶条  
Black EPDM Sponge Strip




**MFT-034**  
黑色三元乙丙海绵胶条  
Black EPDM Sponge Strip




**MFT-035**  
黑色三元乙丙海绵胶条  
Black EPDM Sponge Strip




**MFT-036**  
黑色三元乙丙海绵胶条  
Black EPDM Sponge Strip




**MFT-037**  
黑色三元乙丙海绵胶条  
Black EPDM Sponge Strip




**MFT-040**  
黑色三元乙丙海绵胶条  
Black EPDM Sponge Strip




**MFT-043**  
EPDM门用缓冲钉  
EPDM door nail buffer




**MFT-046**  
黑色三元乙丙海绵胶条  
Black EPDM Sponge Strip




**MFT-038**  
黑色三元乙丙海绵胶条  
Black EPDM Sponge Strip




**MFT-041**  
黑色三元乙丙海绵胶条  
Black EPDM Sponge Strip




**MFT-044**  
EPDM门用缓冲钉  
EPDM door nail buffer




**MFT-047**  
黑色三元乙丙海绵胶条  
Black EPDM Sponge Strip




**MFT-039**  
EPDM密封胶圈  
EPDM Sealing O-ring



**MFT-042**  
黑色三元乙丙海绵胶条  
Black EPDM Sponge Strip




**MFT-045**  
黑色三元乙丙海绵胶条  
Black EPDM Sponge Strip




**MFT-048**  
黑色三元乙丙海绵胶条  
Black EPDM Sponge Strip

产品系列：MFT-049-060


产品系列：MFT-061-072




**MFT-049**  
黑色三元乙丙海绵胶条  
Black EPDM Sponge Strip




**MFT-050**  
黑色三元乙丙海绵胶条  
Black EPDM Sponge Strip




**MFT-051**  
黑色三元乙丙海绵胶条  
Black EPDM Sponge Strip




**MFT-061**  
黑色三元乙丙密实胶条  
Black EPDM Dense Strip




**MFT-062**  
黑色三元乙丙密实胶条  
Black EPDM Dense Strip




**MFT-063**  
黑色三元乙丙密实胶条  
Black EPDM Dense Strip




**MFT-052**  
黑色三元乙丙海绵胶条  
Black EPDM Sponge Strip




**MFT-053**  
黑色三元乙丙海绵胶条  
Black EPDM Sponge Strip




**MFT-054**  
黑色三元乙丙海绵胶条  
Black EPDM Sponge Strip




**MFT-064**  
黑色三元乙丙密实胶条  
Black EPDM Dense Strip




**MFT-065**  
PVC密封胶条  
PVC gasketing




**MFT-066**  
黑色三元乙丙密实胶条  
Black EPDM Dense Strip




**MFT-055**  
黑色三元乙丙密实胶条  
Black EPDM Dense Strip




**MFT-056**  
黑色三元乙丙密实胶条  
Black EPDM Dense Strip




**MFT-057**  
PVC密封胶条  
PVC gasketing




**MFT-067**  
黑色三元乙丙密实胶条  
Black EPDM Dense Strip




**MFT-068**  
黑色三元乙丙密实胶条  
Black EPDM Dense Strip




**MFT-069**  
黑色三元乙丙密实胶条  
Black EPDM Dense Strip




**MFT-058**  
黑色三元乙丙密实胶条  
Black EPDM Dense Strip




**MFT-059**  
黑色三元乙丙密实胶条  
Black EPDM Dense Strip




**MFT-060**  
黑色三元乙丙密实胶条  
Black EPDM Dense Strip



**MFT-070**  
黑色三元乙丙密实胶条  
Black EPDM Dense Strip




**MFT-071**  
黑色三元乙丙密实胶条  
Black EPDM Dense Strip




**MFT-072**  
黑色三元乙丙密实胶条  
Black EPDM Dense Strip

产品系列：MFT-049-060


产品系列：




**MFT-073**  
黑色三元乙丙密实胶条  
Black EPDM Dense Strip




**MFT-074**  
黑色三元乙丙密实胶条  
Black EPDM Dense Strip




**MFT-075**  
黑色三元乙丙密实胶条  
Black EPDM Dense Strip




**MFT-076**  
黑色三元乙丙密实胶条  
Black EPDM Dense Strip



**MFT-077**  
黑色三元乙丙密实胶条  
Black EPDM Dense Strip




**MFT-078**  
黑色三元乙丙密实胶条  
Black EPDM Dense Strip



海绵发泡方形密封条


代号	C	D
MFT-079	1.5	18
MFT-080	2	10
MFT-081	2	12
MFT-082	2	15
MFT-083	2	20
MFT-084	3	6
MFT-085	3	10
MFT-086	3	12
MFT-087	3	15
MFT-088	3	18
MFT-089	3	20
MFT-090	3	25
MFT-091	3	30
MFT-092	3	35
MFT-093	4	10
MFT-094	4	12

代号	C	D
MFT-095	4	15
MFT-096	4	20
MFT-097	4	25
MFT-098	4	30
MFT-099	5	10
MFT-100	5	12
MFT-101	5	14
MFT-102	5	15
MFT-103	5	20
MFT-104	5	30
MFT-105	6	10
MFT-106	6	15
MFT-107	6	17
MFT-108	6	20
MFT-109	6	25
MFT-110	6	30



Remark:  
\*Closed cell sponge rubber as requested black with stretch eliminating self-adhesive tape,  
\*Width and height can be customized according to customer requirement.  
\*Soken tape, 3M tape as request.

注：背面胶带可选择进口综研胶带、网格纤维胶带、3M胶带或者其他品牌胶带。





海绵发泡圆形密封条

代号	Ø
MFT-111	3
MFT-112	4
MFT-113	5
MFT-114	6
MFT-115	7
MFT-116	8
MFT-117	9
MFT-118	10





产品系列：

产品系列：



观察窗胶条

代号	B	H	H1	H2	H3
M-119	29	23	5	2	8
M-120	26	18	5	2	5
M-121	21	17	5	2	5
M-122	19	14	4	1.5	4
M-123	15	10	3	3	3




发泡半圆胶条

代号	A	B
M-129	16	3
M-130	16	5
M-131	16	6.5
M-132	16	7
M-133	16	8

代号	A	B
M-134	12	10
M-135	10	12
M-136	10	6.5
M-137	11	7
M-138	11	12



注：背面胶带可选择进口综研胶带、网格纤维胶带、3M胶带或者其他品牌胶带。

Remark:  
\*Closed cell sponge rubber as requested black with stretch eliminating self-adhesive tape,  
\*Width and height can be customized according to customer requirement.  
\*Soken tape, 3M tape as request.



电缆穿线护套

代号	开孔尺寸(A)	B	C
S-28	28	38	36
S-50	50	60	46
S-60	60	70	46
S-70	70	75	50
S-80	80	88	60
S-100	100	110	62
S-110	110	122	60




过线胶圈

代号	开孔尺寸(D)	D1	D2	D3
SM-8	10	15	8	7
SM-22	22	32	20	9
SM-24	24	29	18	7
SM-32	32	40	22	8
SM-35	35	44	29	7
SM-40	40	49	33	9
SM-45	45	52	37	7
SM-50	50	64	45	8
SM-60	60	70	51	8
SM-80	80	88	66	9
SM-100	100	106	86	12
SM-110	110	116	95	12




产品系列：MF-001-012


产品系列：MF-013-024




**MF-001**  
黑色三元乙丙钢丝胶条  
Black EPDM steel wire strip




**MF-002**  
黑色三元乙丙钢丝胶条  
Black EPDM steel wire strip




**MF-003**  
黑色三元乙丙钢丝胶条  
Black EPDM steel wire strip




**MF-004**  
黑色三元乙丙钢丝胶条  
Black EPDM steel wire strip




**MF-005**  
黑色三元乙丙钢丝胶条  
Black EPDM steel wire strip




**MF-006**  
黑色三元乙丙钢丝胶条  
Black EPDM steel wire strip




**MF-013**  
黑色三元乙丙钢丝胶条  
Black EPDM steel wire strip




**MF-014**  
黑色三元乙丙钢丝胶条  
Black EPDM steel wire strip




**MF-015**  
黑色三元乙丙钢丝胶条  
Black EPDM steel wire strip




**MF-016**  
黑色三元乙丙钢丝胶条  
Black EPDM steel wire strip




**MF-017**  
黑色三元乙丙钢丝胶条  
Black EPDM steel wire strip




**MF-018**  
黑色三元乙丙钢丝胶条  
Black EPDM steel wire strip




**MF-007**  
黑色三元乙丙钢丝胶条  
Black EPDM steel wire strip




**MF-008**  
黑色三元乙丙钢丝胶条  
Black EPDM steel wire strip




**MF-009**  
黑色三元乙丙钢丝胶条  
Black EPDM steel wire strip




**MF-019**  
PVC橡塑装饰条  
PVC trim strip




**MF-020**  
PVC橡塑装饰条  
PVC trim strip




**MF-021**  
PVC橡塑装饰条  
PVC trim strip




**MF-010**  
黑色三元乙丙钢丝胶条  
Black EPDM steel wire strip




**MF-011**  
黑色三元乙丙钢丝胶条  
Black EPDM steel wire strip




**MF-012**  
黑色三元乙丙钢丝胶条  
Black EPDM steel wire strip



**MF-022**  
PVC橡塑装饰条  
PVC trim strip




**MF-023**  
PVC橡塑装饰条  
PVC trim strip




**MF-024**  
PVC橡塑装饰条  
PVC trim strip


产品系列：MF-025-030




**MF-025**  
PVC橡塑装饰条  
PVC trim strip




**MF-026**  
PVC橡塑装饰条  
PVC trim strip




**MF-027**  
PVC橡塑装饰条  
PVC trim strip



**MF-028**  
PVC橡塑装饰条  
PVC trim strip




**MF-029**  
PVC橡塑装饰条  
PVC trim strip





**MF-030**  
PVC橡塑装饰条  
PVC trim strip

产品系列：MF-031-32



黑色发泡EPDM唇型密封胶条，肖氏硬度：30±5 Shore A					
AH	高度H	代号	AH	高度H	代号
16	18.5	MF-031	22	24.5	MF-031
18	20.5	MF-031	24	26.5	MF-031
20	22.5	MF-031	26	28.5	MF-031



黑色CR EPDM唇型密封胶条，肖氏硬度：65±5 Shore A									
AH	H	h	个数	代号	AH	H	h	个数	代号
16	17	9.5	1	MF-032	20	21	13.5	2	MF-032
18	19	11.5	1	MF-032	26	27	19.5	3	MF-032

